

A SPECIFIC CONDITIONS:

CONDITIONS

COMPLIANCE STATUS

1. The project proponent shall install 24X7 air monitoring devices to monitor air emission, as provided by CPCB and submit report to Ministry and its Regional Office.

Online 24X7 air monitoring devices has been installed. On-line monitoring facilities for all six stacks (location and parametres with limit given in **Table1** below) has been provided and data generated is being regularly transmitted to CPCB and GPCB online on 24X7 basis and report of the same is being submitted to Ministry and its Regional Office on regular basis.


Sufficient air pollution control devices (location and air pollution control devices installed details given in **Table2** below) provided to keep the emission within permissible limit.

Environmental parameters as per monitoring conducted by **Royal Environment Auditing & Consultancy Service, Gujarat Pollution Control Board (GPCB) approved Schedule II Auditor having NABL accredited laboratory** facility from **Oct'17 to Mar'18** for all six stacks are given in the **Table 3** below & copy of the same is attached as **Annexure A**.

Environmental parameters as per monitoring conducted by **Royal Environment Auditing & Consultancy Service, Gujarat Pollution Control Board (GPCB) approved Schedule II Auditor having NABL accredited laboratory** facility, in the ambient air from **Oct'17 to Mar'18** are given in the **Table 4** below & copy of the same is attached as **Annexure B**.

Copy of values of Environmental parameters as per Continuous monitoring reports transmitted to CPCB and GPCB **Oct'17 to Mar'18** for satchk monitoring is attached as **Annexure C**.

Compliance Assured



List Of Online Monitoring Stations


Table 1

Location	Online Parameters	Limit in (mg/Nm ³)
AFBC Boiler of Power Plant	SO _x , Nox ,SPM	Sox-100,Nox-50,SPM-100
Rotary Kiln 1 & 2	SO _x , Nox ,SPM	Sox-100,Nox-50,SPM-100
Rotary Kiln 3 & 4	SO _x , Nox ,SPM	Sox-100,Nox-50,SPM-100
Induction Furnace 1 & 2	SO _x , Nox ,SPM	Sox-100,Nox-50,SPM-50
Induction Furnace 3 & 4	SO _x , Nox ,SPM	Sox-100,Nox-50,SPM-50
Reheating Furnace	SO _x , Nox ,SPM	Sox-100,Nox-50,SPM-100

Air Pollution Control Device

Table 2

Location	Air Pollution Control Equipment
Power Plant	Electro Static Precipitator (ESP)
Rotary Kiln 1 & 2	Electro Static Precipitator (ESP)
Rotary Kiln 3 & 4	Electro Static Precipitator (ESP)
Induction Furnace 1 & 2	Bag Filter With Spark Trapper and Popped Damper
Induction Furnace 3 & 4	Bag Filter With Spark Trapper and Popped Damper
Reheating Furnace	Bag Filter With Forced Draft Cooler




STACK EMISSION MONITORING REPORT VALUES
TABLE 3

Stack Monitoring Station	SPM (mg/Nm ³) Limit-100 mg/Nm ³			NOX (mg/Nm ³) Limit-50 mg/Nm ³			SO ₂ (mg/Nm ³) Limit-100 mg/Nm ³		
	Max.	Min.	Avg.	Max.	Min.	Avg.	Max.	Min.	Avg.
Rotary Kiln 1 & 2	94	92	93	32.5	27.8	30.15	28.3	23.2	25.75
Rotary Kiln 3 & 4	88	84	86	36.7	26.8	31.75	23.5	18.8	21.15
Power Plant	81	76	79	23.5	18.9	21.20	40.5	31.6	36.05
Induction Furnace F1 & F2	42	37	39	26.5	18.5	22.50	21.6	12.5	17.05
Induction Furnace F3 & F4	40	31	36	25.4	19.5	22.45	18.4	12.7	15.55
Rolling Mill	65	57	61.5	20.8	18.4	19.60	20.8	15.3	18.05

AMBIENT AIR QUALITY MONITORING REPORT
TABLE 4

Ambient Air Quality Station	PM 10 (µg/m ³) Limit-100 µg/m ³			PM _{2.5} (µg/m ³) Limit-60 µg/m ³			Sox(µg/m ³) Limit-80 µg/m ³			NO _x (µg/m ³) Limit-80 µg/m ³		
	Max.	Min.	Avg.	Max.	Min.	Avg.	max.	Min.	Avg.	Max.	Min.	Avg.
OFFICER COLONY	52	49	50.5	26	24	25	12.6	10.8	11.7	20.7	21.1	20.9
MAIN SECURITY GATE	62	58	60	28	27	27.5	13.4	12.4	12.9	19.2	18.1	18.65
R/KILN 1 & 2	47	44	45.5	23	21	22	16.7	8.2	12.45	19.4	12.7	16.05
NR.FURNACE AREA	51	48	49.5	26	24	25	18.5	9.5	14	21.0	13.8	17.40




<p>2. Used Oil shall not be reused for lubrication and disposed to the authorized vendor.</p>	<p>Used oil is disposed by selling to registered Re-refiner as per the Hazardous Waste (Management & Handling) Rules, 1989 and subsequent amendments.</p> <p>Time bound action plan for financial year 2017-18 of generation & disposal quantity along with disposal mode for used oil given in Table 5 below.</p> <p>Invoice of used oil send to registered Re-refiner is attached as Annexure D</p>
---	--

USED OIL DISPOSAL PLAN FOR YEAR 2017-18

Table 5

DESCRIPTION	OPENING STOCK ON 01/04/17 IN MT	EXPECTED GENERATION 01/04/16 TO 31/03/18 IN MT	DISPOSAL/RECYCLE/UTILISATION PLAN	EXPECTED BALANCE STOCK ON 31/03/18 IN MT
USED OIL	NIL	2.063	100 % TO BE SEND TO REGISTERED RE-REFINER	NIL

<p>3. Air pollution control devices viz. Electrostatic precipitator (ESP), and bag filters etc. shall be provided to keep the emission levels below 50mg/Nm³.</p>	<p>The various air pollution control devices like Electrostatic Precipitator, Bag filters, Fume Extraction System and other measures are provided to control the emission level below 50mg/Nm³ are as under:</p> <ul style="list-style-type: none"> • 4 nos of ESP with three nos of Electrical and Mechanical Field in all four Rotary kiln and 1 no. Of ESP with Four nos of electrical and Mechanical Field at AFBC boiler • Bag filter pulse jet type at all transfer points • Four nos of Fume extraction system with bag house and spark trapper at all 4 nos of Induction furnace area. <p>Details of the Pollution related Equipment is given in the Table 6 below.</p>
--	--



Environmental parameters as per monitoring conducted from Oct'17 to Mar'18 for all six stacks already given in the Table 3 above & copy of the same is attached as Annexure A.

Environmental Royal Environment Auditing & Consultancy Service, Gujarat Pollution Control Board (GPCB) approved Schedule II Auditor having NABL accredited laboratory facility, in the ambient air from Oct'17 to Mar'18 already given in the Table 4 above & copy of the same is attached as Annexure B.

Copy of values of Environmental parameters as per Continuous monitoring reports transmitted to CPCB and GPCB from Oct' 2017 to Mar' 2018 for stack monitoring is attached as Annexure C.

Compliance Assured

AIR POLLUTION CONTROL SYSTEM

TABLE 6

LOCATION	AIR POLLUTION CONTROL SYSTEM	QUANTITY
ROTARY SPONGE IRON KILN	ELECTROSTATIC PRECIPITATORS (03 Nos of Field)	04 NOS
POWER PLANT	ELECTROSTATIC PRECIPITATORS (04 Nos of Field)	01 NO
INDUCTION FURNACE	BAG FILTER WITH SPARK TRAPPER AND POPPET DAMPER	03 NOS
REHEATING FURNACE OF ROLLING MILL	BAG FILTER WITH FORCED DRAFT COOLER	01 NO

7. In plant control measures like bag filters, de-dusting and dust suppression system shall be provided to control fugitive emissions from all the vulnerable sources. Dust extraction and suppression system shall be provided at all the transfer points, coal handling plant etc. Bag filters shall be provided to hoods and dust collectors to coal and coke handling to control dust emissions. Water sprinkling system shall be provided to control secondary fugitive dust emissions generated during screening, loading, unloading, handling and storage of raw materials etc.

In plant control measures like Bag Filter, Dust Extraction System and other measures provided to control the fugitive emission from all the vulnerable sources.

- Pulse jet Bag filter system provided at all transfer points, crusher house, screen house, product handling areas etc. Details of nos of bag filter with location given in Table 7 below.
- Dry Fog System provided at coal circuit, coal injection and dolachar separation area.



Details of nos of Dry Fog system with location are given in **Table7** below

- Heavy duty Industrial Vacuum Cleaner provided at product separation building to control fugitive emission.
- Rain gun and water sprinkling system provided at coal storage yard, dump hoppers and conveyors to control the fugitive emission generated during screening, loading, unloading, handling and storage of raw materials. Details of nos of Rain Gun and water sprinkling system with location are given in **Table7** below
- Erecting the walls high to act as wind shield for storage of raw materials to avoid fugitive emission due to high wind velocity.
- Fugitive emission results as per monitoring conducted by **Royal Environment Auditing & Consultancy Service, Gujarat Pollution Control Board (GPCB) approved Schedule II Auditor having NABL accredited laboratory facility, from Oct'17 to Mar'18** are given in the **Table 8** below & copy of the same is attached as **Annexure E**
Compliance Assured

LIST OF POLLUTION CONTROL MEASURES

Table 7


Location	Type Of Air Pollution Control Device	Total Numbers
Coal Screen & Crusher House(DRI)	Bag Filter & Dry Fog system	Bag filter - 01 Nos. Dry Fog system-07 Points
Iron Ore Screen & Crushing House	Bag Filter	Bag filter - 02 Nos
Coal Transfer Points	Dry Fog System	Dry Fog system-04 Points
Iron Ore transfer Point	Bag Filter	Bag filter - 02 Nos
Coal Injection Area	Injection Bag Filter	Bag filter - 04 Nos
Cooler Discharge Area	Bag Filter	Bag filter - 04 Nos
Blending Area	Bag Filter	Bag filter - 01 Nos



Product Separate Building	Bag Filter	Bag filter - 02 Nos
Dolachar Separate Building	Bag Filter & Dry Fog system	Bag filter - 01 Nos. Dry Fog system-02 Points
CPP Coal crusher & screen area	Bag Filter & Dry Fog system	Bag filter - 02 Nos. Dry Fog system-05 Points
CPP Coal Transfer area	Dry Fog system	Dry Fog system-03 Points
CPP Dolachar Transfer area	Bag Filter	Bag filter - 01 Nos.
DRI Product Handling Building	Bag Filter & Industrial Vacuum Cleaner	Bag filter - 02 Nos. Industrial Vacuum Cleaner - 01 No
Coal Storage	Rain gun & Sprinkler	Rain gun -26 Nos. Sprinkler-28 Nos.
Fines Storage & others	Rain gun & Sprinkler	Rain gun -06 Nos. Sprinkler-48 Nos.


**FUGITIVE EMISSION REPORT
TABLE 8**

Fugitive Emission Stations	SPM ($\mu\text{g}/\text{M}^3$) Max limit : 3000 $\mu\text{g}/\text{M}^3$	
	READING-1	READING-2
NR.WAGON TRIPPLER	1758	1862
NR.SCREEN AREA	1687	1724
NR.TRANSFER POINT	1673	1710
NR.STOCK BIN AREA	1664	1632
NR.CRUSHER AREA	1684	1543
NR.VIBRATING SCREEN	1706	1672
NR.TRANSFER POINT	1292	1261
NR.FEEDER AREA	1687	1642
NR.MIXING FEEDER AREA	1754	1547
NR.TRANSFER POINT	1516	1468
NR.WAGON TRIPPLER	1584	1657
NR.SCREEN AREA	1462	1347
NR.INTERMEDIATE STOCK BIN AREA	1587	1580
NR.SCREEN PLANT	1654	1657



NR.MAGNETIC SEPRATING POINT	1764	1736
NR.TRANSFER PLANT	1672	1534
NR.OVERSIZE DISCHARGE AREA	1426	1368
NR.PRODUCT SEPARATION	1627	1654
BAGGING AREA	1549	1586

<p>5. Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 and regularly monitored. Guidelines/ Code of Practice issued by the CPCB shall be followed.</p>	<p>Action plan for controlling the fugitive emission from all sources has been prepared and is being implemented in a time bound manner in order to achieve the prescribed standards. Regular monitoring of fugitive emission is carried out and the results are within the latest permissible limits issued by Ministry vide G.S.R. 414(E) dated 30th May, 2008 .</p> <p>Highlights of the action plan are given below:</p> <ul style="list-style-type: none"> • Regular & periodic sprinkling of water on all exposed surfaces to suppress emission of dust. • Erected high walls to act as wind shield during storage of raw materials. • Clean return belts in the conveyor belt systems to reduce impact of loose dust; • Vehicles are given speed limit of 30 km/hr within the premise. • Materials are transported in securely covered trucks to reduce dust emission. • The workers are given dust masks to avoid inhalation of dust & fugitive emissions. <p>Gaseous emission monitoring reports are attached as Annexure E</p> <p>Complied</p>
---	---




6. Carbon mono-oxide (CO) shall also be monitored along with other parameters and standards notified under Environment (Protection) Act shall be followed. The reports shall be submitted to the Ministry's Regional Office, CPCB and SPCB.
- The concentration of CO and other parameters from the AFBC Boiler, rotary kiln, and induction furnace are being studied at regular interval along with other parameters and the report of the same is being submitted to MOEF on six monthly basis.
- Environmental parameters as per monitoring conducted by **Royal Environment Auditing & Consultancy Service, Gujarat Pollution Control Board (GPCB) approved Schedule II Auditor having NABL accredited laboratory facility, for CO from Oct'17 to Mar'18** for all six stacks are given in the **Table 9** below & copy of the same is attached as **Annexure A**.
- Complied**


**CO MONITORING REPORT
TABLE 9 (LIMIT : Not Specified)**

CO MONITORING STATION	MAX (mg/Nm3)	MIN (mg/Nm3)	AVG (mg/Nm3)
ROTORY KILN 1 &2	58	51	54.50
ROTORY KILN 3 &4	59	46	52.50
POWER PLANT	62	57	59.50
INDUCTION FURNACE 1 &2	69	58	63.50
INDUCTION FURNACE 3 &4	67	55	61.00


7. Efforts shall further be made to use maximum water from the rain water harvesting sources. If needed, capacity of the reservoir shall be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources. Use of air cooled condensers shall be explored and closed circuit cooling system shall be provided to reduce water consumption and water requirement shall be modified accordingly.
- Presently rain water is collected into pond and reused in the process after necessary treatment in the lean season besides recharging the ground water table.
- Rain water harvesting measures have been implemented by means of creating two ponds of water to the tune of 9000 KL and 3890 KL. Capacity of the reservoir will be enhanced based on the requirements to meet the maximum water requirement. Air cooled condensers are being used in power plant to reduce water consumptions.
- Complied.**




<p>8. All the effluents shall be treated and used for dust suppression and green belt development. No effluent shall be discharged outside the premises via drains and 'zero' discharge shall be adopted. Domestic waste water will be treated in the Sewage Treatment Plant.</p>	<p>The effluent water generated from the utility area in plant is treated in effluent treatment plant and reused within the plant premises for dust suppression and gardening purpose.</p> <p>Online flow meter and web camera have been installed and connected with CPCB and GPCB and commissioned for zero liquid discharge plant</p> <p>There is no discharge outside the plant premises via drains except during monsoon for storm water.</p> <p>Domestic waste water is being treated in Sewage treatment plant and reused for gardening and plantation purpose.</p> <p>Complied.</p>
<p>9. At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on locals need and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office. Implementation of such program shall be ensured accordingly in a time bound manner.</p>	<p>As a good corporate citizen the Company is involved in contribution of funds and provides the services for the up liftment of local community in the nearby villages. The company is committed to improve the quality of life of surroundings by way of implementation of need based social development projects. 5% of the project cost i.e. Rs 375 lacs has been earmarked and out of which Rs 205.28 Lacs is utilized for the following CSR projects till March 2018. Rs 54.37 lacs was incurred during the financial year 2017-18 towards the following services as given below:</p> <ul style="list-style-type: none"> • Contribution for Banaskantha flood relief • Construction of almost 153 nos Toilets in near by Villages • Providing Man Cooler for BSF Camp • Contribution for purchase of land for developement of School at Samakhiali. <p>Copy of details of CSR activities is attached as Annexure F</p> <p>Compliance assured.</p>



10.	<p>The company shall submit their policy towards Corporate Environment Responsibility which shall inter-alia address (i) Standard operating process/procedure to being in to focus any infringement/deviation /violation of environment or forest norms/conditions. (ii) Hierarchical system or Administrative order of the Company to deal with environmental issues and ensuring compliance to the environmental clearance conditions and (iii) System of reporting of non compliance/violation environmental norms to the Board of Directors of the company and/ or stakeholders or shareholders.</p>	<p>Copy of Corporate Environment Responsibility policy is attached as Annexure G Copy of the same uploaded on the company's website (http://www.gallantt.com) for public viewing</p> <p>Complied</p>
11.	<p>All the commitments made to the public during the Public Hearing/Public Consultation meeting shall be satisfactorily implemented and separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office.</p>	<p>The commitments made to the public during the Public Hearing meeting are being implemented.</p> <p>Copy of the Public Hearing is attached as Annexure H</p> <p>Compliance assured.</p>
12.	<p>Green Belt of 20-30 meters in width should be provided all around the periphery of the site. Greenery shall be developed around storage yards, around plants, either side of roads of the industry as per CPCB Guidelines</p>	<p>Development of green belt inside the plant area is in progress. The company has carried out tree plantation program within & outside the plant premises at regular intervals Till date more than 25921 nos of plants in approx. 28 acres area have been planted. The plantation is carried out in phased manner. During the current monsoon, 6100 nos of trees were planted.</p> <p>Since plantation is continuous process, we assured to raise plantation further as per CPCB guideline.</p> <p>Efforts will be made to further increase the greenbelt with gradual increase in density of plants as per CPCB guideline.</p> <p>Being Complied.</p>
13.	<p>Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.</p>	<p>Proposed project is in the existing industrial premise; all these facilities are readily available.</p> <p>Compliance assured.</p>



GENERAL CONDITIONS:	Compliance Status
14. The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB) and the State Government	<p>Agreed.</p> <p>All stipulations made by the Gujarat Pollution Control Board (GPCB) and the State Government in their Consent to Establish & Consent to operate are being adhere to.</p>
15. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests and Climate Change (MoEFCC).	<p>Agreed.</p> <p>No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment and Forests and Climate Change (MoEFCC).</p>
16. At least four ambient air quality-monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Bhopal and the SPCB/CPCB once in six months.	<p>Four Ambient Air Quality Monitoring stations have been established in the downward direction as well as where maximum ground level concentration of PM10, PM2.5, SO2 and NOx in consultation with GPCB.</p> <p>Data on ambient air quality and stack emission is being regularly submitted to this Ministry including its Regional Office at Bhopal and the SPCB/CPCB once in six months.</p> <p>Ambient air quality parameters are within the stipulated norms. Environmental parameters as per monitoring conducted by Royal Environment Auditing & Consultancy Service, Gujarat Pollution Control Board (GPCB) approved Schedule II Auditor having NABL accredited laboratory facility, from Oct'17 to Mar'18 are given in the Table 10 below & copy of the same is attached as Annexure B.</p> <p>Complied</p>



AMBIENT AIR QUALITY MONITORING VALUES

TABLE 10

Ambient Air Quality Station	PM 10 ($\mu\text{g}/\text{nm}^3$) Limit-100 $\mu\text{g}/\text{m}^3$			PM 2.5 ($\mu\text{g}/\text{nm}^3$) Limit-60 $\mu\text{g}/\text{m}^3$			Sox ($\mu\text{g}/\text{m}^3$) Limit-80 $\mu\text{g}/\text{m}^3$			Nox ($\mu\text{g}/\text{nm}^3$) Limit-80 $\mu\text{g}/\text{m}^3$		
	Max.	Min.	Avg.	Max.	Min.	Avg.	Max.	Min.	Avg.	Max.	Min.	Avg.
OFFICER COLONY	52	49	50.5	26	24	25	12.6	10.8	11.7	20.7	21.1	20.9
MAIN SECURITY GATE	62	58	60	28	27	27.5	13.4	12.4	12.9	19.2	18.1	18.65
BEHIND KILN 1 & 2	47	44	45.5	23	21	22	16.7	8.2	12.45	19.4	12.7	16.05
NEAR FURNACE AREA	51	48	49.5	26	24	25	18.5	9.5	14	21.0	13.8	17.40

17.

Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended form time to time. The treated wastewater shall be utilized for plantation purpose.

The effluent water generated from the utility area in plant is treated in Effluent treatment plant (ETP) and reused within the plant premises for dust suppression and gardening purpose as per standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended form time to time.

Online flow meter and web camera have been installed and connected with CPCB and GPCB server for live streaming.


Results of the treated effluent are given in the **Table 11** below and the report is attached as **Annexure I**

Complied

TREATED EFFLUENT RESULTS

TABLE 11

Parameter	Prescribed norms (mg/L)	Effluent Quality (mg/L)
pH	6.5 TO 8.5	7.16
Suspended Solids	100	16
Oil & Grease	10	0.85
Copper	1.0	0.48
Iron as Fe	1.0	0.61
Phosphate	5	2.9



Total Chromium	0.20	0.1
Zinc as Zn	1.0	TRACES
BOD 3 Days @ °C	30	24
COD	100	43


18. **The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).**

Workplace noise level survey is conducted on regular basis to identify high noise levels. Workers employed in High Noise area are provided with proper PPEs. Periodic Audiometric tests of the workmen employed in High Noise Area is also conducted as part of workers 'Health Surveillance Program'. Ambient Noise Level is monitored regularly and is controlled within stipulated limit. Parameters as per monitoring report from **Oct'17 to Mar'18** are given in **Table 12** and report is attached as **Annexure J**


Ambient Noise Level Monitoring Station	Noise Level (dBA)					
	TABLE 12					
	Day (LIMIT 75dBA)			Night (LIMIT 70dBA)		
	Max.	Min.	Avg.	Max.	Min.	Avg.
NEAR MAIN GATE	58.30	57.20	57.75	54.30	53.70	54.00
ROLLING MILL AREA	64.70	62.80	63.75	61.20	60.20	60.70
INDUCTION FURNACE AREA	69.40	68.10	68.75	64.80	62.40	63.60
REHEATING FURNACE AREA	68.20	67.90	68.05	62.80	61.20	62.00
ROTARY KILN AREA	69.70	64.70	67.20	63.70	62.10	62.90
POWER PLANT AREA	64.20	62.10	63.15	59.80	57.80	58.80

19. **Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.**


Occupational Health Surveillance of the workers is conducted on regular basis and records are being maintained as per the Factories Act.
Complied




20.	<p>The company shall develop rainwater harvesting structure to harvest the rain water for utilization in the lean season besides recharging the ground water level.</p>	<p>Presently rain water is collected into pond and reused in the process after necessary treatment in the lean season besides recharging the ground water table . Rain water harvesting measures have been implemeted by means of creating two ponds for storage of water with capacity of 9000 KL and 3890 KL respectively. The company has provided proper drainage system for rainwater to prevent water logging within and in the vicinity of the plant. Capacity of the reservoir will be enhanced based on the requirements to meet the maximum water requirement. Air cooled condensers are being used in captive power plant to reduce water consumptions.</p> <p>Complied</p>
21.	<p>The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA / EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply and health care etc.</p>	<p>The environment protection measures and safeguards recommended in the EIA /EMP report are being duly implemented.</p> <p>The company is committed to improve the quality of life of surroundings by way of implementation of need based social development projects. The company is taking various initiatives for socio-economic development activities in the surrounding villages community development programs, educational programs, drinking water supply and health care programs.</p> <p>Rs 0.59 Cr incurred towards CSR activities which includes medical check ups, construction of bus stop, gaushala, road in nearby villages, donation for school bags, girls education & to the hospitals at Bhachau.</p> <p>Compliance Assured.</p>



22.	<p>Requisite funds shall be earmarked towards the capital cost and recurring cost/annum for environmental pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forest and Climate Changes (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of this Ministry at Bhopal. The funds so provided shall not be diverted for any other purpose.</p>	<p>Noted & agreed. Separate fund is earmarked towards the capital cost and recurring cost/annum towards environmental pollution control measures. The fund allocated for establishment of the EMP is 522 Lakhs. The funds provided will not be diverted for any other purpose.</p>
23.	<p>A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad / Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.</p>	<p>Copies of the EC have been sent to Panchayat, Zila parishad, Mamladar and to the Local NGO. Copy of the EC is posted on the company's website (www.gallantt.com) for public display. Complied</p>
24.	<p>The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of the monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEFCC at Bhopal, The respective Zonal Office of CPCB and SPCB. The criteria pollutant levels namely; PM₁₀, SO₂, NO_x (ambient level as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at the convenient location near the main gate of the company in the public domain.</p>	<p>Six Monthly compliance reports in respect of Post Environment Clearance Monitoring are timely submitted in hard and soft copies to the concerned regulatory authorities. Copies of these reports as well as the annual Environment Statement as submitted to the concerned regulatory authorities and also uploaded on the company's website (www.gallantt.com) for public viewing . Display of critical parameters is in place at the convenient location near the main gate of the company in the public domain. Complied</p>
25.	<p>The Project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both hard copies as well as by mail) to the Regional Office of MoEFCC, the respective Zonal Office of CPCB and the SPCB. The</p>	<p>Six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both hard copies as well as by mail) are regularly sent to the concerned authorities. Complied</p>



	Regional Office of this Ministry at Bhopal/CPCB/SPCB shall monitor the stipulated conditions	
26.	The environmental statement for each financial year ending 31st March in Form V as mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules,1986, as amended subsequently, shall also be put on the website of the company along with the status of the compliance of the environmental conditions and shall also be sent to the respective Regional Office of the MoEFCC at Bhopal by mail.	Annual environmental statement for each financial year ending 31st March in Form V is regularly submitted to GPCB. In addition, a copy of the statement is also uploaded on the company's website (www.gallantt.com) for public viewing Complied
27.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forest and Climate Change (MoEFCC) at http://envfor.nic.in . This shall be advertised with in seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office at Bhopal.	The Public were informed of the grant of Environment clearance through an advertisement in The Times of India (Gujarat) and Kutch Mitra dated 25.05.16 Copies of news paper clippings have been submitted to the Regional office of the MoEF. Complied
28.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	A. Date of Financial Closure: 16th Feb 2017 B. Date of final approval of the project: 19th May 2016 C. Date of commencing the land development work. 21stth May 2016
29.	The ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted & Agreed. The ministry can revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
30.	The Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.	Noted & Agreed. The Ministry can stipulate additional conditions if found necessary.



31.

The above conditions shall be enforced. Inter-alia under the provision of the water (Prevention & Control of Pollution) Act. 1974. The Air (Prevention & Control of pollution) Act. 1981. The Environment (Protection) Act, 1986. Hazardous wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance, Liability) Act. 1991 along with their amendments and rules.

Noted & Agreed.



ANNEXURE A

STACK MONITORING ANALYSIS REPORT

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 756/10/2017-18


REPORT OF STACK EMISSION ANALYSIS

Name of company : Gallantt Metal Limited
Survey No. 175/1,
Near toll gate,
Village : Samakhali,
Taluka : Bhachau,
Kutch, Gujarat.

Sr. No.	Particulars	Unit	Stack - 1
01.	Date of sampling	--	13-10-2017
02.	Time of sampling	Hr	9.30
03.	Stack Attached to	--	AFBC Boiler of Power Plant
04.	Air Pollution Control Measures	--	ESP
05.	Stack Height	Meter	90
06.	Stack Diameter	Meter	3.8
07.	Ambient Temperature	Degree Centi.	34
08.	Stack Temperature	Degree Centi.	112
09.	Average Velocity of Flue Gases	M/Sec.	9.2
10.	Isokinetic flow rate for P.M. Sampling	LPM	22
11.	Gaseous Sampling Flow Rate	LPM	2.0
12.	Permissible Limit for P.M.	mg/Nm ³	100
13.	Measured Concentration of P.M.	mg/Nm ³	72
14.	Permissible Limit for SO ₂	ppm	100
15.	Measured Concentration of SO ₂	ppm	29.4
16.	Permissible Limit for NO _x	ppm	50
17.	Measured Concentration of NO _x	ppm	19.2
18.	Permissible Limit for CO*	--	--
19.	Measured Concentration of CO*	ppm	57

*Permissible limit not specified in EC copy as well as in GPCB CC&A
Instruments used : Ecotech Stack Sampler, Model No. ESS 100
Calibration Due On. : 16/09/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 757/10/2017-18

REPORT OF STACK EMISSION ANALYSIS

Name of company : **Gallantt Metal Limited**
 Survey No. 175/1,
 Near toll gate,
 Village : Samakhyali,
 Taluka : Bhachau,
 Kutch, Gujarat.

Test Method : As per IS Standards - 11255 1/2/3/7

Sr. No.	Particulars	Unit	Stack - 3	Stack - 4	Stack - 5	Stack - 6
1	Date of sampling	---	13-10-2017	13-10-2017	13-10-2017	Not Running During Visit
2	Time of sampling	Hr	10.30	11.30	3.00	
3	Stack Attached to	---	Rotary Kiln 1, 2	Rotary Kiln - 3	Induction Furnace - 1, 2 & 3	Reheating Furnace
4	Air Pollution Control Measures	---	Recouperatur & ESP	Recouperatur & ESP	Cyclone Separator & Wet Scrubber	---
5	Stack Diameter	Meter	1.5	1.5	1.5	1.5
6	Stack Height	Meter	35	35	48	30
7	Stack Temperature	Degree Centi.	116	109	96	---
8	Ambient Temperature	Degree Centi.	35	37	38	---
9	Average Velocity of Flue Gases	M/Sec.	8.7	9.5	8.1	---
10	Isokinetic flow rate for P.M. Sampling	LPM	20	22	19	Not Running During Visit
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	
12	Permissible Limit for P.M.	mg/Nm ³	100	100	50	100
13	Measured Concentration of P.M.	mg/Nm ³	67.8	64.7	34.2	---
14	Permissible Limit for SO ₂	ppm	100	100	100	100
15	Measured Concentration of SO ₂	ppm	28.6	19.4	17.3	---
16	Permissible Limit for Nox	ppm	50	50	50	50
17	Measured Concentration of Nox	ppm	21.5	15.9	21.3	---
18	Permissible Limit for CO*	---	---	---	---	---
19	Measured Concentration of CO*	ppm	50.2	46.4	62.3	---

*Permissible limit not specified in EC copy as well as in GPCB CC&A
 Instruments used : Ecotech Stack Sampler, Model No. ESS 100
 Calibration Due On. : 16/09/2018

Royal Environment Auditing & Consultancy Service



Royce
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 771/11/2017-18

Date : 29/11/2017


REPORT OF STACK EMISSION ANALYSIS

Name of company : Gallant Metal Limited
Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sr. No.	Particulars	Unit	Stack - 1
01.	Date of sampling	---	11-11-2017
02.	Time of sampling	Hr	9.10
03.	Stack Attached to	---	AFBC Boiler of Power Plant
04.	Air Pollution Control Measures	---	ESP
05.	Stack Height	Meter	90
06.	Stack Diameter	Meter	3.8
07.	Ambient Temperature	Degree Centi.	30
08.	Stack Temperature	Degree Centi.	116
09.	Average Velocity of Flue Gases	M/Sec.	8.4
10.	Isokinetic flow rate for P.M. Sampling	LPM	20
11.	Gaseous Sampling Flow Rate	LPM	2.0
12.	Permissible Limit for P.M.	mg/Nm ³	100
13.	Measured Concentration of P.M.	mg/Nm ³	61.5
14.	Permissible Limit for SO ₂	ppm	100
15.	Measured Concentration of SO ₂	ppm	34.2
16.	Permissible Limit for NO _x	ppm	50
17.	Measured Concentration of NO _x	ppm	26.7
18.	Permissible Limit for CO*	---	---
19.	Measured Concentration of CO*	ppm	45

*Permissible limit not specified in EC copy as well as in GPCB CC&A
Instruments used : Ecotech Stack Sampler, Model No. ESS 100
Calibration Due On. : 16/09/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail: royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 772/11/2017-18

Date : 29/11/2017

REPORT OF STACK EMISSION ANALYSIS

Name of company : Gallantt Metal Limited
Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.


Sr. No.	Particulars	Unit	Stack - 2
01.	Date of sampling	---	Not Running
02.	Time of sampling	Hr	
03.	Stack Attached to	---	Coal Crusher House
04.	Air Pollution Control Measures	---	Bag House
05.	Stack Height	Meter	29
06.	Stack Diameter	Meter	1.5
07.	Ambient Temperature	Degree Centi.	---
08.	Stack Temperature	Degree Centi.	---
09.	Average Velocity of Flue Gases	M/Sec.	---
10.	Isokinetic flow rate for P.M. Sampling	LPM	---
11.	Gaseous Sampling Flow Rate	LPM	---
12.	Permissible Limit for P.M.	mg/Nm ³	150
13.	Measured Concentration of P.M.	mg/Nm ³	---
14.	Permissible Limit for CO*	---	---
15.	Measured Concentration of CO*	ppm	---

*Permissible limit not specified in EC copy as well as in GPCB CC&A

Royal Environment Auditing & Consultancy Service
[Signature]



[Signature]
Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivailik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 773/11/2017-18

Date : 29/11/2017

REPORT OF STACK EMISSION ANALYSIS


Name of company : **Gallantt Metal Limited**
Survey No. 175/1,
Near toll gate,
Village : Samakhali,
Taluka : Bhachau,
Kutch, Gujarat.

Method : As per IS Standards - 11255 1/2-3/7

Sr. No.	Particulars	Unit	Stack - 3	Stack - 4	Stack - 5	Stack - 6
1	Date of sampling	---	11-11-2017	11-11-2017	11-11-2017	Not Running During Visit
2	Time of sampling	Hr	10.40	11.40	2.50	
3	Stack Attached to	---	Rotary Kiln - 1, 2	Rotary Kiln - 3	Induction Furnace - 1, 2 & 3	Reheating Furnace
4	Air Pollution Control Measures	---	Recouperatur & ESP	Recouperatur & ESP	Cyclone Separator & Wet Scrubber	---
5	Stack Diameter	Meter	1.5	1.5	1.5	1.5
6	Stack Height	Meter	35	35	48	30
7	Stack Temperature	Degree Centi.	121	113	102	---
8	Ambient Temperature	Degree Centi.	32	34	36	---
9	Average Velocity of Flue Gases	M/Sec.	7.2	8.6	9.6	---
10	Isokinetic flow rate for P.M. Sampling	LPM	22	20	21	Not Running During Visit
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	
12	Permissible Limit for P.M.	mg/Nm ³	100	100	50	100
13	Measured Concentration of P.M.	mg/Nm ³	73.4	69.4	38.7	---
14	Permissible Limit for SO ₂	ppm	100	100	100	100
15	Measured Concentration of SO ₂	ppm	31.6	22.8	28.2	---
16	Permissible Limit for Nox	ppm	50	50	50	50
17	Measured Concentration of Nox	ppm	29.2	19.8	26.7	---
18	Permissible Limit for CO*	---	---	---	---	---
19	Measured Concentration of CO*	ppm	56.7	52.7	58.9	---

*Permissible limit not specified in EC copy as well as in GPCB CC&A
Instruments used : Ecotech Stack Sampler, Model No. ESS 100
Calibration Due On. : 16/09/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 094/03/2017-18

Date : 20/03/2018


REPORT OF STACK EMISSION ANALYSIS

Name of company : Gallantt Metal Limited
Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sl. No.	Particulars	Unit	Stack - I
01.	Date of sampling	---	12-03-2018
02.	Time of sampling	Hr	9.30
03.	Stack Attached to	---	AFBC Boiler of Power Plant
04.	Air Pollution Control Measures	---	ESP
05.	Stack Height	Meter	90
06.	Stack Diameter	Meter	3.8
07.	Ambient Temperature	Degree Centi.	30
08.	Stack Temperature	Degree Centi.	114
09.	Average Velocity of Flue Gases	M/Sec.	8.5
10.	Isokinetic flow rate for P.M. Sampling	LPM	19
11.	Gaseous Sampling Flow Rate	LPM	2.0
12.	Permissible Limit for P.M.	mg/Nm ³	100
13.	Measured Concentration of P.M.	mg/Nm ³	79.5
14.	Permissible Limit for SO ₂	ppm	100
15.	Measured Concentration of SO ₂	ppm	40.5
16.	Permissible Limit for NO _x	ppm	50
17.	Measured Concentration of NO _x	ppm	23.5
18.	Permissible Limit for CO*	---	---
19.	Measured Concentration of CO*	ppm	40

*Permissible limit not specified in EC copy as well as in GPCB CC&A
Instruments used : Ecotech Stack Sampler, Model No. ESS 100
Calibration Due On. : 16/09/2018

Edipada A.
Royal Environment Auditing & Consultancy Service



P. Patel
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bai Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 095/03/2017-18

Date : 20/03/2018

REPORT OF STACK EMISSION ANALYSIS

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,

Near toll gate,

Village : Samakhali,

Taluka : Bhachau,


Kutch, Gujarat.

Test Method As per IS Standards - 11255 1.2.37

Sr. No.	Particulars	Unit	Stack - 3	Stack - 4	Stack - 5	Stack - 6
1	Date of sampling	---	12-03-2018	12-03-2018	12-03-2018	Not Running During Visit
2	Time of sampling	Hr	10.30	11.30	12.30	
3	Stack Attached to	---	Rotary Kiln - 1, 2	Rotary Kiln - 3	Induction Furnace - 1, 2 & 3	Reheating Furnace
4	Air Pollution Control Measures	---	Recouperatur & ESP	Recouperatur & ESP	Cyclone Separator & Wet Scrubber	---
5	Stack Diameter	Meter	1.5	1.5	1.5	1.5
6	Stack Height	Meter	35	35	48	30
7	Stack Temperature	Degree Centi.	111	114	109	---
8	Ambient Temperature	Degree Centi.	33	34	34	---
9	Average Velocity of Flue Gases	M/Sec.	7.8	8.5	8.6	---
10	Isokinetic flow rate for P.M. Sampling	LPM	17	18	19	Not Running During Visit
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0	2.0	
12	Permissible Limit for P.M.	mg/Nm ³	100	100	50	100
13	Measured Concentration of P.M.	mg/Nm ³	92	88	42	---
14	Permissible Limit for SO ₂	ppm	100	100	100	100
15	Measured Concentration of SO ₂	ppm	28.3	18.8	12.5	---
16	Permissible Limit for Nox	ppm	50	50	50	50
17	Measured Concentration of Nox	ppm	32.5	36.7	18.5	---
18.	Permissible Limit for CO*	---	---	---	---	---
19.	Measured Concentration of CO*	ppm	55.8	48.3	65.5	---

*Permissible limit not specified in EC copy as well as in GPCB CC&A
Instruments used : Ecotech Stack Sampler, Model No. ESS 100
Calibration Due On : 16/09/2018

Royal Environment Auditing & Consultancy Service



Analyst

ANNEXURE B

AMBIENT AIR QUALITY ANALYSIS REPORT

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 764/10/2017-18

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,

Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.

Sr. No.	Particulars	Unit	Location No. 1	Location No. 2
01.	Location of Sampling	---	Officer Colony	Main Security Gate
02.	Date of sampling	---	14-10-2017	14-10-2017
03.	Time of sampling	Hr	8.20	8.40
04.	Duration of Sampling	Min.	1440	1440
05.	Average Wind Speed	Km/Hr	6 to 16	6 to 16
06.	Average flow rate during sampling	m ³ /Hr	1.0	1.2
07.	Average flow rate for Gas sampling	LPM	0.2	0.2
08.	Permissible Limits of PM 2.5	µg/m ³	60	60
09.	Measured Concentration of PM 2.5	µg/m ³	24	27
10.	Permissible Limits of PM 10	µg/m ³	100	100
11.	Measured Concentration of PM 10	µg/m ³	49	62
14.	Permissible Limits of SO _x	µg/m ³	80	80
15.	Measured Concentration of SO _x	µg/m ³	12.6	13.4
16.	Permissible Limits of NO _x	µg/m ³	80	80
17.	Measured Concentration of NO _x	µg/m ³	21.1	19.2

Instrument used : 1) Ecotech make (RDS), Model No. APM - 217 BL, Gaseous Sampling Kit No. AAS 190

2) Ecotech make 2 Nos. PM 2.5 ,

Calibration due on : 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 765/10/2017-18

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,

Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.


Sr. No.	Particulars	Unit	Location No. 3	Location No. 4
01.	Location of Sampling	---	B/h. Kiln 1 & 2	Nr. Furnace Area
02.	Date of sampling	---	14-10-2017	14-10-2017
03.	Time of sampling	Hr	8.55	9.10
04.	Duration of Sampling	Min.	1440	1440
05.	Average Wind Speed	Km/Hr	6 to 16	6 to 16
06.	Average flow rate during sampling	m ³ /Hr	1.3	1.4
07.	Average flow rate for Gas sampling	LPM	0.2	0.2
08.	Permissible Limits of PM 2.5	µg/m ³	60	60
09.	Measured Concentration of PM 2.5	µg/m ³	23	26
10.	Permissible Limits of PM 10	µg/m ³	100	100
11.	Measured Concentration of PM 10	µg/m ³	47	51
14.	Permissible Limits of SO _x	µg/m ³	80	80
15.	Measured Concentration of SO _x	µg/m ³	16.7	18.5
16.	Permissible Limits of NO _x	µg/m ³	80	80
17.	Measured Concentration of NO _x	µg/m ³	19.4	21.0

Instrument used : 1) Ecotech make (RDS), Model No. APM - 217 BL, Gaseous Sampling Kit No. AAS 190

2) Ecotech make 2 Nos. PM 2.5,

Calibration due on : 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 785/01/2017-18

Date : 01/02/2018

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch. Gujarat.

Sr. No.	Particulars	Unit	Location No. 1	Location No. 2
01.	Location of Sampling	---	Officer Colony	Main Security Gate
02.	Date of sampling	---	20-01-2018	20-01-2018
03.	Time of sampling	Hr	7.50	8.00
04.	Duration of Sampling	Min.	1440	1440
05.	Average Wind Speed	Km/Hr	5 to 15	5 to 15
06.	Average flow rate during sampling	m ³ /Hr	1.1	1.3
07.	Average flow rate for Gas sampling	LPM	0.2	0.2
08.	Permissible Limits of PM 2.5	µg/m ³	60	60
09.	Measured Concentration of PM 2.5	µg/m ³	26	28
10.	Permissible Limits of PM 10	µg/m ³	100	100
11.	Measured Concentration of PM 10	µg/m ³	52	58
14.	Permissible Limits of SOx	µg/m ³	80	80
15.	Measured Concentration of SOx	µg/m ³	10.8	12.4
16.	Permissible Limits of NOx	µg/m ³	80	80
17.	Measured Concentration of NOx	µg/m ³	20.7	18.1

Instrument used : 1) Ecotech make (RDS), Model No. APM - 217 BL, Gaseous Sampling Kit No. AAS 190

2) Ecotech make 2 Nos. PM 2.5,

Calibration due on : 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 786/01/2017-18

Date : 01/02/2018

REPORT OF AMBIENT AIR QUALITY MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,

Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.


Sr. No.	Particulars	Unit	Location No. 3	Location No. 4
01.	Location of Sampling	--	B/h. Kiln 1 & 2	Nr. Furnace Area
02.	Date of sampling	--	22-01-2018	22-01-2018
03.	Time of sampling	Hr	7.45	7.55
04.	Duration of Sampling	Min.	1440	1440
05.	Average Wind Speed	Km/Hr	5 to 12	5 to 12
06.	Average flow rate during sampling	m ³ /Hr	1.2	1.0
07.	Average flow rate for Gas sampling	LPM	0.2	0.2
08.	Permissible Limits of PM 2.5	µg/m ³	60	60
09.	Measured Concentration of PM 2.5	µg/m ³	21	24
10.	Permissible Limits of PM 10	µg/m ³	100	100
11.	Measured Concentration of PM 10	µg/m ³	44	48
14.	Permissible Limits of SOx	µg/m ³	80	80
15.	Measured Concentration of SOx	µg/m ³	8.2	9.5
16.	Permissible Limits of NOx	µg/m ³	80	80
17.	Measured Concentration of NOx	µg/m ³	12.7	13.8

Instrument used : 1) Ecotech make (RDS), Model No. APM - 217 BL, Gaseous Sampling Kit No. AAS 190

2) Ecotech make 2 Nos. PM 2.5 ,

Calibration due on : 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Paras

Analyst

ANNEXURE C

**ONLINE MONITORING
REPORT**

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016

Exceedance Summary Report

Device Name: Stack_1_Rotary_KILN_1 **Org Name:** Gallantt Metal Ltd
Serial No: Ace 10000X 071 **State:** Gujarat
Manufacturing Id: ACE **District:** Kutch
Generated On: 25/4/2018 10:34:41 **Description:** Ace
 10000X_SpongeIron1_SO2_NOX_PM

SO₂

Min : 19 Max : 26 Avg : 21.26

	< 20%	20-40%	40-60%	60-80%	80-100%	> 100%
Count	0	0	0	0	0	0
Duration (mm:ss)	0:0	0:0	0:0	0:0	0:0	0:0

PM

Min : 19 Max : 30 Avg : 25.19

	< 20%	20-40%	40-60%	60-80%	80-100%	> 100%
Count	0	0	0	0	0	0
Duration (mm:ss)	0:0	0:0	0:0	0:0	0:0	0:0

NO_x

Min : 25 Max : 30 Avg : 27.72

	< 20%	20-40%	40-60%	60-80%	80-100%	> 100%
Count	0	0	0	0	0	0
Duration						



(mm:ss) 0:0 0:0 0:0 0:0 0:0 0:0




(mm:ss) 0:0 0:0 0:0 0:0 0:0 0:0



Pollution Monitoring System

(mm:ss) 0:0 0:0 0:0 0:0 0:0 0:0



ANNEXURE D

INVOICE OF USED OIL

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016

GALLANTT METAL LIMITED

Survey No. 175/1, Village - Samakhyaal
Taluka : Bhachau, Kutch,
SAMAKHIVALLI - 370 150
Phone : (02837) 283557
Email : gml@gallantt.com



TAX INVOICE

ORIGINAL FOR RECEIPT

Nature Of Transaction : SEZ / SEZ Developer
G.S.T.IN : 24AACCG2934J1Z0
PAN : AACCG2934J
CIN : L27109WB2005PLC101553

Buyer
HINDUSTAN OILS INDUSTRIES
SHED NO. 282 A-I-TYPE,
SECTOR-III
KANDLA SEZ
GANDHIDHAM - 370230
State : GUJARAT Code : 24
GSTIN : 24AAHFH0327G1ZU
PAN : AAHFH0327G

Consignee
HINDUSTAN OILS INDUSTRIES
SHED NO. 282 A-I-TYPE,
SECTOR-III
KANDLA SEZ
GANDHIDHAM - 370230
State : GUJARAT Code : 24
GSTIN : 24AAHFH0327G1ZU

Invoice No. : 08449
Place Of Supply : GANDHIDHAM GUJARAT
Place Of Dispatch : SAMAKHIVALLI GUJARAT
Order No. :
Transporter : PARTY TRANSPORT
L.R. No. :
Elec. Way Bill No. :
Date : 06/01/18
Code : 24
Code : 24
Date :
Vehicle No. : GJ12AU-2062


Sr. No.	Description	HSN/SAC Code	Qty.	Rate	Gross Amount	Disc. / Addition	Taxable Amount	IGST		CESS	
								%	Amount	%	Amount
1	USED OIL	2710	130.00 LTR	5.00	650.00		650.00	18.0	117.00	0.00	0.00
Total					130.000	650.00	650.00		117.00		650.00
GROSS WEIGHT :											
TARE WEIGHT :											
NET WEIGHT :					130.000						650.00
Freight To Pay											117.00
Ruppes : Seven Hundred Sixty Seven Only											767.00

Remarks : BANK - STATE BANK OF INDIA, A/C. NO. 30015284131, IFSC - SBIN0004152, CAG BRANCH, AHMEDABAD

Authorized Signat. Total 767.00

Prepared By :
Registered Office : 1, Crooked Lane, Room No. 222 & 223, 2nd Floor, Kolkata - 700 069.
Correspondence Address : Ward 10 BC, Plot No. 123 Ground fl.

Checked By :
For: GALLANTT METAL LIMITED
Authorized Signat.



GALLANTT METAL LIMITED

Sunbe No 17/S/1, Village - Samakhial
 Taluka : Bhachau, Kutch,
 SAMAKHIAL - 370150
 Phone : (02837) 283557
 Email : gmi@gallantt.com



TAX INVOICE
 ORIGINAL FOR RECEIPT

Nature Of Transaction : SEZ/SEZ Developer
 G.S.T.I.N : 24AAGCG9941ZQ
 PAN : AAGCG2834J
 CIN : LZ7109WB2095PLC101563

Buyer
 HINDUSTAN OILS INDUSTRIES
 SHED NO. 282 A-RTYPE,
 SECTOR-III
 KANDLA SEZ
 GANDHIDHAM - 370230
 State : GUJARAT Code : 24
 GSTIN : 24AAHE00327G1ZU
 PAN : AAHE00327G

Consignee
 HINDUSTAN OILS INDUSTRIES
 SHED NO. 282 A-RTYPE,
 SECTOR-III
 KANDLA SEZ
 GANDHIDHAM - 370230
 State : GUJARAT Code : 24
 GSTIN : 24AAHE00327G1ZU

Invoice No. : 09764
 Place Of Supply : GANDHIDHAM GUJARAT
 Place Of Dispatch : SAMAKHIAL GUJARAT
 Order No. :
 Transporter : PARTY TRANSPORT
 L.R. No. :
 Elec. Way Bill No. :

Date : 01/02/18
 Code : 24
 Code : 24
 Date :
 Vehicle No. : GJ12AJ-2962
 Date :



Sr. No.	Description	HSN/SAC Code	Qty.	Rate	Gross Amount	Disc./ Addition	Taxable Amount	IGST		CESS	
								%	Amount	%	Amount
1	USED OIL	2710	126.000 LTR	5.00	630.00		630.00	18.0	113.40	0.00	0.00
Total			126.000		630.00		630.00		113.40		0.00
GROSS WEIGHT :					Freight To Pay		BASIC SALE AMOUNT		630.00		
TARE WEIGHT :							IGST		113.40		
NET WEIGHT :					126.000		ROUNDING OFF		-0.40		

BANK - STATE BANK OF INDIA, A/C. NO. 30015284131, IFSC - SBIN0004152, CAG BRANCH, AHMEDABAD

Remarks :
 For GALLANTT METAL LIMITED

Prepared By :
 Checked By :
 Authorised Signatory

Registered Office : 1, Crooked Lane, Room No. 222 & 223, 2 nd Floor, Kolkata - 700 069.
 Correspondence Address : Ward 10 BC, Plot No. 123, Ground Floor, Gandhidham, Kutch, Gujarat - 370 201, Tel : (02836) 228164, Fax - 235787.



GALLANTT METAL LIMITED

Survey No 175/1, Village - Sarakhiyali
Taluka : Bhadravai, Kutch,
SAMA-KHIYALI - 370150
Phone : (02837) 283557
Email : gmh@gallantt.com

Rastogi Ji



TAX INVOICE

ORIGINAL FOR RECEIPT

Nature Of Transaction : SEZ / SEZ Developer

G.S.T.I.N. : 24AACCG2934J1ZQ
PAN : AACCG2934J
CIN : L27109WB2005PLC101553

Invoice No. : 11162
Place Of Supply : GANDHIDHAM GUJARAT
Place Of Dispatch : SAMA-KHIYALI GUJARAT
Order No. :
Transporter : COMPANY VEHICLE
L.R. No. :
Elec. Way Bill No. :
Date : 03/03/18
Code : 24
Date : 24
Vehicle No. : GJ12AU-2962
Date :

Buyer
HINDUSTAN OILS INDUSTRIES
SHED NO. 282 A-I-TYPE,
SECTOR-III
KANDLA SEZ
GANDHIDHAM - 370230
State : GUJARAT Code : 24
GSTIN : 24AAHFH0327G1ZU
PAN : AAHFH0327G


Consignee
HINDUSTAN OILS INDUSTRIES
SHED NO. 282 A-I-TYPE,
SECTOR-III
KANDLA SEZ
GANDHIDHAM - 370230
State : GUJARAT Code : 24
GSTIN : 24AAHFH0327G1ZU

Sl. No.	Description	HSN/SAC Code	Qty.	Rate	Gross Amount	Disc. / Addition	Taxable Amount	%	IGST Amount	%	CESS Amount
1	USED OIL	2710	130.00 LTR	5.00	650.00		650.00	18.0	117.00	0.00	0.00
GROSS WEIGHT :							650.00		117.00		
TARE WEIGHT :											
NET WEIGHT :											650.00
Freight To Pay											117.00
Total											
Rupees : Seven Hundred Sixty Seven Only											
BASIC SALE AMOUNT											650.00
IGST											117.00
Total											767.00

BANK - STATE BANK OF INDIA, A/C. NO. 30015284131, IFSC - SBIN0004152, CAG BRANCH, AHMEDABAD

For, GALLANTT METAL LIMITED

Prepared By : Anay
Checked By :
Registered Office : 1, Crooked Lane, Room No. 222 & 223, 2 nd Floor, Kolkata - 700 069.



GALLANTT METAL LIMITED

Survey No 175/1, Village - Samakhivai
 Taluka : Bhachau, Kutch,
 SAMAKHIVAI - 370150
 Phone : (02837) 283557
 Email : gm@gallantt.com



TAX INVOICE

ORIGINAL FOR RECEIPT



Nature Of Transaction : SEZ / SEZ Developer
 G.S.T.I.N. : 24AAACCG2934J1ZQ
 PAN : AAACCG2934J
 CIN : L27109WB2005PLC101553

Buyer
 HINDUSTAN OILS INDUSTRIES
 SHED NO. 282 A-I-TYPE,
 SECTOR-III
 KANDLA SEZ
 GANDHIDHAM - 370230
 State : GUJARAT Code : 24
 GSTIN : 24AAHFH0327G1ZU
 PAN : AAHFH0327G

Consignee
 HINDUSTAN OILS INDUSTRIES
 SHED NO. 282 A-I-TYPE,
 SECTOR-III
 KANDLA SEZ
 GANDHIDHAM - 370230
 State : GUJARAT Code : 24
 GSTIN : 24AAHFH0327G1ZU

Invoice No. : 00152
 Place Of Supply : GANDHIDHAM GUJARAT
 Place Of Dispatch : SAMAKHIVAI GUJARAT
 Order No. :
 Transporter : COMPANY VEHICLE
 L.R. No. :
 Elec. Way Bill No. :
 Date : 05/04/18
 Code : 24
 Code : 24
 Date :
 Vehicle No. : GJ12AU-2962
 Date :

Sr. No.	Description	HSN/SAC Code	Qty.	Rate	Gross Amount	Disc. / Addition	Taxable Amount	IGST		CESS
								%	Amount	
1	USED OIL	2710	130.00 LTR	5.00	650.00		650.00	18.0	117.00	0.00
Total					650.00		650.00	18.0	117.00	0.00
GROSS WEIGHT : 130.000					Freight To Pay		BASIC SALE AMOUNT		650.00	
TARE WEIGHT : :					Rupees : Seven Hundred Sixty Seven Only		IGST		117.00	
NET WEIGHT : 130.000										
BANK - STATE BANK OF INDIA, A/C NO. 30015284131, IFSC - SBIN0004152, CAG BRANCH, AHMEDABAD										
Remarks :										
Prepared By					Checked By					
Registered Office : 1, Crooked Lane, Room No. 222 & 223, 2 nd Floor, Kolkata 700 069.										
Correspondence Address : Ward 10 BC, Plot No. 123, Ground Floor, Gandhidham, Kutch, Gujarat - 370 201, Tel : (02836) 228184, Fax - 235787.										
									For, GALLANTT METAL LIMITED	
									Authorized Signatory	



ANNEXURE E

COPY OF FUGITIVE EMISSION REPORT

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 758/10/2017-18

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhlyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sampling Site: Near raw material handling area

Sr. No.	Particulars	Unit	Location # 1	Location # 2	Location # 3	Location # 4
01.	Location of Sampling	---	Nr. Vagon trippler	Nr. Sreen area	Nr. Transfer point	Nr. Stock Bin area
02.	Date of sampling	---	11-10-2017	11-10-2017	11-10-2017	11-10-2017
03.	Time of sampling	Hr	8.20	8.30	8.45	9.00
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	5 to 12	5 to 12	5 to 12	5 to 12
06.	Average flow rate during sampling	m ³ /minute	1.15	1.10	1.16	1.12
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1862	1724	1710	1632

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



P. P. Patel
Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivalk-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date :: 01/11/2017

Ref. No. : 759/10/2017-18

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**
Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sampling Site: Crusser area

Sr.No.	Particulars	Unit	Location # 5	Location # 6	Location # 7
01.	Location of Sampling	--	Nr. Crusser area	Nr. Vibrating screen	Nr. Transfer point
02.	Date of sampling	---	11-10-2017	11-10-2017	11-10-2017
03.	Time of sampling	Hr	17.10	17.20	17.35
04.	Dominant Wind Direction (From)	---	WWN	WWN	NE to SW
05.	Average Wind Speed	Km/Hr	5 to 14	5 to 14	5 to 14
06.	Average flow rate during sampling	m ³ /minute	1.08	1.12	1.14
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1543	1672	1261

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



P. Patel
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 760/10/2017-18

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**
Survey No. 175/1,
Near toll gate,
Village : Samakhlyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sampling Site: Raw material feeder area

Sr. No.	Particulars	Unit	Location # 8	Location # 9	Location # 10
01.	Location of Sampling	---	Nr. Feeder area	Nr. mixing Feeder area	Nr. Transfer point
02.	Date of sampling	---	11-10-2017	12-10-2017	12-10-2017
03.	Time of sampling	Hr	17.50	8.30	8.45
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	5 to 14	5 to 16	5 to 16
06.	Average flow rate during sampling	m ³ /minute	1.14	1.12	1.15
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1642	1547	1468

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



P. Princy
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 761/10/2017-18

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.



Sampling Site: Cooler Discharge Area

Sr. No.	Particulars	Unit	Location # 11	Location # 12
01.	Location of Sampling	---	Nr. Wagon tippler	Nr. Screen area
02.	Date of sampling	---	12-10-2017	12-10-2017
03.	Time of sampling	Hr	9.00	9.15
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	5 to 16	5 to 16
06.	Average flow rate during sampling	m ³ /minute	1.09	1.12
07.	Permissible limit for SPM	µg/m ³	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1657	1347

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



P. Patel
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 762/10/2017-18

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,

Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.


Sampling Site: **Product Processing area**

Sr. No.	Particulars	Unit	Location # 13	Location # 14	Location # 15	Location # 16
01.	Location of Sampling	---	Nr. Intermediate stock bin area	Nr. Screening plant	Nr. Magnetic saprating plant	Nr. Transfer plant
02.	Date of sampling	---	12-10-2017	12-10-2017	12-10-2017	12-10-2017
03.	Time of sampling	Hr	17.00	17.15	17.30	17.45
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	6 to 15	6 to 15	6 to 15	6 to 15
06.	Average flow rate during sampling	m ³ /minute	1.08	1.14	1.12	1.09
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1580	1657	1736	1534

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Rajadeja
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 763/10/2017-18

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhali,
Taluka : Bhachau,
Kutch, Gujarat.


Sampling Site: **Product Processing area**

Sr. No.	Particulars	Unit	Location # 17	Location # 18	Location # 19
01.	Location of Sampling	---	Nr. Oversize discharge area	Nr. Product separation	Bagging area
02.	Date of sampling	---	13-10-2017	13-10-2017	13-10-2017
03.	Time of sampling	Hr	8.40	8.55	9.10
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	5 to 16	5 to 16	5 to 16
06.	Average flow rate during sampling	m ³ /minute	1.04	1.12	1.09
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1368	1654	1586

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Pareek
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/02/2018

Ref. No. : 779/01/2017-18

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**
Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sampling Site: Near raw material handling area

Sr. No.	Particulars	Unit	Location # 1	Location # 2	Location # 3	Location # 4
01.	Location of Sampling	---	Nr. Vagon tripler	Nr. Sreen area	Nr. Transfer point	Nr. Stock Bin area
02.	Date of sampling	---	20-01-2018	20-01-2018	20-01-2018	20-01-2018
03.	Time of sampling	Hr	8.10	8.20	8.30	8.45
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW.	NE to SW
05.	Average Wind Speed	Km/Hr.	6 to 14	6 to 14	6 to 14	6 to 14
06.	Average flow rate during sampling	m ³ /minute	1.12	1.05	1.17	1.24
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1758	1687	1673	1664


Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Parees
Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 780/01/2017-18

Date : 01/02/2018

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhali,
Taluka : Bhachau,
Kutch, Gujarat.


Sampling Site: Crusser area

Sr.No.	Particulars	Unit	Location # 5	Location # 6	Location # 7
01.	Location of Sampling	---	Nr. Crusser area	Nr. Vibrating screen	Nr. Transfer point
02.	Date of sampling	---	20-01-2018	20-01-2018	20-01-2018
03.	Time of sampling	Hr	16.30	16.40	16.50
04.	Dominant Wind Direction (From)	---	WWN	WWN	NE to SW
05.	Average Wind Speed	Km/Hr	6 to 13	6 to 13	6 to 13
06.	Average flow rate during sampling	m ³ /minute	1.16	1.20	1.19
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1684	1706	1292

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Prakesh

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalk-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 781/01/2017-18

Date : 01/02/2018

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,

Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.

Sampling Site: Raw material feeder area

Sr. No.	Particulars	Unit	Location # 8	Location # 9	Location # 10
01.	Location of Sampling	---	Nr. Feeder area	Nr. mixing Feeder area	Nr. Transfer point
02.	Date of sampling	---	22-01-2018	22-01-2018	22-01-2018
03.	Time of sampling	Hr	8.00	8.15	8.30
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	6 to 15	6 to 15	6 to 15
06.	Average flow rate during sampling	m ³ /minute	1.09	1.17	1.24
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1687	1754	1516

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service

P. P. P. P.

Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalservice@live.com ■ admin@royalconsultancy.com

Ref. No. : 782/01/2017-18

Date : 01/02/2018

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.


Sampling Site: Cooler Discharge Area

Sr. No.	Particulars	Unit	Location # 11	Location # 12
01.	Location of Sampling	---	Nr. Wagon tippler	Nr. Screen area
02.	Date of sampling	---	22-01-2018	22-01-2018
03.	Time of sampling	Hr	8.45	9.00
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	6 to 15	6 to 15
06.	Average flow rate during sampling	m ³ /minute	1.16	1.18
07.	Permissible limit for SPM	µg/m ³	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1584	1462

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royalsenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 783/01/2017-18

Date : 01/02/2018

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.


Sampling Site: **Product Processing area**

Sr. No.	Particulars	Unit	Location # 13	Location # 14	Location # 15	Location # 16
01.	Location of Sampling	---	Nr. Intermediate stock bin area	Nr. Screening plant	Nr. Magnetic saprating plant	Nr. Transfer plant
02.	Date of sampling	---	23-01-2018	23-01-2018	23-01-2018	23-01-2018
03.	Time of sampling	Hr	8.00	8.15	8.30	8.45
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	7 to 12	7 to 12	7 to 12	7 to 12
06.	Average flow rate during sampling	m ³ /minute	1.12	1.26	1.19	1.11
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1587	1654	1764	1672

Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



Poojas
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 784/01/2017-18

Date : 01/02/2018

REPORT OF FUGITIVE EMISSION MONITORING

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.


Sampling Site: **Product Processing area**

Sr. No.	Particulars	Unit	Location # 17	Location # 18	Location # 19
01.	Location of Sampling	---	Nr. Oversize discharge area	Nr. Product separation	Bagging area
02.	Date of sampling	---	23-01-2018	23-01-2018	23-01-2018
03.	Time of sampling	Hr	16.15	16.30	16.45
04.	Dominant Wind Direction (From)	---	NE to SW	NE to SW	NE to SW
05.	Average Wind Speed	Km/Hr	7 to 12	7 to 12	7 to 12
06.	Average flow rate during sampling	m ³ /minute	1.09	1.18	1.03
07.	Permissible limit for SPM	µg/m ³	3000	3000	3000
08.	Measured Concentration of SPM	µg/m ³	1426	1627	1549


Instruments Used : Envirotech HVS APM 430 & Ecotech RDS - AAS 217

Calibration due on. 1) 05/05/2018

Royal Environment Auditing & Consultancy Service



P. P. P.
Analyst



ANNEXURE F

COPY OF CSR ACTIVITIES

MOEF letter No:- F-11011/52/2013-1A II(I) Dated 19th May 2016



SHRI NAVJIVAN VIKLANG SEVASHRAY



Office : National Highway 8-A, Behind New Police Station, Bhachau-Kutch 370 140 □ (M) 93762 91001
Mumbai Office : Mahavir Seva Trust C/o M. B. Jain, Manchhubhai Road, 302, Prabhu Darshan, Malad (E), Mumbai 400 097

Estd : 26-7-1991

Disabled Act - 1995 - 752 / 09

PAN : AAATB6793P

Reg No. / F-208 / Kutch GUJ-31

નંબર 29692

શ્રી Galleut Metal Limited.

તારીખ 04/06/19

ગામ Sumkhiali

વિગત DONATION.

અંકે રૂપિયા Fifty one thousand only

રોકડા / RTGS / ચેક / ડ્રાફ્ટ નં. 909748 બેંક Statebank of India મુંબઈ છે.

જે સાબાર સ્વીકારીએ છીએ. આપના પવિત્ર હાથે ઉત્તમ અને ઉમદા કાર્યો થતા રહે તેવી શુભ ભાવના સહ વિશેષ આભાર વ્યક્ત કરીએ છીએ.

₹ 51000=

દ્રુષ્ટીશ્રીઓ :


શ્રી પ્રમોદભાઈ પુજાભાઈ નિશર
રાનડે રોડ, દાદર (વે) મુંબઈ-૨૮

ડૉ. મનસુખભાઈ બી. જૈન
૩૦૨, પ્રભુદર્શન, મંછુભાઈ રોડ, મલાડ (ઈ)

નાણા લેનારની સહી

Donation Exemption U/S 80G(s) O.F.I.T. obtained Permanently vide No. CIT-R-1/Tech/80G/RI/NVS/2010-11 Date : 16-08-2010

પૂજા માટે જોડાયેલ બે હાથ કરતાં દિન દિનની મદદ અર્થે લંબાયેલ એક હાથ વધારે શ્રેષ્ઠ છે.



॥ सत्यमेव जयते ॥

श्री धराणा ग्राम पंचायत

ग्राम : धराणा, ता. लयाँ (६२७)

पिना सहकार....  नहिँ उधार....

भापक नं. :


तारीख :

धराणा स्वायत्त पञ्च

अतिनाथ कृपे लारत कर धराणा ग्राम पंचायत वती व्पनी नीये सही इस्तेमालाको जलावीये हीये डी.



धराणा गात्रे स्वांतरीक वीड जनाववा मारे मा.स्. गेड डी वी संलाए २१० मर २२ तथ तेन पडोलाए उ मर २२ व डामे जनाववा मारे लपरायेल माल, मदीरोपल महुँ २) सबल वयेल अर्थला २३ म इपिथा ३,००,०००/- इयेडे इपिथा गाला लाप पूरा व्पनी धराणा ग्राम पंचायतने स्वापवा लएल व्पनी स्वापनी "गोलेन्ड मेरल सीका इंपल, ए. सामजीयाली, ना जुलइ स्वालाधी हीये.

लविव्यमां पला स्वापनी स्वावी साथ-सरइर मपनी वहे तेवी स्वावाा साथे व्पनी स्वापवा स्वालाधी हीये.


धराणा ग्राम पंचायत
मा. ल. व. ल. ३-२२७

डांगरवाला गेधा

सामंजशी
धराणा ग्राम पंचायत



દેવજીભાઈ પી. બગડા

બ્લોક વર્કસ સાઈઝ ઓર્ડર મુજબ બનાવી આપવામાં આવશે

તથા સિવિલ વર્ક ના લેબર કોન્ટ્રાક્ટર

મું. આઘોઈ, તા. ભચાઉ-કરછ.


નં. ૦૨ ડીલેન્ડ મેટલ લીમિટેડ તા. ૦૪/૦૬/૨૦૧૭

તા. ૦૪/૦૬/૨૦૧૭

શ્રી શ્રી દારાલા ગામ પંચાયત.

વિગત	નંગ	ભાવ	રકમ
<p>ડીલેન્ડ મેટલ લીમિટેડ/કંપની. મું. સામબીચારી, તા. ભચાઉ.</p> <p>દારાલા ગામ મધ્યે ક્ષાંતરીક રોડ બનાવવા માટે સી.સી. રોડ વેબી લંબાઈ ૨૭૦ મીટર તથા પહોળાઈ ૩ મીટર જેટલી વાય છે, જેમાં સિમેન્ટ, રીતી, કાંકરી, મેટલ, પાલી મજુરી મળી કુલ્લ રકમ રૂ. ૩,૦૦,૦૦૦/- અંકે રૂપિયા ત્રણ લાખ પૂરા બર્થ થયેલ છે, મૂકવા નમુ વિનંતી.</p> <p>આભાર રહ.</p>			
અંકે રૂપિયા ત્રણ લાખ પૂરા		ટોટલ	૩,૦૦,૦૦૦/-

Cl. No.	507152
Date	28/06/17
Am. No.	2870001
En. No.	
Remarks	



શ્રી. દેવજીભાઈ પી. બગડા

देवज्जभाई पी. बगडा

ब्लोक वर्कस साईड ओर्डर मुजबब नवावी आपवामां आपशे
तथा सिविल वर्क ना लेबर कोन्ट्रक्टर
मु. आधीर्घ. ता. लयाड-करछ.

नं. ०२

ता. ०४/०५/२०१९

श्री श्री छाराला ग्राम पंचायत.

विवरण	नं.	लाभ	रकम
<p>डीलेन्ड मेरल लिमिटेड कंपनी. मु. शामजीचारी, ता. लयाड</p> <p>छाराला ग्राम मध्ये खांतरीक रोड जमाववा माई सी.सी. रोड वेंनी लंबाई २९० मीटर त्या पडोलाए ६ मीटर रुंदी वाय.डी. जेम्हा सिमेंट, रीती, डांकरी, मेरल, पाली, मजुरी मजाल कुल्ल. रकम र. ३,००,०००/- अंके रुपिया गजालाज पूरा पर्य वयेव डी, झुडववा नमु विनंती. ब्रह्मचार रई.</p>			
अंके रुपिया गजालाज पूरा		टोटल	३,००,०००/-

श्री. देवज्जभाई पी. बगडा





भारतीय स्टेट बैंक
State Bank Of India

(04152)-C A G, AHMEDABAD
58, "SHRIMALI" SOCIETY,
NAVRANGPURA, AHMEDABAD, GUJRAT 380009
Tel : 79 26442667 Fax : 26561178 IFS Code : SBIN004152 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

2 8 0 6 2 0 1 7
D D M M Y Y Y Y

25075 / 100 / BLUE ORDER (V / D) / 05/04/2017
SESHAASAI (D) / CTS-2010

PAY DEVJIBHAI P.BAGDA

को या उनके आदेश पर OR ORDER

रुपये RUPEES Two Lakh Ninty Seven Thousand Only

अदा करें ₹ ****2,97,000.00

खा. सं.
A/c No. 30015284131

CASH CREDIT A/C
PREFIX :
1515400005

A/C Payee Only

GALLANTT METAL LIMITED

Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈ 507152⑈ 380002072⑈ 000060⑈ 30





भारतीय स्टेट बैंक

State Bank of India

(04152)-C A G, AHMEDBAD
58 "SHRIMALI" SOCIETY,
NAVRANGPURA, AHMEDABAD, GUJRAT 380009
Tel: 79 2642667 Fax: 26561178 IF'S Code: SBIND004152 SWIFT:

क्या अर्थ है क्रेडिट / डेबिट 3 MONTHS ONLY
2 9 0 8 2 0 1 7
D D M M Y Y Y Y

PAY HARIBHAI KANABHAI UNDRIYA

रुपये RUPEES Twenty Five Thousand Only

को या उनके आदेश पर OR ORDER

*****25,000.00

₹ अदा करें

30015284131

आ. नं.
A/C No.

A/C Payee Only

CASH CREDIT A/C

PREFIX:

1515400005


[Handwritten signatures]

GALLANTT METAL LIMITED

Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈604160⑈ 380002072⑈ 000060⑈ 30



refer:- chema shahi
Somanlal Undriya

શ્રીમતી સુબોન સમજૂતી ઉદ્યોગ

સરપંચશ્રી લાખાવટ ગ્રામ પંચાયત

મુ.પો. લાખાવટ, તા.ભથાઉ-૬૨૭

Mo. 99794 22203 - 99780 70025


તા. ૨૮/૮/૨૦૧૭

પ્રતિમા. ડોલેન્ડ ગેરહ. લી.
સામજાચારી.

વિષય. આમારા ગામના કાલ સુધીના
અરજીના અંગે આર.પી.સી. આર
અર્થે આપના સહયોગ આપવા
જરૂર આર.પી.સી. આર અંગે જણાવવાનું છે તથા લાખાવટના
લાખાવટ ગામના પુરોજન. વરજગા એસ. ડી. ૩૮
એનુ અરજીના અંગે લેને રાજકોટ મોટા
કોર્ટના દાખલ કરેલ છે તેના અર્થે
પરિશ્રમ વાળી છે તથા આપનો આભાર
કૃતજ્ઞતા દર્શાવવા કૃતજ્ઞતા આપ
આપના કૃપાથી સહયોગ કરી આમને
મદદ કરવા આ અરજીના અંગે આને
તે આમને અર્થે આપને આને તેને
રાજકોટ કોર્ટ કરેલ છે તથા આપને સહયોગ
આપવા આમને વિનવવા છે

Recommended Re Twenty five Thousand રૂબોલેન રાં મળ્ય
only on humanitarian ground
સરપંચ
લાખાવટ ગ્રામ પંચાયત
તા.ભથાઉ, જિ.૬૨૭

28/8/2017





भारतीय स्टेट बैंक
State Bank Of India

(04152)-C A G, AHMEDBAD
58 "SHRIMALI" SOCIETY,
NAVRANGPUR, AHMEDABAD, GUJRAT 380009
Tel : 79 26442667 Fax : 26561176 IFS Code : SBIN004152 SWIFT :

वैधता 3 महीने के लिए है / VALID FOR 3 MONTHS ONLY

0 1 0 9 2 0 1 7
D D M M Y Y Y Y

32594 / 1007 BLUE ORDER / R / 15/Jun/2017
SESHAASA (D) / CTS-2010

PAY GOKUL LIFE CARE PVT LTD ,RAJKOT

को या उनके आदेश पर OR ORDER

रुपये RUPEES Twenty Five Thousand Only

अदा करें

₹

*****25,000.00

खा. सं.
A/c No.

30015284131

A/C Payee Only

CASH CREDIT A/C


PREFIX :
1515400005

GALLANTT METAL LIMITED

Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈ 604202⑈ 380002072⑈ 000060⑈ 30





বাঙালী এসোসিয়েশন - (কচ্ছ)
BENGALI ASSOCIATION (KUTCH)

Durgabari Road, Sector 1-A, Composite Zone,
GANDHIDHAM (KUTCH) - 370201

(An ISO 9001:2008 certified organization)

Regd. No. E-603/Kutch

IT-GIR-No. W-2-629 Bhuj

No. **7740**

Date: 29/08/17

Received with thanks from Shri / Smt./Ms. GALLANTT. METAL. Ltd.

a sum of Rupees Twenty one Thousand only/-


as Life Membership / for Souvenir Advt./Rent / Donation on account
of Souvenir Advt. in the year 2017.

in Cash / by Cheque No. 604142 dated 29/08/17.

Rs. 21,000/-


Secretary

Collector





Ashok Mukherjee
Convenor
9303211318

89th
Sarbojanin Durga Puja 2017
Club Premises, Kalibari Road, Navlakha, INDORE
9225143, Email : bengaliclubindore@gmail.com



Shri Sarbojanin Durga Puja Committee 2017
Bengali School & Club Premises, Kalibari Road, Navlakha, INDORE
0731-2400710, 4225443, Email : bengaliclubindore@gmail.com

self about
Durga - Puja

REQUEST

Celebrations on a grand scale at Bengali School and Club Premises, Indore from 24th September to 30 September 2017. The Celebration will include religious as well as cultural programmes. In Order to commemorate this festive occasion, a Souvenir will be released .It would contain the news, views and events of the celebrations, and the articles covering various topics, The souvenir would reach out to 25,000 Bengali families in Indore and also to a host of other honorable personalities engaged in business and professions, across the country.

We are sure, you would appreciate the tremendous advertisement potential of the proposed Souvenir and avail this golden opportunity to reach out to thousands of new customers across the country.

We look forward to your active cooperation in making this celebration a grand success. We would be glad to receive the advertisement addressed to the Secretary Shri Shri Sarbojanin Durga- Puja Committee-2017.

We are pleased to inform you that our Centenary Year celebrations was inaugurated on 13th May 2017 at Rabindra Natya Graha and attended by large number of community members and elderlies. We propose to hold many events in the year aimed at bringing socio and community development beneficial to citizens of Indore . Your patronage by way of insertion of an ad in the Souvenir proposed to be released will go a long way to give us the necessary resources to achieve our endeavours. The Committee looks forward to receiving your benign support

Note : For only any further information & details please feel free to contact the following persons :

- | | | | |
|----------------------------------|-----------------------|---------------------------------|-----------------------|
| Shri Asit Kumar Ganguli | +91.9827276445 | Shri Ashok Mukherjee | +91.9303211318 |
| Shri J.N. Choudhury | +91.9302140191 | Shri Ravi Nandi | +91.9826041114 |
| Shri Gautam Roy Choudhury | +91.9826714013 | Shri Ambuj Dutta | +91.9302140191 |
| Shri R.S. Roy Choudhury | +91.9826486120 | Shri Pradeep Bhadra | +91.9893545766 |
| Shri Apurba Choudhury | +91.9425347175 | Shri Vishal Bhattacharya | +91.9425346380 |
| Shri Ranjan Dey Sarkar | +91.9425965098 | Shri Amit Ranjan Mitra | +91.9981705386 |

YOURS SINCERELY

Shri Shri Sarbojanin Durga Puja Committee 2017

To
The Secretary,
Shri Shri Sarbojanin Durga Puja Committee-2017
Kalibari Road, Navlakha, Indore-452001


Ch. No.	604317
Date	06/08/17
Amount	20000/-
No.	

Please book a Back Cover (M.C.)/Front Inside Cover (M.C.)/Ordinary Page (M.C.)/Special Page (S.C.)/Full Page (B/W)/Half Page (B/W)/Quarter Page (B/W) advertisement of our Firms/Institution in your Souvenir of Durga Puja Celebrations, 2017 and accept payment of Rs.....By Cash/Cheque/DD No.dtd.....Bankin favour of Shri Shri Sarbojanin Durga Puja Committee. Facility under 80G can be Claimed by donating to the Bengali School & Club. While paying donations under section 80G, no TDS is required to be deducted.

(Please put a mark against desired space and strike out others)
Enclose : Ad.Matter in Duplicate Design if any.



Authorized Signatory



Ref. No. E/1926/Kutch.
PAN No.: AAGF53816J

રાત્રી પર એ "બચ/રિઝર્વરી" કે ધર્મ્ય પર
U/S 80G (5) Vide No. CIT. R. 1/Tech/80G/R-L/GECT.

Ph.: 02837-283531.
Mob.: 98253 54391.

ગીરભાઈ એ જ્યુરેશન એન્ડ એડીટીવલ ટ્રસ્ટ

સામાજિક સેવા સંસ્થાના આર્થિક વ્યાજવહીલ પત્રો

નિમ્નલિખિત નં. તથા આર્થિક વ્યાજ સંસ્થા મ. સામાજિકાણી, તા. બચાઉ, જીલ્લો : કચ્છ

પડકાર નં. 2366 તારીખ : ૦૧/૧૦/૨૦૧૯

આવનિય શી. ગોનિર ફાળ. ગ્રામ : સુભામગી

બા. સુભામગી. આપણી તરફથી સંસ્થાને રૂ. (૧૦૦૦)

અંકે રૂપિયા ૨૧૧૦૨૨૨૨ (સા. ૨૧૧ હાજાર ૨૨૨)

રોકડા / ચેક નં. ૩૨૧૨૨૨૨ (તા. ૦૧/૧૦/૨૦૧૯)


અનુદાન મળેલ છે. જે સાબર સ્વીકારી આ પર્ણે આપવામાં આવે છે. બંક : (.....)

ગીરભાઈ એ જ્યુરેશન એન્ડ એડીટીવલ ટ્રસ્ટ

₹ (૧૦૦)

તારીખ : ૦૧/૧૦/૨૦૧૯

કચ્છી





॥ श्री गणेशाय नमः ॥

श्री धराणा नवरात्री मित्र मंडल



गा.म. धराणा, ता. लखाऊ-६२७.

दिनांक:-

तारीख. 23-9-17

श्रीमान...जालेष्ट...सेहेल...सिधिरड

गा.म. सा.म.सि.दा.दि... आपना तरुथी अडे

वृथिया...सीक.पिस...इ.उ.र...सु.रां

.....ईड/झणा चेडे रोडका भजेल छे,

ते अडल आभाउ.....

रु. २०००/-

जरनेशम शयण्डे गामो २
चाहा लेनारनी सही





શ્રી હચારામનાથ ગૌશાળા ટ્રસ્ટ



C/O શ્રી મેકરણદાદા અખાડા
મું. ગંગી, તા. ભચાઉ, જિ. કચ્છ.

ખર

તારીખ:- ૧૭/૬/૧૫


પ્રતિબંધ


ગોલર મેરુત જી. બ.

સામવાણી

વિષય:- જમીન

આપણા ભરૂવા જમીન ઉપરનો ટ્રસ્ટનો
 દરવાજો જેમ આજે લઈ આ ૫૦૦૦૦ નો મેક
 મેરુત છે જમીન પણ આપણા જમીન ટ્રસ્ટની રૂબરૂ
 મુલાકાત લઈ જણાવવાર મહાર કરે છે
 જમીન ટ્રસ્ટના ધાર ગોડાઉનમાં જાગી લાગી
 ત્યારે આપણા રૂબરૂ ખુબ જ સાધન લાવીને
 જમીન હોલવામાં પણ જ મેરુત કરી ઉચ્ચ
 ઉદ્યોગ પુરૂ પાડે છે
 જમીન ટ્રસ્ટ જમીન પણ જ મહાર છે
 જમીન જમીન વિચાર
 મહાન શાંતલોરના
 ગુરૂ રાજેન્દ્ર દાસજી





આજનું વાપમાન

ભુજ	37.6°C	28.0°C	સૂર્યસ્ત આજે
કંડલા	37.9°C	29.0°C	07.24 pm
નલિયા	35.8°C	29.4°C	સૂર્યોદય કાલે
			05.55 am

15/06/2015

પહેલાં ગુડ ન્યૂઝ

જંગીની ગૌશાળાને ગેલન્ટમેટલ કંપનીએ 51 હજારનું દાન આપ્યું



સામખિયાણી | જંગીમાં આવેલા સેકરણ દાદાના અખાડામાં આવેલી બાબા દયારામ ગૌશાળામાં એક માસ પહેલા લાખો રૂપિયાનો ચારો આગના કારણે બળી ગયો હતો. જેથી ગૌ માતાના સેવાર્થે ગેલન્ટમેટલ કંપનીના અધિકારીએ મહંત વેલજીદાદાને 51 હજારનો ચેક અર્પણ કર્યો હતો. અત્રે ઉલ્લેખનીય છે કે, સામખિયાણી આસપાસના ગામોમાં જરૂરતમંદોને કંપની દ્વારા સહયોગ આપવામાં આવે છે. આ ઉપરાંત વિકાસ કર્મો માટે કાર્યદાયક થરાય છે.

સિટી ડાયરી

મારા શહેરમાં આજે

● મુબ્દા રિલો. સાઇટમાં યોગ શિબિર
સ્થળ : આશાપુરા મંદિર ● સવારે 6 વાગે

● આરોગ્ય નિદાન કેમ્પ
સ્થળ : એકતા ચોક ● બપોરે 12 વાગે

ચૂંટી સિટી ન્યૂઝ

સૂચના - બેરોજગાર યુવાનો ધ્યાન આપે



સામખિયાળીની ખાનગી કંપની સામાજિક ઉત્તરદાયિત્વ નિભાવે છે

ગેલ્ડ મેટલ્સની અસલિયો
વિહારકામો વધારવા


સામાજિક ઉત્તરદાયિત્વ
અને સામાજિક જવાબદારી
નિભાવવા માટે



Swachchh Bharat Mission-2017-2018

M/S Gallantt Metal Limited, Samakhiali, Bhachau, Dist :-Kutch


Objectives of the Project	For better livelihood
Beneficial community and its numbers/Geographical	Total No.153/ Samakhiali (Peprapati)
Approach method	Supervision by the Company
Implementing partner/ agency	Through Agency
Tenure of Project (in Months / Year)	2.5 Months
Total Project Cost (in INR in lacs)	Rs.32,89,500/-
Source of Fund	Provided by Company
Any Award /Appreciation received for the project	No
Social /financial audit agency,if any	No
Press coverage,if any	Yes
2015-16/2016-17/2017-18	Rs.1,09,00,500/-
113+241+153	(One Corrod nine lac five hundred)
Note Total :- 507	



M/S Gallantt Metal Limited, Samakhivai, Bhachau, Dist :- Kutch


Others Financial Assistance 2017-2018

01/04/2017	769905 SBI	Donation (Medical Case)/Add Tritment	Rs.21000/-	For Medical Treatment Mr. Jayesh Bhai Samakhivai
13/04/2017	909032 SBI	Shri Mahashakti Charitable Trust, Gandhidham	Rs.21000/-	Samuah Lagan
02/06/2017	001807 SBI	Shri Navjivan VIKIANG Sevashray, Bhachau	Rs.51000/-	For Construction of School
09/06/2017	909989 SBI	Manav Seva Trust, Galpadar (Gandhidham)	Rs.26500/-	For School Fess
28/06/2017	507152 SBI	Gharana Gram Panchyat, Gharana	Rs.300000/-	For Construction of Road
22/08/2017		Banskanta Flood Relief Dumper /15 Manpower (for 05 Days)	Rs.85,000/-	Dumper Rent
29/08/2017	604142 SBI	Bengali Association Gandhidham	Rs.21000/-	For Donation Navratri
29/08/2017	604160 SBI	Haribhai Kanabhai Undriya, Samakhivai	Rs.25000/-	For Medical Treatment Haribhai Kanabhai Undriya Samakhivai
01/09/2017	604202 SBI	Gokul Life Care Pvt Ltd, Rajkot	Rs.25000/-	For Medical Treatment Hrijan Varbhag Meghabhai Lakhawat Village
06/09/2017	SBI	Shri Shri Sarbojanin Durga Puja Committee Indore	Rs.20000/-	For Shri Shri Sarbojanin Durga Puja Committee Indore
10/09/2017	Cash	Kutch Maa Ashapura Padyatri Camp, Galpadar	Rs.2100/-	For Kutch Maa Ashapura GH Padyatri Camp.
13/09/2017	Cash R.No.1785	Girnari Education Charitable Trust Samakhivai	Rs.5100/-	For Vadik Samelan Samakhivai



M/S Gallantt Metal Limited, Samakhiali, Bhachau, Dist :-Kutch


24/09/2017	Cash	Samakhiyali Navrati Ustav, Samakhiyali	Rs.31000/-	For Navrati Ustav Samakhiyali
24/09/2017	Cash	Gharana Navrati Ustav, Gharana	Rs.21000/-	For Navrati Ustav Gharana
24/09/2017	Cash	Chadwara Navrati Ustav, Gharana	Rs.6100/-	For Navrati Ustav Chadwara
24/09/2017	Cash	Lakdiya Navrati Ustav, Lakdiya	Rs.3100/-	For Navrati Ustav Lakdiya
29/09/2017	SBI	Land Purchase School Samakhiyali	Rs.15,00,000/-	For Modal Central School
04/10/2017	cash R.No.2366	Girnari Education Charitable Trust Samakhiyali	Rs.8500/-	For Fooding Hostel Boyes Samakhiyali
		Total :-54,61,900/-		
		Future Planing		
		Uniform Girls School Jangi	Rs.150000/-	For Uniform Girls School
		Uniform Gopal Charitable School Samakhiyali	Rs.31000/-	For Water Cooler School
		Construction of 06 No.of toilet at common place of		
		Baba Ramdev Temple Vill: Vordh Tal. Bhachau	Rs.1,29,000/-	
		Financial aid to Mahila Collage, Bhachau	Rs.1,00,000/-	
		Total :4,10,000/-		



[Handwritten signature]

M/S Gallantt Metal Limited, Samakhiali, Bhachau, Dist :-Kutch

24/09/2017	Cash	Samakhiyali Navrati Ustav, Samakhiyali	Rs.31000/-	For Navrati Ustav Samakhiyali
24/09/2017	Cash	Gharana Navrati Ustav, Gharana	Rs.21000/-	For Navrati Ustav Gharana
24/09/2017	Cash	Chadwara Navrati Ustav, Gharana	Rs.6100/-	For Navrati Ustav Chadwara
24/09/2017	Cash	Lakdiya Navrati Ustav, Lakdiya	Rs.3100/-	For Navrati Ustav Lakdiya
29/09/2017	SBI	Land Purchase School Samakhiyali	Rs.15,00,000/-	For Modal Central School
04/10/2017	cash R.No.2366	Ginnari Education Charitable Trust Samakhiyali	Rs.8500/-	For Fooding Hostel Boyes Samakhiyali
		Total :-54,61,900/-		
		Future Planning		
		Uniform Girls School Jangi	Rs.150000/-	For Uniform Girls School
		Uniform Gopal Charitable School Samakhiyali	Rs.31000/-	For Water Cooler School
		Construction of 06 No. of toilet at common place of		
		Baba Ramdev Temple Vill: Vondh Tal. Bhachau	Rs.1,29,000/-	
		Financial aid to Mahila Collage, Bhachau	Rs.1,00,000/-	
		Total :-4,10,000/-		



[Handwritten signature]

Reg. No. E/1926/Kutch.
PAN No.: AAGFG3816J

સા.નં. ૫૨ ક્ર. "જય/ચિરમરી" ક્ર. ધાર્મિક ચર

U/5 80G (5) Vide No. CIT. R-1/Tech/80G/R-1/GECT.

Ph.: 02837-283531
Mob.: 98253 54391.

ગીરભણી એજ્યુકેશન એન્ડ સેરીટિયલ ટ્રસ્ટ

ચંદ શી રાંચબાગિરિ વાણિક્ય સંસ્થા એ ગિરાદવા એવં બી.આઈ.આઈ.

સંસ્થાના હાઈલિ નં. ૧૫, આર્થોર્ડ વોણ સ્ત્રી. મુ. સોમબીણળી. તા. ભચાઉ, જલ્દો : ૩૨૭.

પરોચ નં. 2366

ભાવનિય શી, ... ડાઉન ફ્રીડી.

તારીખ : ૨૧/૧૦/૨૦૧૬

હા. ... સ્વતંત્ર ડાઉન :

ગીર : ૨૧/૧૦/૨૦૧૬

અંદે રૂપિયા ... આપણી સંસ્થાને રૂ. ...


રોકડા / ચેક નં. ... શી (તા. ...)

ગીરભણી એજ્યુકેશન એન્ડ સેરીટિયલ ટ્રસ્ટ

₹ ૧૦૦૦

રૂપી

નોંધ : ચેક અથવા કાસ્ટ પાસ ભરેલી આ પત્રક સાતત્ય સાબત ગણાયે.





Ashok Mukherjee
Convenor
9303211318

89th
Sarbojanin Durga Puja 2017
Club Premises, Kalbari Road, Navlakha, INDORE
225 443 | Email : bengalclubindore@gmail.com

Shri Sarbojanin Durga Puja Committee 2017
Bengali School & Club Premises, Kalbari Road, Navlakha, INDORE
0731-2400710, 4225443, Email : bengalclubindore@gmail.com

self about
Durga - Puja

Celebrations on a grand scale at Bengali School and Club Premises, Indore from 24th September to 30 September 2017. The Celebration will include religious as well as cultural programmes. In Order to commemorate this festive occasion, a Souvenir will be released. It would contain the news, views and events of the celebrations, and the articles covering various topics. The souvenir would reach out to 25,000 Bengali families in Indore and also to a host of other honorable personalities engaged in business and professions, across the country.

We are sure, you would appreciate the tremendous advertisement potential of the proposed Souvenir and avail this golden opportunity to reach out to thousands of new customers across the country.

We look forward to your active cooperation in making this celebration a grand success. We would be glad to receive the advertisement addressed to the Secretary Shri Shri Sarbojanin Durga - Puja Committee-2017.

We are pleased to inform you that our Centenary Year celebrations was inaugurated on 13th May 2017 at Rabindra Natya Graha and attended by large number of community members and elderlies. We propose to hold many events in the year aimed at bringing socio and community development beneficial to citizens of Indore. Your patronage by way of insertion of an ad in the Souvenir proposed to be released will go a long way to give us the necessary resources to achieve our endeavours. The Committee looks forward to receiving your benign support

Note : For only any further information & details please feel free to contact the following persons :

- | | | | |
|---------------------------|----------------|--------------------------|----------------|
| Shri Asit Kumar Ganguli | +91.9827276445 | Shri Ashok Mukherjee | +91.9303211318 |
| Shri J.N. Choudhury | +91.9302140191 | Shri Ravi Nandi | +91.9826041114 |
| Shri Gautam Roy Choudhury | +91.9826714013 | Shri Ambuj Dutta | +91.9302140191 |
| Shri R.S. Roy Choudhury | +91.9826486120 | Shri Pradeep Bhadra | +91.9893545766 |
| Shri Apurba Choudhury | +91.9425347175 | Shri Vishal Bhattacharya | +91.9425346380 |
| Shri Ranjan Dey Sarkar | +91.9425965098 | Shri Amit Ranjan Mitra | +91.9981705386 |

YOURS SINCERELY


Shri Shri Sarbojanin Durga Puja Committee 2017

To
The Secretary,
Shri Shri Sarbojanin Durga Puja Committee-2017
Kalbari Road, Navlakha, Indore-452001

Please book a Back Cover (M.C.)/Front Inside (M.C.)/Ordinary Page (M.C.)/Special Page (S.C.)/Full Page (B/W)/Half Page (B/W)/Quarter Page (B/W) advertisement of our Firms/Institution in your Souvenir of Durga Puja Celebrations, 2017 and accept payment of Rs.....By Cash/Cheque/DD No.dtd.....Bankin favour of Shri Shri Sarbojanin Durga Puja Committee. Facility under 80G can be Claimed by donating to the Bengali School & Club. While paying donations under section 80G, no TDS is required to be deducted.

(Please put a mark against desired space and strike out others)
Enclose : Ad.Matter in Duplicate Design if any.

Ch. No.	604317
Date	06/09/17
Amount	20,000/-
No.	



Authorized Signatory



भारतीय स्टेट बैंक
State Bank Of India

(04152)-C A G, AHMEDBAD
58, "SHRIMALI" SOCIETY,
NAVRANGPURA, AHMEDABAD, GUJRAT 380009
Tel : 79 26442667 Fax : 26561178 IFS Code : SBIN0004152 SWIFT :

वैधता 3 महीने के लिए वैध / VALID FOR 3 MONTHS ON

0 1 0 9 2 0 1 7
D D M M Y Y Y Y

32594 / 100 / BLUE ORDER / 15/Jun/2017
SESHASAI (D)/C/S-2010

PAY GOKUL LIFE CARE PVT LTD ,RAJKOT

को या उनके आदेश पर OR ORDER

रुपये **RUPEES** Twenty Five Thousand Only

अदा करें

₹

*****25,000.00

खा. नं.
A/c No.

30015284131

A/C Payee Only

CASH CREDIT A/C


**PREFIX :
1515400005**

GALLANTT METAL LIMITED

Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈604 20 2⑈ 38000 20 7 2⑈ 000060⑈ 30





भारतीय स्टेट बैंक
State Bank Of India

(04152)-C A G, AHMEDBAD
58, "SHRIMALI" SOCIETY,
NAVRANGPURA, AHMEDABAD, GUJRAT 380009
Tel : 79 26442667 Fax : 26561178 IFS Code : SBIN004152 SWIFT :

वैधता 3 महीने के लिए है / VALID FOR 3 MONTHS

0 1 0 9 2 0 1 7
D D M M Y Y Y Y

32594 / 100 / BLUE ORDER / R / 15/Jun/2017
SESHAASA (D) / GTS-2010

PAY GOKUL LIFE CARE PVT LTD ,RAJKOT

को या उनके आदेश पर OR ORDER

रुपये RUPEES Twenty Five Thousand Only

अदा करें

₹

*****25,000.00

खा. सं.
A/c No. **30015284131**

A/C Payee Only

CASH CREDIT A/C


PREFIX :
1515400005

GALLANTT METAL LIMITED

Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈604 20 2⑈ 38000 20 7 2⑈ 000060⑈ 30





(An ISO 9001:2008 certified organization)

বাঙালী এসোসিয়েশন - (কচ্ছ)
BENGALI ASSOCIATION (KUTCH)

Durgabari Road, Sector 1-A, Composite Zone,
GANDHIDHAM (KUTCH) - 370201

Regd. No. E-603/Kutch

IT-GIR-No. W-2-629 Bhuj

No. 7740

Date: 29/08/17.

Received with thanks from Shri / Smt./Ms. GALLANTT. METAL. Ltd.

a sum of Rupees Twenty one Thousand only/-

as Life Membership / for Souvenir Advt./Rent / Donation on account


of Souvenir Advt. in the year 2017.

in Cash / by Cheque No. 604141 dated 29/08/17.

Rs. 21,000/-


Secretary

Collector





भारतीय स्टेट बैंक
State Bank Of India

(04192)-C.A.G. AHMEDABAD
38 "SHRIMALI" SOCIETY,
NAVANGPURA, AHMEDABAD, GUJARAT 380009
Tel : 78 2664266 / Fax : 2655178 IFS Code : SBIN004152 SWIFT :

शुद्धांकित चेक
D D M M Y Y Y Y

PAY HARIBHAI KANABHAI UNDRIYA

₹ Twenty Five Thousand Only

को या उत्तके आदेश पर OR ORDER

आ. सं.
A/C No. 30015284131

अदा करें

₹ 25,000.00

CASH CREDIT A/C

A/C Payee Only

PREFIX :
1515400005

[Signature]


GALLANTT METAL LIMITED

Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈ 601160⑈ 380002072⑈ 000060⑈ 30

*Ref:- Chema Shivi
Samalchivadi*



શ્રીમતી રખુબેન રામજીભાઈ ઉદરીયા

સરપંચશ્રી લાખાવટ ગ્રામ પંચાયત


મુ.પો. લાખાવટ, તા.ભચાઉ-૬૨૪

Mo. 99794 22203 - 99780 70025

તા. ૨૮/૮/૨૦૧૬

પ્રતી.મ. ડોલેન્ડ એટલ. લી.
સામજાચારી.

વિષય. એમારા સામના કાવચુવાનું
અરુસ્માત વાતા સારવાર માટે
અરુ સામવા સહયોગ આપવા
જય સારત સામે જલાવવાતુકે ભચાઉ લાખુડાના
લાખાવટ સામના ડુરીજન. વરજગા મેદા-બી-૩૮
બેનુ અરુસ્માત વચેલ લેને શરુકોટ મોબા
કોસ્ખરલ દાખલ કરેલ છે તેનુ અપિત
પરિસ્થા નજલો છે સાજા બાપકો જાના છે
કુમાનાર દરમા કોતર કુતો નો આપ
આપના કુવળા. સે સહયોગ કરી આમોને
મદદ રી જનવા મકુરબાની કરશો અને
તે આમો અરુ કુલાખ જેવો છે અને તેને
શરુકોટ શીરુર કરેલ છે નો યોગ્ય સહયોગ
આપવા આમો વિનવો છે



Recommended Re Twenty five Thousand
only on humanitarian ground

રખુબેન રામજી
સરપંચ
લાખાવટ-ગ્રામ પંચાયત
તા.ભચાઉ, જિ.૬૨૪

28/8/2017



भारतीय स्टेट बैंक
State Bank Of India

(04152)-C A G, AHMEDABAD
58, "SHRIMALI" SOCIETY,
NAVRANGPURA, AHMEDABAD, GUJRAT 380009
Tel : 79 26442667 Fax : 26561178 IFS Code : SBIN0064152 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

2 8 0 6 2 0 1 7
D D M M Y Y Y Y

26075 / 100 / BLUE ORDER / 09/Nov/2011 / SESHANISH (D) / 15 2310

PAY DEVJIBHAIP.BAGDA

को या उनके आदेश पर **OR ORDER**

रुपये RUPEES Two Lakh Ninty Seven Thousand Only

अदा करें

₹

*****2,97,000.00

खा. सं.
A/c No. **30015284131**

CASH CREDIT A/C

A/C Payee Only

PREFIX :
1515400005

GALLANTT METAL LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈ 507152⑈ 380002072⑈ 000060⑈ 30



SHRI NAVJIVAN VIKLANG SEVASHRAY



Office : National Highway 8-A, Behind New Police Station, Bhachau-Kutch-370 140 □ (M) 93762 91001
Mumbai Office : Mahavir Seva Trust C/o M. B. Jain, Manchhubhal Road, 302, Prabhu Darshan, Malad (E), Mumbai 400 097.

Estd : 26-7-1991

Disabled Act - 1995 - 752 / 09

PAN : AAATB6793P

Reg No. / F-208 / Kutch GUJ-31

નંબર 29692

શ્રી Galleut Metal Limited.

તારીખ 04/06/19

વિગત DONATION

ગામ Sankhrali

અંકે રૂપિયા Fifty one thousand only

રોકડા / RTGS / ચેક / ડ્રાફ્ટ નં. 909748

બેંક Statebank of India મળેલ છે.

જે સાભાર સ્વીકારીએ છીએ. આપના પવિત્ર હાથે ઉત્તમ અને ઉમદા કાર્યો થતા રહ તેવી શુભ ભાવના સહ વિશેષ આભાર વ્યક્ત કરીએ છીએ.

Abantkubad office

₹ 51000/-

દ્રસ્તીશ્રીઓ :

શ્રી પ્રમેજભાઈ પુંજાભાઈ નિશર
સનડે રોડ, દાદર (વે) મુંબઈ-૨૮


ડૉ. મનસુખભાઈ બી. જૈન

૩૦૨, પ્રભુદર્શન, મંછુભાઈ રોડ, મલાડ (ઈ)

નાણા હેતુરત સહી

Donation Exemption U/S 80G(s) O.F.I.T. obtained Permanently vide No. CIT-R-1/Tech/80G/RI/NVS/2010-11 Date : 16-08-2010

પૂજા માટે જોડાયેલ બે હાથ કરતાં દિન દિનની મદદ અર્થે લંબાયેલ એક હાથ વધારે શ્રેષ્ઠ છે.



॥ सत्यमेव जयते ॥

श्री धराणा ग्राम पंचायत

ग्राम : धराणा, ता. लयाउ (कच्छ)

पिना सहकार....  नहिं उधार....

नापक नं. :


तारीख :

~~धराणा~~ खालार पत्र

सविनय वृत्त लखत कर धराणा ग्राम पंचायत वती व्दमी नीये सवी इरन्नावाव्दो जलावीव्दो हीव्दो डी.

धराणा ग्रामे व्द्वान्तरिक वीड वनाववा भारि मा.सा. शेड्ड डी वेनी लंबार्थ २१० मार २२ त्थ तेन पडोलाउ उ मार २२ व डाम वनाववा भारि लपरावेल भात, मथीरीपल महुडी सवल वयले जर्गल २३म श्रिपिथ ३,००,०००/- व्द्वेडे कृपिथ २०० लाख पुत्रा व्द्वमो धराणा ग्राम पंचायतने व्द्वापव वदल व्द्वमो व्द्वापव "ग्लिन्ड मेटल सीकर कृपल, गी. सामजीयायी, ना जुलर व्द्वालाधी हीव्दो.

व्यतिव्यभां पल व्द्वापनी व्द्वावी व्द्वाय-सरकार मजले व्द्वे तेवी व्द्वाशा व्द्वार्थे व्द्वमी व्द्वापव व्द्वालाधी हीव्दो.


धराणा ग्राम पंचायत
ता. लयाउ (कच्छ)

डांगारवाला मोध

सरपंचकी
धराणा ग्राम पंचायत



PAN CIJPB9673E || જ્યત્રી ચામુંડા માં ||

મો. ૯૮૨૫૪ ૨૪૨૫૦
મો. ૭૬૦૦૬ ૯૦૯૧૧

દેવજીભાઈ પી. બગડા

બ્લોક વર્કસ સાઈટ ઓર્ડર મુજબ બનાવી આપવામાં આવશે
તથા સિવિલ વર્ક ના લેબર કોન્ટ્રાક્ટર
મું. આઘોઈ, તા. ભયાઉ-કરછ.

નં. ૦૨ ગોલ્ડ મેટલ લીમિટેડ તા. ૦૪/૦૬/૨૦૧૭
શ્રી શ્રી ઘરાલા ગ્રામ પંચાયત.

વિગત	નંગ	ભાવ	રકમ
<p>ગોલ્ડ મેટલ લીમિટેડ કંપન, મું. સામબીધરી, તા. ભયાઉ.</p> <p>ઘરાલા ગામ મધ્યે આંતરીક રોડ બનાવવા માટે સી.સી. રોડ વેલી લંબાઈ ૨૭૦ મીટર તથા પહોળાઈ ૩ મીટર જેટલી ધાય ક્ષે. જેમાં સિમેન્ટ, રેતી, કાંકરી, મેટલ, પાલી, મજુરી મજા કુલ્લ રકમ રૂ. ૩,૦૦,૦૦૦/- અંકે રૂપિયા ગણ લાખ પૂરા ખર્ચ વગેરે કો. શુક્રવા નમુ વિનંતી.</p> <p style="text-align: right;">આભાર રાહ.</p>			
અંકે રૂપિયા ગણ લાખ પૂરા		ટોટલ	૩,૦૦,૦૦૦/-

Ch. No.	507152
Date	28/06/17
Amo	287000/-
Est. No.	
Remarks	



॥ जयश्री चामुंडा मां ॥

मो. ८८२५४२४२५०
मो. ७५००५६०६११

देवशर्मा पी. जगडा

ब्लॉक वर्कस सार्थक ऑर्डर मुख्य जमावी आपवामां आवशे
तथा सिविल वर्क ना लेबर कोन्ट्रक्टर
मु. आधोर्ध. ता. लयाउ-करछ.


नं. 02

ता. 08/05/2019

श्री श्री दाराणा ग्राम पंचायत.

विवरण	नंग	भाव	रकम
<p>डीलैन्ड मेटल एलिक्ट्रिक कंपनी, मुं. सामधीचरी, तप: लयाउ</p> <p>दाराणा ग्राम मध्ये खांतरीक रीड जमावल्या भाई सी.सी. रीड जेव्हा लंबाई २५० मीटर त्या पडोळार ६ मीटर जेव्हा वायू से, जेथे सिमेंट, रीती, डांकरी, मेटल, पाली, मजुरी मजल कुल्ल रकम रु. ३,००,०००/- अंके इपिया ताला लाम पूर ही, झुकववा नमू विनंती.</p> <p>२०१९/२०</p>			
अंके इपिया ताला लाम पूर		टोटल	3,00,000/-

श्रीर. देवशर्मा पी. जगडा





OFFICE OF THE COMMISSIONER OF INCOME-TAX
RAJKOT - I

Aayakar Bhavan, 2nd Floor, Race Course Ring Road,
Rajkot.

Phone No. (281) 2456008/Fax No. (0281) 2476192

No. CIT.R./Tech/80G/NVS/2010-11₇₀₆

Date: 18/05/2010

To,
The Managing Trustee,
Shri Navjivan Viklang Sevashray
Behind Police Station,
NH-8-A,
BHACHAU-370 140 (Kutch)


Sir,

Sub: Intimation regarding deemed granting of continuance of
recognition u/s. 80G(5) of the I.T.Act.

Ref:- Your application dated 12/04/2010.

Please refer to the above.

2. In this connection, I am directed to mention that as per the amendment in section 80G(5)(vi) of the Act in the Budget'2009, if approvals granted under the Act is expired on or after 1st day of October'2009, it shall be deemed to have been extended in perpetuity unless specifically withdrawn. Since, in your case earlier approval u/s. 80G(5) of the Act is valid upto 31/03/2010, there is no need for further approval u/s. 80G(5) of the Act.



Yours faithfully,

(S.S. RATHI)
18-05-10
(S.S. RATHI)ITO(Tech)
For Commissioner of Income tax,
Rajkot-I, Rajkot.


પીર હાજી અલીશાહ બુખારી હાઈ સ્કૂલ ટ્રસ્ટ

Pir Haji Alishah Bukhari High School Trust

નેશનલ હાઈવે નં.-૮, ચાર રસ્તા પાસે,
સામખીયારી, તા.લચાઉ - ૬૨૪.
પીન કોડ : ૩૭૦ ૧૫૦,
ગુજરાત



National Highway No. 8,
Nr. Char Rasta, Samkhiyari Tal. Bhachau,
District - Kutch Pin Code : 370 150
Gujarat State, India.



Date: 16 / 12 / 2016

આભાર પ્રમાણ પત્ર

આજી આ આભાર પ્રમાણ પત્ર લખી આપ્યા માં
આપિ છે સામખીયારી મધ્યે સ્થિત ગેલન્ટ મેટલ
કંપની લક્ષ આખારી શાખા પીર હાજી અલીશા બુખારી હાઈ
સ્કૂલ (મ) ધાર C.C.T.V ઉમેશ ભેટ પેટ આપ્યા છે જે
બદલ સંસ્થા ગેલન્ટ મેટલ કંપની નો આભાર વ્યક્ત
કરું છે

(૬) મળેલ વસ્તુ

1. ધાર C.C.T.V. ઉમેશ
2. પાલટ કમ્પ્યુટર

આચાર્ય શ્રી
પી.એચ.એ.બી.હાઈસ્કૂલ
સામખીયારી-૬૨૪
(આનંદ.જી. ગંધી)



SHREE SAMKHIYALI GRAM PANCHAYAT

At. Samkhiyali, Tal. Bhachu, Dist. Kutch.

श्री सामखीयारी ग्राम पंचायत

मुं. पो. सामखीयारी, तालुको : ભચાઉ, જી. કચ્છ.

ખાવક નં.

તારીખ : ૧૮/૦૭/૨૦૧૯

પ્રતિ શ્રી. મેનેજર સ્ટાફે

~~સામખીયારી~~ ડિલેટ મેટલ લી.

સામખીયારી

સીદ પિત્રય જાણવાનું કે કુલી લગાવી
કામ ના પુત્ર વપેશ લગાવીર (ઉ.વર્ષ ૨૭)
માદગી (લાભારી) રીવા ત્રિકોની જાવોડ
પરિક્ષી જાણી છે. ત્રિકોને જાવોડે મદદ કર્યા
જાવોડીને ભલામણ કર્યા મા જાણી છે.)


(Signature)

ઉપ સરપંચ
સામખીયારી ગ્રામ પંચાયત
તા. ભચાઉ-કચ્છ.

Chemo.

21000/- che paid

Varadhman Medical - 10000/-
Meheta Surgical Hospital - 11000/-

(Signature)


॥ श्री चामुंडा माताय नमः ॥

॥ श्री गणेशाय नमः ॥

॥ श्री गोमाय माताय नमः ॥

श्री अभिल कछ पहीवंचा तुरी बारोट समाज समुह लग्न समिती

लयाँ - कछ - पागड. ३७० १४०

पहोय नं. 118

ता.: 09/03/2018

श्री विठ्ठल कछ पा.वी.कु. मंडपनादावा गाम : सागणीयारी

अंडे उपिया आलीव) हवार पुरा 1/1

रोकडा/रोक नं. _____ श्री समुह लग्न समितीने बेट मणेल छे.....आब्यार

₹. 40,000/-

चिवाणमरे

समुह लग्न समिती वंती सही



पावन मंडप सर्विस

पौध नाडा बहार, लखीमपुर (डरह).

नं. श्री. आजील इब्राहिम व संसा लखीमपुर

तारीख 4/3/18


संभार सारणी (रुप)

- ① मंजु = 50 x 200 = 10,000/-
- ② झरनेर = 50 x 100 = 5,000/-
- ③ कोपु = 30 x 100 = 3,000/-
- ④ लक्ष्मीपुन = 25 x 100 = 2,500/-
- ⑤ गणेशमूर्ति = 50 x 15 = 750/-
- ⑥ झरनी = 50 x 10 = 500/-
- ⑦ श्रीमतीमासुवे = 4 झरनेर x 1000 = 4,000/-
- ⑧ गीत = 1 x 2000 = 2,000/-
- ⑨ स्तूप = 15 x 15 x 10 इंच = 2,250/-
- ⑩ लोकोपस्था = 4 झरनेर x 1000 = 4,000/-
- ⑪ स्तूप इंच = 8 x 500 = 4,000/-
- ⑫ डलान गीत = 8 x 350 = 2,800/-

Total Rs ⇒ 40,800/-

पावन मंडप सर्विस

प्रोपराईटर





भारतीय स्टेट बैंक
State Bank Of India

(04152)-C A G, AHMEDBAD
58, "SHRIJALI" SOCIETY,
NAVRANGPURA, AHMEDABAD, GUJRAT 380009
Tel : 79 26442667 Fax : 26561178 IFS Code : SBIN004152 SWIFT :

वर्ष 3 महीने का तिथि 20 (A.C. FOR 3 MONTHS 20)
1 9 0 3 2 0 1 8
D D M M Y Y Y Y

29396 / 100 / BLUE ORDER / B / 28 Nov / 2017
SESHAASA / D / CTS-2010

PAY PAWAN MANDAP SERVICE

को या उनके आदेश पर OR ORDER

रुपये RUPEES Thirty Nine Thousand Six Hundred Only

अदा करें

₹

*****39,600.00

का सं
A/c No. 30015284131

CASH CREDIT A/C

A/C Payee Only

PREFIX :
1515400005

GALLANTT METAL LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈ 98 268 1 ⑈ 38000 20 7 21 ⑈ 000060 ⑈ 30



૭૮૬
૯૨



યા હાજીપીર એકતા સેવા સમિતી - ઉર્ષ મુબારક

૭૮૬
૯૨

ઉર્ષની તારીખ. ૧૭/૧૮/૧૯, ૩-૨૦૧૮ (શનિ, રવિ, સોમ)

ત્રણ રસ્તા, ચામુંડા હોટલની બાજુમાં, મુ. સામખીચારી. તા. ભયાઉ-કચ્છ.

પદચાત્રી માટે ચા-પાણી, નાસ્તો અને જમવા તથા મેડીકલની વ્યવસ્થા, નહાવા ઘોવાની
સગવડ, આરામની સગવડ છે. તા. ૩/૩/૨૦૧૮ થી કેમ્પ ચાલુ થશે. ૧૦ દિવસ

ક્રમ નંબર:-

તા:- ૧૨/૩/૨૦૧૮

શ્રીમાન...⁵³...વિલેન મીરન.....ગામ...સામખીચારી

આપના તરફથી અંકે રૂપિયા...૨૫૦૦૦.૦૦...રૂ.૧૨૨૨...પુરી.....રોકડા મળેલ છે,
જે આભાર સ્વિકારવામાં આવે છે, આ અંગેની પહોંચ આપવામાં આવે છે. મુબારકબાદ

મો. ૯૯૭૮૧ ૦૬૨૨૪

મો. ૯૮૨૫૫ ૧૮૨૪૧

મો. ૯૮૭૯૯ ૩૫૧૦૯

૩૧.૧૧૦૦૦૧-

નાણા લેનારની સહી

જી



Nature of Transaction: Intra-State Supply
 Customer Type: Registered
 PO No: ICORD/5426
 PO Date: 28.02.2018
 Invoice No: **GT17377102**
 Invoice Date: **01.03.2018**

Symphony Limited
 TAX INVOICE

703/704, Village - Thol Taluka - Kadi
 Dist: Mehsana, Gujarat, India: 382715
 Contact: 02764-274342, FAX: 02764-274347
 GSTIN: 24AACCG6739B1ZK PAN NO: AACCG6739B
 CIN: L32201GJ1998PLC010331

Original / Duplicate / Triplicate (Goods)
 Transporter: SHREE MELDI KRUPA ROADWAYS
 Road Permit:
 Special Remark: 16BOXES(GJ12AZ6911)
 LR No / Date: 1094/D1.03.2018
 Reference Do No: GJ2500021384

Registered Office: 'Symphony House', Third Floor, FP12 - TP50 Bodekdev, Off SG Highway, Ahmedabad, Gujarat, 380054, India


Billed to
 Name: Gallantt Metal Limited
 Street: Village : Samakhiali
 Street1: Taluka : Bhachau
 City: Bhachau, Pin code: 370510
 Fax.No:
 Tel.No: 02837 - 283555
 Email: stores@gallantt.com
 State/State code: 24-Gujarat
 GSTIN/UIN: 24AACCG2934J1ZQ
 PAN NO: AACCG2934J

Place of Supply
 Name: Gallantt Metal Limited
 Street: Sector Head Quarter, BSF Camp
 Street1: Kodaki Road
 Street2:
 City: Kutch, Pin code: 370510
 Fax.No:
 Tel.No: 7585895799
 Email: stores@gallantt.com
 State/State code: 24-Gujarat
 GSTIN/UIN: 24AACCG2934J1ZQ

Place of Delivery
 Name: Gallantt Metal Limited
 Street: Sector Head Quarter, BSF Camp
 Street1: Kodaki Road
 Street2:
 City: Kutch, Pin code: 370510
 Fax.No:
 Tel.No: 7585895799
 Email: stores@gallantt.com
 State/State code: 24-Gujarat
 GSTIN/UIN: 24AACCG2934J1ZQ

Sr No	Description of Goods / Services	HSN/SAC Code	Qty & Unit	Basic Rate	Basic Value	Others	Frt/Ins/Pk g/	Less (Discount)	Total Taxable value	CGST %	CGST AMT	S/UGST %	S/U GST AMT	IGST %	IGST AMT	Cess %	Cess AMT
1	ACOME008-MOVICOOOL BBS	84796000	8 EA	20336.98	162711.84				162711.84	9.00	14644.07	9.00	14644.07				
Total			8EA		162711.84				162711.84		14644.07		14644.07				

*BSF Camp
 Buy Center
 Demotion
 (border out post)*



Gross Invoice Value Rs (in figure):	191,999.98
Gross Invoice Value Rs (in words):	One Lakh Ninety One Thousand Nine Hundred Ninety Nine Rupees Ninety Eight Paise
Whether Reverse charge applicable (Y/N)	No

Declaration/ Terms and Conditions
 Certified that the particulars given above are true and correct.

Subject to Ahmedabad, Gujarat Jurisdiction Only
 page 1 of 1

For:
 Symphony Limited
 Authorised Signature

CFA THOL -2 <CFA10A12@symphonylimited.com>
to gaurav.suthar, sanjay.sheth, arjun.meghpara, me

Mar 1 (8 days ago)


Dear Sir / Madam,

Mtrl disp to: Gallantt Metal Limited with inv no : GT17377102 via Tran: (LRNO:)

Sr No.	Material Name	Quantity
1	MOVICOOOL 30S	8.000
Total		8.000

With Warm Regards,

Symphony Mktg.



ANNEXURE G

COPY OF CORPORATE ENVIRONMENT RESPONSIBILITY POLICY

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016

GALLANTT METAL LIMITED

CORPORATE ENVIRONMENTAL SOCIAL RESPONSIBILITY POLICY

The Vision

Our vision is to full fill all commitments related to environmental requirements, to maintain quality productivity, legal complies & improve management performance.

We will achieve this through an integrated Environment Management approach which focuses on technology and Best Practices and is supported by management Commitment as the prime driver.

Environment Policy

GML is committed to meeting the needs of customers in an environmentally sound manner, through continuous improvement in environmental performance in all our activities. Management at all levels, jointly with employees, is responsible and will be held accountable for company's environmental performance.

Accordingly, GML aims to:

- Ensure safety of its products and operations for the environment by using standards of environmental safety, which are scientifically sustainable and commonly acceptable.
- Develop, introduce and maintain environmental management system across the company to meet the company standards as well as statutory requirements for environment. Verify compliance with these standards through regular auditing.
- Assess environmental impact of all its activities and set continual improvement objectives and targets along with periodic review to meet with target & making efforts to reduce waste, conserve energy and explore opportunities for reuse and recycle
- Involve all employees in the implementation of this policy and provide appropriate training.



- Encourage suppliers and service providers to develop and employ environmentally superior processes and ingredient and co operate with other members of the supply chain to improve overall environmental performance.
- Work in partnership with external bodies and Government agencies to promote environmental care, increase understanding of environmental issues and disseminate good practices.

Corporate Environmental & Social responsibility Policy (CESR)

The Director of the Company is responsible for the Compliance of the Policy. The Director may constitute a Committee called as Corporate Environment & Social responsibility committee. The committee is committed to conduct the company operations in an environmentally sound manner With commitment of social responsibility . The committee will :

- Set standards and establish environmental improvement objective and targets for units, and ensure these are included in the annual operation plans.
- Formally review CESR performance of the company once every quarter
- Review environment performance when visiting units and recognize exemplary performance.
- Nominate a unit head or senior employee as coordinator for compliance of environmental performance at the site.

The committee, through the nominated coordinator will :

- Ensure implementation of Policy on environment and compliance with the Company's environmental standard and the standards stipulated under relevant national / local legislation. where appropriate, apply more stringent criteria than those required by law.
- Assess environmental impact of GML operations and establish strategies for sound environment management and key implementation steps.



- Establish system for appropriate training in implementation of Environment management system at work.
- Ensure that all employees are made aware of individual and collective responsibilities towards environment.
- Participate, where possible, with appropriate industry and Government bodies advising on environmental legislation and interact with national and local authorities concerned with protection of environment.


The corporate social responsibility Objectives and activates area :-

Strive for economic development that positively impacts the society at large to Promote well being of the communities effected by its operations and enhance the quality of life in such communities through activities on education healthcare, environment and rural development for all customers and society.

Encourage employee participation at all level and recognize its employees for volunteering with the sprit of serving and sharing with the community.

CSR Rules

The CSR activities shall include the activities in accordance with the requirements under the schedule VII of the companies Act, 2013, but not restricted to such activities only. the focus areas shall be on education, health care, environment and rural development.




INDIVIDUAL UNITS RESPONSIBILITIES

The overall responsibility for environment management at each unit will rest with the unit head or senior employee, who will ensure implementation of Policy on environment at unit level and report to Director or Committee as the case may be. Concerned line managers / heads of departments are responsible for environmental performance at department levels.

In order to fulfill the requirements of the policy at each site, the Unit Head will:

- Designate a unit environment who will be responsible for coordinating environmental activities at unit, collecting environmental data and providing / arranging for expert advice.
- Agree with the coordinator responsible for the unit specific environmental improvement objectives and targets for the units and ensure that these are incorporated in the annual objectives of the concerned managers and officers and are reviewed periodically.
- Ensure that the unit complies with GML's environmental standards and the relevant national and state regulations with respect to environment.
- Ensure formal environmental risk assessment to identify associated environmental aspects and take appropriate steps to control risks at acceptable levels.
- Ensure that all new operations are subjected to a systematic and formal analysis to assess environmental impact. Findings of such exercises should be implemented prior to commencement of the activity.
- Manage change in people, technology and processes through a planned approach base on training, risk assessment, pre-commissioning audits and adherence to design norms.
- Regularly review environment performance of the unit against set objectives and targets and strive for continual improvement.



- Sustain a high degree of environmental awareness through regular promotional campaigns and employee participation through training, safety committees, emergency drills etc.
- Ensure dissemination of relevant information on environment within the unit and to outside bodies, and regularly interact with Government authorities concerned for protection of environment.
- Maintain appropriate emergency procedures consistent with available technologies to prevent / control environmental incidents.
- Provide appropriate training to all employees.
- Ensure periodic audits to verify compliance with environment management systems.
- Also ensure periodic 3rd party environment audits through certification bodies to check efficacy of the Environment Management Systems.
- Report environmental performance to committee on a monthly basis.

X

For GALLANTT METAL LTD.

Director

ANNEXURE H

COPY OF PUBLIC HEARING

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016



GUJARAT POLLUTION CONTROL BOARD
Paryavaran Bhavan, Sector 10 A, Gandhinagar 382 010

Phone : 079 - 23232152, 23241514 Fax: 079 - 23222784 Website: www.gpcb.gov.in

No. GPCB/PH/2014-15/Kutch-89/ 306570

9 MAR 2015

Time Limit
By RPAD/H.D.

To,
The Director,
Control of Pollution Division,
Room No. 532, Vayu Block,
Ministry of Environment, Forest and Climate Change
Indira Paryavaran Bhavan, Ailiganj, Jorbagh Road,
New Delhi-110003.

Sub: To furnish a copy of the Public Hearing proceeding.

- Ref: [1] Notification no. S.O. 1533 dated September 14, 2006 published by the Ministry of Environment and Forests, Government of India, New Delhi.
[2] MoEF's Notification no. S.O.948 dated 12.6.2007 and the Forest and Environment Department, Government of Gujarat's GR no. ENV/10.2006/176/P, dated 25.7.2007
[3] Request Application of from M/s. Gallantt Metal Ltd., to organize Public Hearing.

Sir

Based on request received for public hearing from of M/s. Gallantt Metal Ltd., for (1) Sponge Iron - 1,75,500 TPA to 2,25,000 TPA, (2) Steel Billets - 1,78,200 TPA to 3,36,600 TPA, (3) TMT - 1,71,963 TPA to 3,30,000 TPA, (4) Power Plant(AFBC) - 17 MW to 25 MW, (5) Power Plant (WHRB) - 8 MW, (6) Runner & Riser - 891 TPA, (7) Miss Rolled Bar - 5,346 TPA, at Survey No. 175/1, 175/2, 176, 177, 178, 179/1, 179/2, 179/3, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5, Village: Samakhiyali, Ta. Bhachau, Dist. Kutch, Public hearing was organised on 24/02/2015 at 11:30 hrs..

The Public Hearing proceeding along with CD and VCD is enclosed herewith for your information and further necessary action please.

For and on behalf of
Gujarat Pollution Control Board,


(R.V.Patel)

Senior Environmental Engineer

Encl: As above.(Original copy)


Copy to:

1. District Collector, Collector Office,
District : Kutch..... for information Please.
2. The Unit Head, Kutch.
.....along with the original case file of aforesaid applicant for further suitable action.
3. The Unit Head, [Computer Branch]
.....along with CD of aforesaid Public Hearing to up-load on website immediately.
4. The Regional Officer, Kutch for further suitable action, if any.
5. M/s. Gallantt Metal Ltd.,



Gujarat Pollution Control Board

REGIONAL OFFICE, Bhuj (Kutch)
Katira Commercial Complex-1, F¹ Floor, Nr. Income Tax office,
Manglam Char rasta, Sanskar nagar, Bhuj-370001
Website: www.gpcb.gov.in



NO: GPCB/RO-Bhuj/T-27(70)/113

Date: 24-02-2015

To,
The Member Secretary,
Gujarat Pollution Control Board,
Sector 10-A "Paryavaran Bhavan"
Gandhinagar -382010

Kind Attn: Smt. U. K. Upadhyay (Environment Engineer)

Sub: Proceeding of public hearing of M/s. Gallantt Metal Ltd. for (1). Sponge Iron-1,75,500 TPA to 2,25,000 TPA, (2). Steel Billets - 1,78,200 TPA to 3,36,600 TPA, (3). TMT- 1,71,963 TPA to 3,30,000 TPA, (4). Power Plant (AFBC)-17 MW to 25 MW, (5). Power Plant (WHRB)- 8 MW, (6). Runner & Riser-891 TPA and (7). Miss Rolled Bar-5,346 TPA in existing premises located at Survey No. : 175/1, 175/2, 176, 177, 178, 179/1, 179/2, 179/3, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4 and 185/5, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat).

Ref: HO letter No. (1) GPCB/PH/2014-15/Kutch-89/230823, dtd. 17-11-2014
(2) GPCB/PH/2014-15/Kutch-89/301126, dtd. 13-01-2015

Respected Sir,

In connection with the subject mentioned above, the Public Hearing was held on 24/02/2015 at 11:30 hrs. Nr. Project Site of M/s. Gallantt Metal Ltd., Adjoining to Main Entrance Gate, Survey No. 175/1, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat).

Please find enclosed herewith the proceedings of public hearing. This is for your information and necessary action please.

Thanking you,

Yours Sincerely,

(C. A. SHAH)

Regional Officer

Encl:

Three sets of proceedings along with

Annexure A B R C-O-1 and C-A-1.



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in



PUBLIC HEARING PROCEEDING

It is hereby informed that as per the Ministry of Environment and Forests, Government of India, New Delhi vide its Notification No. S. O. 1533 dated 14th September, 2006 and subsequent amendment S.O. 3067 (E) dated 1st December 2009, Public Hearing was fixed for M/s. Gallant Metal Ltd., for (1). Sponge Iron-1,75,500 TPA to 2,25,000 TPA, (2). Steel Billets - 1,78,200 TPA to 3,36,600 TPA, (3). TMT- 1,71,963 TPA to 3,30,000 TPA, (4). Power Plant (AFBC)-17 MW to 25 MW, (5). Power Plant (WHRB)- 8 MW, (6). Runner & Riser-891 TPA and (7). Miss Rolled Bar-5,346 TPA located at Survey No. : 175/1, 175/2, 176, 177, 178, 179/1, 179/2, 179/3, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4 and 185/5, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat), covered under "Category - A".

A copy of the draft Environment Impact Assessment Report and the Executive Summary of draft Environmental Impact Assessment Report in English and Gujarati were sent to the following authorities or offices to make it available for inspection to the public during normal office hours, till the Public Hearing is over.

1. The District Collector Office, Kutch,
2. District Development Office, Kutch,
3. District Industry Centre, Kutch,
4. Taluka Development Office, Tal: Bhachau, Dist.: Kutch,
5. The Chief Conservator of Forests,
Ministry of Environment & Forests,
Govt. of India, Regional Office (West Zone),
Kendriya Paryavaran Bhavan, E - 5, Area Colony,
Link Road - 3, Ravishankar Colony, BHOPAL - 462 016.
6. Regional Office, Gujarat Pollution Control Board, Katira Commercial Complex, 1st Floor, Nr. Income Tax Office, Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001

Other concerned persons having plausible stake in environmental aspects were requested to send their response in writing to the concerned regulatory authorities.

The Public Hearing was scheduled on 24/02/2015 at 11:30 hrs. Nr. Project Site of M/s. Gallant Metal Ltd., adjoining to main entrance gate, Survey No. 175/1, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat). An advertisement in English was published in daily newspaper "The Indian Express" dated 22/01/2015 and Gujarati daily newspaper "Kutch Mitra" dated 22/01/2014.

Shri D. A Shah, G.A.S., Resident Additional Collector and Additional District Magistrate, Kutch as representative of District Collector and District Magistrate, Kutch has presided over the entire public hearing process.

A statement showing participants present during the Public Hearing is enclosed herewith as Annexure - A.

A statement showing salient points highlighting issues raised by the participants and responded by the representative of the applicant during the Public Hearing in English language is enclosed herewith as Annexure B and in Gujarati language is enclosed herewith as Annexure B1.

GUJARATI POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in



The copies of responses received in writing from other persons having plausible stake in the Environment aspects and the replies by the applicant to the same are enclosed herewith as Annexure C-Q-1 and Annexure C-A-1.

Place: Nr. Project Site,
Survey No. 175/1,
Village: Samakhiyali,
Ta : Bhachau,
Dist: Kutch
Date: 24/02/2015

C.A. Shah
Regional Officer,
Representative of Gujarat
Pollution Control Board

D. A. Shah, G.A.S
Resident Additional Collector and
Additional District Magistrate,
Kutch
As representative of District
Collector and District Magistrate,
Kutch

- Encl: 1. Annexure A, B, B1, C-Q-1 & C-A-1
2. Video CD/DVD of Public Hearing,
3. CD of Public Hearing Proceedings.



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Mira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in



ANNEXURE - A

A statement showing participants present during the public hearing

As per the Ministry of Environment and Forests, Government of India, New Delhi, vide its Notification no. S.O.1533(E) dated 14/09/2006 and its subsequent amendment S.O.3067(E) dated 1st December 2009, Public Hearing was fixed for the proposed project of M/s. Gallantt Metal Ltd., for (1). Sponge Iron 1,75,500 TPA to 2,25,000 TPA, (2). Steel Billets-1,78,200 TPA to 3,36,600 TPA (3). TMT bars-1,71,963 TPA to 3,30,000 TPA (4). Power Plant (AFBC)-17 MW to 25 MW (5) Power Plant (WHRB) - 8 MW (6) Runner & Riser - 891 TPA (7) Missed Rolled Bars - 5346 TPA, at Survey No. : 175/1, 175/2, 176, 177, 178, 179/1, 179/2, 179/3, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4 and 185/5, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat), covered under Category "A".

The statement showing Participants present during public Hearing held on 24/02/2015 at 11:30 hrs at Project Site of M/s. Gallantt Metal Ltd., Adjoining to Main Entrance Gate, Survey No. 175/1, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat), is as under:

ભારત સરકારના વન અને પર્યાવરણ મંત્રાલય નવી દિલ્હીના જાહેરનામા ક્રમાંક :એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અનુસંધાને મેસર્સ. ગેલન્ટ મેટલ લિમિટેડ; સર્વે નં : ૧૭૫/૧, ૧૭૫/૨, ૧૭૬, ૧૭૭, ૧૭૮, ૧૭૯/૧, ૧૭૯/૨, ૧૭૯/૩, ૧૮૨/૧, ૧૮૨/૨, ૧૮૩/૧, ૧૮૩/૨, ૧૮૪, ૧૮૫/૧, ૧૮૫/૨, ૧૮૫/૩, ૧૮૬/૪ અને ૧૮૫/૫, ગામ: સામખિયાલી, તા. ભચાઉ, જિ. કચ્છ, ગુજરાત ખાતે (૧), સ્પોન્જ આર્થન-૧,૭૫,૫૦૦ ટન/વર્ષ થી ૨,૨૫,૦૦૦ ટન/વર્ષ, (૨). સ્ટીલ બીલેટ્સ - ૧,૭૮,૨૦૦ ટન/વર્ષ થી ૩,૩૬,૬૦૦ ટન/વર્ષ, (૩). ટી.એમ.ટી.-૧,૭૧,૯૬૩ ટન/વર્ષ થી ૩,૩૦,૦૦૦ ટન/વર્ષ, (૪). પાવર પ્લાન્ટ (એ.એફ.બી.સી.)- ૧૭ મેગાવોટ થી ૨૫ મેગાવોટ, (૫) પાવર પ્લાન્ટ (ડબલ્યુએચઆરબી)- ૮ મેગાવોટ, (૬). રનર અને રાઇસર- ૮૯૧ ટન/વર્ષ, (૭). મિસ રોલ્ડ બાર- ૫,૩૪૬ ટન/વર્ષ ના ઉત્પાદન અંગેની સૂચિત પરિયોજના કેટેગરી "એ" માં આવરી લેવાયેલ છે, જે અનુસંધાનમાં લોક સુનાવણી રાખવામાં આવેલ છે. સૂચિત પરિયોજના માટે જાહેર લોકસુનાવણી નું આયોજન તા. ૨૪/૦૨/૨૦૧૫ ના રોજ સવારે ૧૧:૩૦ કલાકે પ્રોજેક્ટ સાઇટની બાજુમાં, મેસર્સ. ગેલન્ટ મેટલ લિમિટેડ, મુખ્ય પ્રવેશદ્વારની બાજુમાં, સર્વે નં : ૧૭૫/૧, ગામ: સામખિયાલી, તા. ભચાઉ, જિ. કચ્છ, (ગુજરાત) ખાતે રાખવામાં આવેલ.

જાહેર લોક સુનાવણી દરમ્યાન હાજર રહેલાં લોકોની યાદી નીચે મુજબ છે.

Sr.No. ક્રમાંક	Name and Address નામ અને હોદ્દો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
1	Ramji Dineshpuram	

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Tira Commercial Complex, 1st Floor, Nr. Income Tax Office,
 Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr.No. ક્રમકે	Name and Address નામ અને હોદ્દો	Signature OR Thumb અહીં અથવા અંગુઠાનું નિશાન
4	H&C ભાગલાડી રામરામ	
5	રિજીસ્ટર્ડ વા. ગુજરાત	
6	સે. ભાગલાડી રામ	
7	ભાગલાડી મનાભ રામરામ	
8	ગામી સિદ્ધાંતજીભાઈ ભાગલાડી	
9	ગામી સિદ્ધાંતજીભાઈ ભાગલાડી	
10	ભાગલાડી રામરામ	
11	Parvat Kumar	
12	Groffer trainya SS News	
13	Hindol Surpur	
14	JARVAZ PATAA	
15	Chand Singh	
16	રિજીસ્ટર્ડ વા. ગુજરાત	
17	ભાગલાડી રામરામ	
18	ભાગલાડી રામરામ	
19	AJAY SARASWAT	
20	SAURAV KATHOR	
21	સુશીલાબેઈ ડી. ખટ્ટ	



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Kalra Commercial Complex, 1st Floor, Nr. Income Tax Office,
 Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr.No. ક્રમિક	Name and Address નામ અને હોલો	Signature OR Thumb Impression મહી અથવા અંગુઠાનું નિશાન
22	બી વેંગેશ બાયો 2	<i>Discount</i>
23	બીસી ભરત રાજ	<i>[Signature]</i>
24	સિદ્ધીયા પિયર	<i>[Signature]</i>
25	મીની અમરે	<i>[Signature]</i>
26	ભાઈ સિદ્ધા	<i>[Signature]</i>
27	કાલ્પાભી ભાગેશ	<i>J.P. Ubhani</i>
28	મીનાબેબી (આભામિયાલિ)	<i>[Signature]</i>
29	પરબાર દરમી	<i>[Signature]</i>
30	દયા ભાઈ	<i>[Signature]</i>
31	મોહન ભાઈ	<i>[Signature]</i>
32	Romkish Prajapati	<i>Romkish</i>
33	ભાઈ સિદ્ધ	<i>[Signature]</i>
34	Sunil Singh	<i>[Signature]</i>
35	જાસાંચ લાલકર	<i>[Signature]</i>
36	રાજેશ વગા	<i>[Signature]</i>
37	Murthy	<i>[Signature]</i>
38	મોહન	<i>[Signature]</i>
39	Rim.	<i>[Signature]</i>



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Satira Commercial Complex, 1st Floor, Nr. Income Tax Office,
 Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr.No. ક્રમાંક	Name and Address નામ અને હોદ્દો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
40	ગવરસલા ૯૭	ગવરસલા ૯૭
41	ગોલ્ડમણ	ગોલ્ડમણ
42	રિવલમ	રિવલમ
43	દાન-૬	દાન-૬
44	Uday Kumar	Uday Kumar
45	Lalbabu yadav	Lalbabu yadav
46	Lalnar Bhai	Lalnar Bhai
47	Anandkumar	Anandkumar
48	Raman Bhai	Raman Bhai
49	શ્રીજીવોડ સરશાન મોલ	શ્રીજીવોડ સરશાન મોલ
50	Rakesh Kumar	Rakesh Kumar
51	શ્રી. વસંતભાઈ જાગલવાલા	વસંતભાઈ જાગલવાલા
52	મનોજ સ. જી/૧	મનોજ
53	શ્રી. રામ. વાલે	રામ વાલે ના. વાલે
54	શ્રી. રા. શ્રી. દરશી	શ્રી. રા.
55	લાલુ કાલુ	લાલુ
56	જીવણ ૧/૧૨	જીવણ ૧/૧૨
57	ગોપાલભાઈ	ગોપાલભાઈ



WATER POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Patira Commercial Complex, 1st Floor, Nr. Income Tax Office,
 Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr.No. ક્રમક્ર	Name and Address નામ અને હોલો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
58	ગુલન દશરથી વાલિયાભાઈ સરખય	સીંગલક્ષ્મીભાઈ
59	બેડે. ખરોડે. સીમખાલી	[Signature]
60	અલ્પેશી સરો. સેવી	[Signature]
61	Bhargh. Rishi	[Signature]
62	Bhavesb Thaker	[Signature]
63	ભાગ્યજીવણ વાલવણીભાઈ	ભાગ્યજીવણ
64	ભાગ્યજીવણ દેવજીભાઈ	V. H. BHAI
65	સીંગલક્ષ્મીભાઈ	[Signature]
66	સીંગલક્ષ્મીભાઈ, સરોજીવણભાઈ સરોજીવણભાઈ, સરોજીવણભાઈ	[Signature]
67	દેવજીવણ સીંગલક્ષ્મી	[Signature]
68	Ankar Anand	[Signature]
69	Sanjay Sharma - Sanchali	[Signature]
70	સીંગલક્ષ્મીભાઈ દેવજીવણ	સીંગલક્ષ્મી
71	સીંગલક્ષ્મીભાઈ સરોજીવણ	[Signature]
72	Ravindra Al	[Signature]
73	સીંગલક્ષ્મીભાઈ સરોજીવણ	[Signature]
74	V. H. BHAI	[Signature]
75	MANOJ RASTOGI	[Signature]





Sr.No. સ્રાંબં	Name and Address નામ અને હોલો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
76	સીમી જીવન માલકી Samakhiyali	
77	Lilevanti K Yedav Samakhiyali	સીમી જીવન માલકી
78	Kumar Bhi Bhura U	
79	Hansu Ben Samakhiyali	
80	Raj Ben Samakhiyali	
81	Kumari Ben Samakhiyali	
82	Ravika Ben Sanskhiyali	
83	Pasvati Ben Samakhiyali	
84	Lili Ben Samakhiyali	
85	Dharm Ben Samakhiyali	સીમી જીવન માલકી
86	Pasvati Ben Sanskhiyali	
87	Bhagrati Ben Samakhiyali	
88	Krupanti Ben Sanskhiyali	
89	Nayab Ben Samakhiyali	જયભાઈ જીવન
90	Manita Ben Sanskhiyali	મનવલોન મહેરા શીલ
91	Sunny Bhai Samakhiyali	શીલ શીલ
92	Dakshi Ben Samakhiyali	શીલ શીલ
93	Bhasi Ben Samakhiyali	





Sr.No. ક્રમક્ર	Name and Address નામ અને હોલો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
76	સોની લક્ષ્મણ માલકી Samakhiyali	
77	Lilevanti K Yelav Samakhiyali	સહી - ૨૧/૧૧/૧૫
78	Kumar Bhi Bhura U	
79	Hansu Ben Samakhiyali	
80	Raj Ben Samakhiyali	
81	Kunni Ben Samakhiyali	
82	Ravika Ben Samakhiyali	
83	Pavati Ben Samakhiyali	
84	Lili Ben Samakhiyali	
85	Dharna Ben Samakhiyali	સહી ૨૧/૧૧/૧૫
86	Pavati Ben Samakhiyali	
87	Bhagrati Ben Samakhiyali	
88	Kavibanti Ben Samakhiyali	
89	Nayab Ben Samakhiyali	સહી ૨૧/૧૧/૧૫
90	Mamta Ben Samakhiyali	સહી ૨૧/૧૧/૧૫
91	Sunny Bhai Samakhiyali	૨૧/૧૧/૧૫
92	Dakshi Ben Samakhiyali	૨૧/૧૧/૧૫
93	Bhasi Ben Samakhiyali	

GANDHARA POLLUTION CONTROL BOARD

Office, Bhuj (Kutch)
Commercial Complex, 1st Floor, Nr. Income Tax Office,
Jam Char Rasta, Sanskarnagar, Bhuj - 370 001
Site: www.gpcb.gov.in



Sr.No. ક્રમાંક	Name and Address નામ અને હોલો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
94	Hansa Ben Samakhiyali	
95	Nayun Ben Samakhiyali	
96	Shubhna Ben Samakhiyali	
97	Kanjat Ben Samakhiyali	સૌરાષ્ટ્ર કાલક(૧) પેરા
98	Medhi Ben Samakhiyali	
99	Ladhi Ben Samakhiyali	
100	Bherna Ben Samakhiyali	મીપુન/બેન
101	Yamshu Bhen Samakhiyali	બચના બેન
102	Manjula Ben Samakhiyali	MANJULABEN
103	Kamli Ben Samakhiyali	કામલિબેન
104	Suroi Ben Samakhiyali	
105	Prava Ben Samakhiyali	પ્રવાબેન
106	Malkiyat kam Samakhiyali	મલકિયાત કામ
107	Shekuri Ben Kataria	સેકુરીબેન
108	Kusum Ben Samakhiyali	K. Y. Chavhan
109	મિત્રા સમીક્ષા સમીક્ષા	મિત્રા
110	Anub Bher Samakhiyali	
111	Prasokathi Samokhiyali	પ્રસોકાથી



GANDHARA POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Commercial Complex, 1st Floor, Nr. Income Tax Office,
 Glam Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr.No. ક્રમ નં	Name and Address નામ અને ઠીકો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
112	Babu Bhi Gharam	[Signature]
113	સર સુરભાઈ ભગવાન Sankhlyai	[Signature]
114	Bharam Singh Sankhlyai	[Signature]
115	Saran Sankhlyai	[Signature]
116	Kuldarp yada Sankhlyai	[Signature]
117	Saran Sankhlyai	[Signature]
118	Rupant Sankhlyai	[Signature]
119	Parveen Sankhlyai	[Signature]
120	Sanjay Yadav Sankhlyai	[Signature]
121	Kim Long Sankhlyai	[Signature]
122	Virek Bhi Sankhlyai	[Signature]
123	Mansoj Bhi Sankhlyai	[Signature]
124	Hari Bhi Sankhlyai	[Signature]
125	Saran Bhi vijal Bhi Sankhlyai	[Signature]
126	Satyam Bhi Sankhlyai	[Signature]
127	Nayabhan Sankhlyai	[Signature]
128	Gali Bhi Sankhlyai	[Signature]
129	Rahul Ar Sankhlyai	[Signature]



Gujarat POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Commercial Complex, 1st Floor, Nr. Income Tax Office,
 D. G. Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr.No. ક્રમ નં	Name and Address નામ અને ઠીકો	Signature OR Thumb Impression સહી અથવા અંગુઠાનું નિશાન
130	RAJESH AGARWAL	
131	Sandip Agrewal	
132	Prakash Dahan	
133	Lakshman Rajgopal	
134	Dukita Bhairaviya	
135	Pursh Desai	
136	P. R. Shah	
137	Jaymohan Singh	
138	Umesh Khari Goyal	
139	Vijay Patel	



GUJARATI POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)

Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,

Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001

Website: www.gpcb.gov.in



Annexure -8 (ENGLISH)

A Statement showing issues raised by the participants and responses by the representative of the applicant during the Public Hearing

It is hereby informed that as per the Ministry of Environment and Forests, Government of India, New Delhi, vide its Notification No. S.O.1533 dated 14th September 2006 and subsequent amendment No. S.O.3067 (E) dated 1st December 2009; Public Hearing was fixed for the proposed project of M/s. Gallantt Metal Ltd., on 24/02/2015 at 11:30 hrs. Nr. Project Site of M/s. Gallantt Metal Ltd., Adjoining to Main Entrance Gate, Survey No. 175/1, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat) for (1). Sponge Iron-1,75,500 TPA to 2,25,000 TPA, (2). Steel Billets - 1,78,200 TPA to 3,36,600 TPA, (3). TMT- 1,71,963 TPA to 3,30,000 TPA, (4). Power Plant (AFBC)-17 MW to 25 MW, (5). Power Plant (WHRB)- 8 MW, (6). Runner & Riser-891 TPA and (7). Miss Rolled Bar-5,346 TPA in existing premises located at Survey No. : 175/1, 175/2, 176, 177, 178, 179/1, 179/2, 179/3, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4 and 185/5, Village: Samakhiyali, Ta. Bhachau, Dist: Kutch, (Gujarat) is covered under "Category A".

Shri D. A. Shah (IAS), Resident Additional Collector and Additional District Magistrate, Kutch as representative of District Collector and District Magistrate, Kutch has presided over the entire public hearing process.

Shri C. A. Shah, Regional officer, GPCB, Bhuj, welcomed all present in the Public Hearing. He outlined the various provisions of the Notification and briefed the procedural details for conducting this public hearing including action taken by GPCB for wide publicity of this public hearing and the advertisement given earlier in the local daily newspapers. He announced that, as per the provision of notification, locally affected persons will be allowed to represent in the public hearing while others having plausible stake holders may give their representation in writing which would be included in the proceedings.

He then opened the Public Hearing forum after due permission from Additional District Magistrate. He invited the project proponent to give their introduction and to make the presentation of their project.

Thereafter Audio-visual presentation in Gujarati language covering introduction of the company, salient features of the project, product profile, technical details of the proposed project, Environmental Management System, its impact on environment along with proposed mitigation measures was presented by technical representative of project Ms. Ankita Bhairaviya.

After the presentation by project proponent, Regional Officer, GPCB, Bhuj with the due permission of the Additional District Magistrate opened the forum for representations/ suggestions/opinions/ objections from the locally affected people.

The statement showing issues/ suggestions/ objections/ opinions raised by the participants during Public Hearing and responded by the representative of the Project Proponent during the Public Hearing are as under:

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
 Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr. No.	Name and Address	Point Represented	Reply from the Project Proponent
1	Shri Ranchodbhai Karsanbhai Madhhva Village: Samakhiyali Tal: Bhachau Dist.: Kutch.	<ul style="list-style-type: none"> He represented that he had constructed his new house and due to black particles of coals, house become blackish and cloths kept for drying also becomes black and due to this, issue is created in his family. He requested to change the direction of smoke so that smoke should not come towards villages. 	<ul style="list-style-type: none"> Technical representative of Industry Shri Pushpak Shah informed that they have installed modern APCM (Air Pollution Control Measures) in their industry and emission disperse from the stack are well within norms. In addition to that they have installed Bag filters for induction furnace and it is operated efficiently. Pakka (Lined) roads are constructed to control the fugitive emission and regularly water is sprinkled. Further their emission is reach upto maximum 500 meters, where as village Samakhiyali is about 1.5 K.M. away. They have prepared mathematical model for emission and accordingly APCM are upgraded. However responsible officer of company will visit his house and if any problem is there due to their industry then they will take all required measures and whatever measures taken are upgraded, if required to be upgraded.
2.	Shri Dineshbhai Rana, Village: Lakadia Human Welfare and Environment Protection Society:(Manav Kalyan Suraksha Mandal) Tal: Bhachau Dist.: Kutch.	<ul style="list-style-type: none"> He welcomed the project and informed that this industry has given contribution for development works in surrounding area and by upcoming project contribution will be given for social and educational development in surrounding villages and demanded for development work like 	<ul style="list-style-type: none"> Technical representative Shri Pushpak Shah expressed thanks for welcoming the project and informed that they will give proper and required contribution for development work in surrounding villages.



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
 Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
 Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
 Website: www.gpcb.gov.in



Sr. No.	Name and Address	Point Represented	Reply from the Project Proponent
		is request for development work to be done.	
3.	Shri Bhanajibhai Dungariya Village: Samkhiyali Representative "Kutch Jilla Bharat Mukti Morcha" Tal: Bhachau Dist.: Kutch.	He represented that Grampanchayat have been given responsibility for public hearing organized by company through medium of company, but this is a case of Environmental pollution and advertisement is not being done by village panchayat. Social leder should be invited in public hearing programme by considering public interest and no adequate publicity is being made in villages. This matter is of pollution hence it is serious matter for health. Hence, it will not be tolerated if company makes false promises in this regard. He inquired that there is 8 to 12 working hours in company, is it proper? Is it as per the provision of Indian Constitution? P.F. of the workers of company are being deducted as per the provision of rules or	At this Juncture, Regional Officer, GPCB, Bhuj informed the gathering that Public Hearing is being conducted as per the provisions of EIA Notification No- S.O. 1533 dated 14/09/2006 and its subsequent amendments. Advertisement of this Public Hearing was given prior to more than 1 month in Gujarati daily newspaper 'Kutchmitra' and English daily news paper 'Indian Express' on 22/01/2015. EIA Report and its summary were make available at public places/offices mentioned in it. In addition to that publicity of today's Public Hearing was made through Auto Rikshaw mounted with loud speaker on 22/02/2015 and 23/02/2015 in all villages situated in study area. In addition to that advertisement for today's Public Hearing was displayed on 22/02/2015 and 23/02/2015 in local T.V. Channel namely "Kutch Uday". Thus wide publicity of today's Public hearing was made. Representative of project Shri Jagmohansingh vice president (Adm) inform that there is 8 hours shift which is as per law. In addition to that overtime is being given for further working. Work is not taken more than 26 days in a month and no additional work is being taken. All workers are on

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in




Sr. No.	Name and Address	Point Represented	Reply from the Project Proponent
		workers is given by the company or not? Whether Aadhar Card has been taken from the workers? If all these are not given due consideration then they will make agitation in whole Country(i.e. India).	account and P.F. of them is deducted as per rules. All workers are on record and identity proof like Ration Card/ Driving Licence/ Aadhar Card/ are taken from all workers and the same is reported into police. Record of all these are maintained and you can check it.


Regional officer, Gujarat Pollution Control Board, informed the forum that one written representation from plausible stakeholder has been received prior to conduct of the public hearing i.e. Shri Mahesh Pandya, Paryavaran Mitra, Ahmedabad (Annexure C-Q-1) & its written reply from project proponent (Annexure C-A-1) will be included in the minutes.

Regional Officer, GPCB had repeatedly requested the local affected people for any other representation; however no additional representation were raised.

Regional officer, GPCB summarized the gist of the entire Public Hearing proceeding to the participants. The Public Hearing was concluded with thanks to the Chair.

Place: Nr. Project Site,
Survey No. 175/1,
Village: Samakhiyali,
Tal: Bhachau,
Dist.: Kutch
Date: 24/02/2015


C. A. Shah
Regional Officer
Representative of
Gujarat Pollution Control Board


D. A. Shah (GAS)
Resident Additional Collector &
Additional District Magistrate, Kutch
As representative of District Collector
and District Magistrate, Kutch



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in



એનેક્સર-બી૧ ગુજરાતી

લોક સુનાવણી દરમિયાન હાજર રહેલ લોકો દ્વારા રજૂ કરવામાં આવેલ મુદ્દાઓ અને અરજદારના પ્રતિનિધિ દ્વારા આપવામાં આવેલ જવાબ

ભારત સરકારના વન અને પર્યાવરણ મંત્રાલય, નવી દિલ્હીના જાહેરનામા ક્રમાંક એસ.ઓ. ૧૫૩૩ તા. ૧૪-૦૯-૨૦૦૬ અને તેના પછીના સુધારા ક્રમાંક એસ.ઓ. ૩૦૬૭ (ઇ) તા. ૦૧-૧૨-૨૦૦૯ અન્વયે કેટેગરી "એ" માં આવરી લેવાયેલ મેસર્સ. ગેલન્ટ મેટલ લિમિટેડ; સર્વે નં : ૧૭૫/૧, ૧૭૫/૨, ૧૭૬, ૧૭૭, ૧૭૮, ૧૭૯/૧, ૧૭૯/૨, ૧૭૯/૩, ૧૮૨/૧, ૧૮૨/૨, ૧૮૩/૧, ૧૮૩/૨, ૧૮૪, ૧૮૫/૧, ૧૮૫/૨, ૧૮૫/૩, ૧૮૫/૪ અને ૧૮૫/૫, ગામ: સામાખિયાળી, તા. ભયાઉ, જિ. કચ્છ, ગુજરાત ખાતે (૧), સ્પોન્જ આયર્ન- ૧,૭૫,૫૦૦ મેટ્રીક ટન/વર્ષ થી ૨,૨૫,૦૦૦ મેટ્રીક ટન/વર્ષ, (૨). સ્ટીલ બીલેટસ - ૧,૭૮,૨૦૦ મેટ્રીક ટન/વર્ષ થી ૩,૩૬,૬૦૦ મેટ્રીક ટન/વર્ષ, (૩). ટી.એમ.ટી. - ૧,૭૧,૯૬૩ મેટ્રીક ટન/વર્ષ થી ૩,૩૦,૦૦૦ મેટ્રીક ટન/વર્ષ, (૪). પાવર પ્લાન્ટ (એ.એફ.બી.સી.) - ૧૭ મેગાવોટ થી ૨૫ મેગાવોટ, (૫). પાવર પ્લાન્ટ (ડબલ્યુ.એચ.આર.બી.) - ૮ મેગાવોટ, (૬). રનર એન્ડ રાઇઝર - ૮૯૧ મેટ્રીક ટન/વર્ષ અને (૭). મીસ રોલ્ડ બાર - ૫,૩૪૬ મેટ્રીક ટન/વર્ષ ના ઉત્પાદન અંગેની સુચિત વિસ્તૃતિકરણ ક્ષાટેની પરીયોજના માટેની લોકસુનાવણીનું આયોજન તા. ૨૪/૦૨/૨૦૧૫ ના રોજ સવારે ૧૧:૩૦ કલાકે પ્રોજેક્ટ સાઈટની બાજુમાં, મેસર્સ. ગેલન્ટ મેટલ લિમિટેડ., મુખ્ય પ્રવેશદ્વારની બાજુમાં, સર્વે નં : ૧૭૫/૧, ગામ: સામાખિયાળી, તા. ભયાઉ, જિ. કચ્છ, (ગુજરાત) ખાતે રાખવામાં આવેલ.

સમગ્ર લોક સુનાવણીની કાર્યવાહી જિલ્લા કલેક્ટરશ્રી અને જિલ્લા મેજિસ્ટ્રેટશ્રી, કચ્છના પ્રતિનિધિ શ્રી.ડી.એ.શાહ (જી.એ.એસ.) નિવાસી અધિક કલેક્ટરશ્રી અને અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી, કચ્છની દેખરેખ તથા અધ્યક્ષપણા હેઠળ કરવામાં આવેલ.

શ્રી. સી.એ.શાહ, પ્રાદેશિક અધિકારી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ, ભુજે લોક સુનાવણીમાં ઉપસ્થિત સૌને આવકાર્યા, તેઓએ ઇ.આઇ.એ. નોટીફિકેશન અંતર્ગત વિવિધ જોગવાઈઓ અને લોકસુનાવણીની પ્રક્રિયા બાબતે સંક્ષિપ્તમાં માહિતી આપી. તેમણે લોકસુનાવણીની બહોળી પ્રસિધ્ધિ અંગે ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ કરેલ કાર્યવાહીની માહિતી આપી અને સ્થાનિક દૈનિક વર્તમાન પત્રોમાં આપેલ જાહેર ખબર વિશે જણાવેલ. તેમણે એ પણ જણાવ્યું કે નોટીફિકેશનની જોગવાઈઓ અનુસાર સ્થાનિક અસરગ્રસ્ત લોકો આ લોક સુનાવણીમાં મૌખિક રજૂઆત કરી શકશે જ્યારે અન્ય વ્યાજબીહિત ધરણના વ્યક્તિઓ તેઓની રજૂઆત લેખિતમાં કરી શકશે જેનો કાર્યસુચિમાં સમાવેશ કરવામાં આવશે.

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in



ત્યારબાદ તેમણે અધિક જિલ્લા મેજિસ્ટ્રેટશ્રીની પરવાનગીથી લોક સુનાવણીનો પ્રારંભ કર્યો. તેઓએ ઉદ્યોગના પ્રતિનિધિને તેમની સુચિત પરીયોજના વિશે માહિતી રજુ કરવા માટે જણાવ્યું.

ત્યારબાદ ઉદ્યોગના તકનીકી પ્રતિનિધિ કું. અંકિતા ભૈરવિયા, દ્વારા કંપનીનો પરીચય, પ્રોજેક્ટની રૂપરેખા, ઉત્પાદન અંગેની માહિતી, સુચિત પ્રોજેક્ટની ટેકનીકલ માહિતી, પર્યાવરણ વ્યવસ્થાપન પદ્ધતિ તેની અસરો અને સુચિત નિવારણો, ઉપાયો અંગે ગુજરાતી ભાષામાં દૃશ્યશ્રાવ્ય પ્રેઝન્ટેશન કરવામાં આવ્યું.

પ્રોજેક્ટના પ્રતિનિધિ દ્વારા રજુઆત પુર્ણ થયા બાદ પ્રાદેશિક અધિકારીશ્રી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ, ભુજ દ્વારા અધિક જિલ્લા મેજિસ્ટ્રેટશ્રીની સ્થાનિક અસરગ્રસ્ત લોકોની રજુઆતો/વાંધા/સુચનો માટે મંચ ખુલ્લો મુકવામાં આવેલ.

લોક સુનાવણી દરમિયાન હાજર રહેલ લોકો દ્વારા પૂછવામાં આવેલ પ્રશ્નો તેમજ અરજદારના પ્રતિનિધિ દ્વારા આપવામાં આવેલ જવાબો નીચે મુજબ છે.

ક્રમ	નામ અને સરનામું	રજુ કરવામાં આવેલ મુદ્દાઓ	ઉદ્યોગના પ્રતિનિધિ દ્વારા આપવામાં આવેલ જવાબ
૧	શ્રી. રણછોડભાઈ કરશનભાઈ મઢવા, ગામ : સામાખિયાળી તા.: ભચાઉ, જિ. કચ્છ	તેઓએ રજુઆત કરતા જણાવેલ કે મારું મકાન નવું બનાવેલ છે કોલસાની કાળી રજકણોથી મકાન કાળુ થાય છે તેમજ સુકવેલા કપડા પણ કાળા પડી જાય છે અને તેના કારણે ઘરે અઘડા પણ થાય છે, જેથી ગામ તરફ ધુમાડો ન જાય તે માટે તેની દિશા બદલવા વિનંતી છે.	ઉદ્યોગના તકનીકી પ્રતિનિધી શ્રી. પુષ્પક શાહે જણાવેલ કે તેઓનાં ઉદ્યોગમાં અદ્યતન હવા પ્રદુષણ નિયંત્રણ સાધનો (APCM) લગાડેલ છે અને ચીમનીમાંથી થતું ઉત્સર્જન માન્ય માત્રામાં હોય છે. તે ઉપરાંત ઇન્કક્શન ફરનેશ પર બેગ ફિલ્ટર્સ લગાડેલ છે અને તે ક્ષમતાથી ચલાવવામાં આવે છે. ફ્યુજીટીવ ઇમીશનનાં નિયંત્રણ માટે પાક રસ્તાઓ બનાવવામાં આવેલ છે અને નિયમિત પાણીની સ્પ્રેકાવ કરવામાં



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Kaira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in



			<p>આવે છે. વધુમાં તેઓનું ઉત્સર્જન મહત્તમ ૫૦૦ મી. અંતર સુધી પહોંચે છે, જ્યારે સામાન્યિયાળી ગામ અંદાજીત ૧.૫ કિ.મી. દુર છે. ઉત્સર્જન માટે ગણિતિક મોડેલ બનાવેલ છે અને તે પ્રમાણે હવા પ્રદુષણ નિયંત્રણ સાધનો (APCM) ને અપગ્રેડ કરેલ છે, તેમ છતાં કંપનીનાં જવાબદાર અધિકારી તેઓના ધરની મુલાકાત લેશે અને જો તેઓનાં ઉદ્યોગનાં કારણે કોઈ સમસ્યા હશે તો તમામ જરૂરી પગલાં લેશે, અને જે પગલાં લીધા છે તેમાં સુધારો કરવાનો લાગે તો તેમાં સુધારો કરીશું."</p>
૨	<p>શ્રી. દિનેશભાઈ રાણા, ગામ : લાકડીયા, માનવ કલ્યાણ અને પર્યાવરણ સુરક્ષા મંડળ, તા.: ભચાઉ, જિ. કચ્છ</p>	<p>તેઓએ પ્રોજેક્ટને આવકારતા જણાવેલ કે ઉદ્યોગ દ્વારા આજુબાજુના વિસ્તારમાં વિકાસનાં કામોમાં સહકાર આપવામાં આવેલ છે અને આવનાર પ્રોજેક્ટથી આજુબાજુનાં ગામોમાં સામાજિક અને શૈક્ષણિક વિકાસમાં સહકાર આપશે અને શિક્ષણ, સ્કૂલના વિકાસનાં કાર્યો કરવામાં આવે એવી મારી માંગણી છે. વિકાસના કામો કરે તે માટે વિનંતી છે.</p>	<p>ઉદ્યોગના તકનીકી પ્રતિનિધી શ્રી. પુષ્પકં શાહે પરીચોજનાને આવકારવા બદલ આભાર વ્યક્ત કરેલ અને જણાવેલ કે આજુબાજુનાં ગામોમાં વિકાસનાં કામોમાં કંપની યોગ્ય તે જરૂરી યોગદાન આપશે.</p>
૩	<p>શ્રી. ભાણજીભાઈ ડુંગરીયા,</p>	<p>તેઓએ રજૂઆત કરતા જણાવેલ કે કંપની દ્વારા આયોજીત લોક</p>	<p>પ્રાદેશિક અધિકારીશ્રી, ગુ.પ.નિ.બોર્ડ, ભુજએ આ</p>

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in



<p>ગામ : સામખિયાળી, પ્રતિનિધિ, કચ્છ જિલ્લા ભારત મુક્તિ મોરચા, તા.: ભચાઉ, જિ. કચ્છ</p>	<p>સુનાવણી માટે કંપનીના માધ્યમથી ગામપંચાયતને જવાબદારી આપવામાં આવેલ છે પણ આ એક પર્યાવરણ પ્રદુષણનો મામલો છે અને પંચાયત દ્વારા જાહેરાત કરવામાં આવતી નથી. લોક સુનાવણીના કાર્યક્રમમાં જનહિતને ધ્યાનમાં લઈ સામાજિક આગેવાનોને આમંત્રણ આપવું જોઈએ અને ગામડામાં પુરતા પ્રચાર કરવામાં આવતો નથી, આ પ્રદુષણની બાબત હોવાથી આરોગ્ય માટે ગંભીર બાબત છે તેથી આ કંપની આ બાબતે વાઘદા કરશે તો તે ચલાવી લેવામાં આવશે નહીં. તેઓએ પૂછ્યાં કરેલ કે કંપનીમાં ૮ થી ૧૨ કલાકની સમય છે તે યોગ્ય છે? તે ભારતીય બંધારણની જોગવાઈ પ્રમાણે છે? કંપની તેના કારીગરોના પી.એફ. (પ્રોવિડન્ટ ફંડ) નિયમનુસાર કાપવામાં આવે છે કે નહિ? કંપની કામદારોને પગાર સ્લીપ આપે છે કે નહિ? કારીગરો પાસેથી આધારકાર્ડ લેવામાં આવે છે? આ બધી બાબતોનું જો ધ્યાન નહિ રાખવામાં આવે તો સમગ્ર ભારત દેશમાં આંદોલન ચલાવવામાં આવશે.</p>	<p>તબક્કે ઉપસ્થિત જનસમુદાયને જણાવેલ કે આ લોક સુનાવણી ઇ.આઇ.એ. નોટીફિકેશન નં એસ.ઓ. ૧૫૩૩ તા. ૧૪/૦૯/૨૦૦૬ તથા તેના સુધારાઓની જોગવાઈઓ અંતર્ગત કરવામાં આવી રહેલ છે. આ લોક સુનાવણીની જાહેરાત લોક સુનાવણીની તારીખ થી એક મહિના કરતા વધુ સમય પહેલા ગુજરાતી દૈનિક વર્તમાનપત્ર "કચ્છ મિત્ર" તથા અંગ્રેજી દૈનિક વર્તમાનપત્ર "ધ ઇન્ડિયન એક્સપ્રેસ" માં તા. ૨૨/૦૧/૨૦૧૫ ના રોજ પ્રસિધ્ધ કરવામાં આવેલ, તેમાં દર્શાવેલ જાહેર સ્થળો/ ઓફિસોએ ઇ.આઇ.એ. રીપોર્ટ અને તેનો સારાંશની કોપીઓ ઉપલબ્ધ કરવામાં આવેલ તે ઉપરાંત તા. ૨૨/૦૨/૨૦૧૫ અને તા. ૨૩/૦૨/૨૦૧૫ ના રોજ અભ્યાસ વિસ્તારમાં આવેલ તમામ ગામોમાં લાઉડ સ્પીકર સાથેની ઓટોરીક્ષામાં આજની લોક સુનાવણીનો પ્રચાર કરવામાં આવેલ તે ઉપરાંત સ્થાનિક ટી.વી. ચેનલ " કચ્છ ઉદય"</p>
---	--	---



GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)

Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,

Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001

Website: www.gpcb.gov.in



		<p>માં આજની લોક સુનાવણીની પ્રસિધ્ધિ માટે તા. ૨૨/૦૨/૨૦૧૫ અને તા. ૨૩/૦૨/૨૦૧૫ ના રોજ જાહેરાત પ્રદર્શિત કરવામાં આવેલ. આમ આજની લોક સુનાવણી વ્યાપક જનપ્રસિધ્ધિ કરવામાં આવેલ.</p> <p>કંપનીના પ્રતિનિધિશ્રી જગમોહનસિંગ -વાઇસ પ્રેસીડેન્ટ (વહીવટ) જણાવેલ કે ૮ (આઠ) કલાકની શિફ્ટ છે જે કાચદા પ્રમાણે છે તે ઉપરાંત વધુ કામગીરી માટે ઓવરટાઇમ આપવામાં આવે આવે છે. મહિનામાં ૨૬ દિવસથી વધુ કામ-લેવામાં આવતું નથી અને વધારે કામ કરાવવામાં આવતું નથી તમામ કારીગરો પે-રોલ પર છે અને બધાનું પી.એફ. એકાઉન્ટ છે અને નિયમ પ્રમાણે તેમના પી.એફ. કાપવામાં આવે છે. બધા જ કારીગરો ઓનરેકોર્ડ છે અને બધા કારીગરોના ઓળખના પુરાવા જેવા કે રેશનકાર્ડ/ ડ્રાઇવિંગ - - - લાયસન્સ/ આધારકાર્ડ લેવામાં આવેલ છે</p>
--	--	---

GUJARAT POLLUTION CONTROL BOARD

Regional Office, Bhuj (Kutch)
Katira Commercial Complex, 1st Floor, Nr. Income Tax Office,
Manglam Char Rasta, Sanskarnagar, Bhuj - 370 001
Website: www.gpcb.gov.in

			તથા તેનો પોલીસમાં રીપોર્ટ આપવામાં આવેલ છે આ બધાનો રેકોર્ડ રાખવામાં આવેલ છે. જે તમે ચેક કરી શકો છો.
--	--	--	--

પ્રાદેશિક અધિકારી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ ઉપસ્થિત. જનસમુદાયને જણાવેલ કે લોક સુનાવણી અગાઉ અન્ય હિત ધરાવતા એક વ્યક્તિ શ્રી. મહેશ પંડ્યા, પર્યાવરણ મિત્ર, અમદાવાદ તરફથી મળેલ છે. આ લેખિત રજુઆત અનુક્રમે એનેક્સર-સી-ક્યુ-૧ તરીકે અને ઉદ્યોગ દ્વારા આપવામાં આવેલ જવાબ એનેક્સર-સી-એ-૧ તરીકે કાર્યસુચિમાં સાથે બિડવામાં આવશે.

પ્રાદેશિક અધિકારી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા ઉપસ્થિત સ્થાનિક અસરગસ્તોને અન્ય કોઈ રજુઆત હોય તો તે કરવા માટે વારંવાર જણાવવામાં આવેલ પરંતુ અન્ય કોઈ રજુઆત મળેલ ન હતી.

પ્રાદેશિક અધિકારી, ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ દ્વારા લોક સુનાવણીની સમગ્ર કાર્યવાહીનો સારાંશ ઉપસ્થિત જનસમુદાયને જણાવવામાં આવેલ.

અંતમાં લોક સુનાવણીને અધ્યક્ષશ્રીના આભાર સહ સમાપ્ત જાહેર કરવામાં આવેલ.

સ્થળ: પ્રોજેક્ટ સાઈટની બાજુમાં,
મેસર્સ. ગેલન્ટ મેટલ લિમીટેડ.,
મુખ્ય પ્રવેશદ્વારની બાજુમાં,
સર્વે નં : ૧૭૫/૧,
ગામ: સામાખિયાળી,
તા. ભચાઉ, જિ. કચ્છ
તા. ૨૪/૦૨/૨૦૧૫

શ્રી. સી.એ.શાહ
પ્રાદેશિક અધિકારી,
ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડના
પ્રતિનિધિ

શ્રી. ડી.એ.શાહ (જી.એ.એમ.)
નિવાસી અધિક કલેક્ટરશ્રી અને
અધિક જિલ્લા મેજિસ્ટ્રેટશ્રી, કચ્છ
જિલ્લા મેજિસ્ટ્રેટ અને જિલ્લા
કલેક્ટરશ્રી, કચ્છના પ્રતિનિધિ
તરીકે



Annexure C-2-1

PARYAVARAN MITRA

(JANVIKAS)

502, Raj Avenue, Bhaikaka Nagar Road, Nr. Thaltej Cross Road, Thaltej, Ahmedabad - 380 059
Telefax - (079) 26851321 • Phone : (079) 26851801
Email : paryavaranmitra@yahoo.com Website : <http://paryavaranmitra.org.in>

Ref: PM/MP/1439/2015

Date: 11/02/2015

To,
The Member Secretary
Gujarat Pollution Control Board
Gandhinagar

Sub: Environmental public hearing of M/s. Gallant Metal Ltd. (Located at at Survey No. 175/1, 175/2, 176, 177, 178, 179/1, 179/2, 179/3, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5, Village: Samakhiyali, Ta. Bhachau, Dist. Kutch) on 24/02/2015

Sir,


We have studied the draft EIA report of the above-mentioned project. Following are our observation/comments/questions regarding project and draft EIA report.

1. Please give copy of the GPCB visit report and air / water / solid waste sample analysis report for the existing unit in last three years.
2. Whether company has been issued show cause notice / closure order / notice under water act 1974 or Air act 1981 or Environmental Protection Act 1986 since starting of existing unit? If yes then Please give copy. What remedies had been taken for restarting operation?
3. Whether unit has submitted Environmental Audit reports regularly to GPCB for existing plant?
4. Why baseline study was started even before issuance of TOR?
5. Please give exact dates of ambient air quality, surface water, ground water, noise monitoring and soil quality monitoring.
6. Table 2-16 shows that slag and Accretion Material will be sold for road construction. Please give name of buyers. Which disposal method company is adopting for existing quantity of slag and accretion material?
7. Please give name of brick manufacturing unit to whom total ash will be sold?
8. Is 10 KL/day of water sufficient for 120 people?
9. Please give employment details for existing plant. How many people from surrounding area will get employment in proposed expansion project?

Yours truly,

Mahesh Pandya

CC: 1. Collector, Kutch
2. Regional officer, GPCB, Kutch



tel. Inward to

Date: 24/02/2015

GALLANT

Annexure C-A-1

To, *Shri Maheshbhai Pandya*
The Parayvanr Mitra,
Thalej,
Ahmedabad.

Subject: Environmental Public Hearing of M/s Gallant Metal Ltd. (located at Survey no. 175/1, 175/2, 176, 177, 178, 179/1, 179/2, 179/3, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5, Village :Samakhiyali, Taluka: Bhachau, Distt: Kutch, Gujarat

REF: Your letter No. PM/MP/1439/2015 dated 11/02/2015

Dear Sir,

With reference to your above referred letter please find here with point wise reply for the same.

1. The copy of GPCB visit report is attached herewith as annexure 1
2. The copies of show cause notice and corresponding replies given by company is attached as annexure 2
3. Environmental Audit reports is submitted to GPCB regularly. The inward copy of report for this year is attached herewith as annexure 3
4. Company had initially applied for TOR for only induction furnace and TOR were issued for same. Based on the TOR monitoring was conducted. But later there was revision in capacity and accordingly amendment in TOR with same baseline study.
5. The exact dates of ambient air quality, surface water, ground water, noise and soil is attached as annexure 4
6. Firstly Slag & Accretions Material will be used in Factory premises for making Roads/Cemented Pavements. Left over material will be sold to various road construction contractors/agencies.
7. We have our own brick manufacturing plant, the bricks are being used in factory and living area. The excessive Fly ash will be sold to various brick making parties as per their need. However there are number of Vendors who are willing to purchase Fly Ash who are further selling it to various brick/cement plant.
8. Yes 10 KL water is sufficient.
9. The employment details for proposed unit is given in Chapter 7, Page no. 137. The total employment for existing unit is 547

Hope the above details are in line with your requirement

Thanking you,
Yours sincerely,
For Gallant Metal Limited

[Signature]
Authorized Signatory

Encl: As Above



GALANT

with reference to
O/C

GML/GPCB/2014-15/08

To,

December 6 2014

The Environmental Engineer-Kutch Div.,
Gujarat Pollution Control Board,
Sector 10 A, Gandhinagar Pin Code -382010
Phone 23222756, 2322209

Sub: Compliance to the Instructions given during the time of visit on dated 29.11.2014
Ref: Your Letter dated 29.11.14

Sir,

With reference to your above referred letter, we are submitting herewith point wise reply in compliance of the instructions given by your officers during their visit to our plant on 29.11.2014 as below:-

To install the Pollution Control System (Fume Extraction System) at Furnace No 1 & 2 similar as Furnace No 3

We have already placed the Purchase Order for procurement of two systems and civil work of the same is under progress. Installation of the same will be completed with in six months time.

To make the area behind the SMS Plant PCC

We assure that we will make the area PCC as early as possible.

To make CPP online System operational

It is in process and will be completed with in a 15 days time.

To improve housekeeping of Slag Crusher Area

We assure you to improve the same

To complete installation of Opacity Meter at online system at Sponge Iron Plant and CPP

We have already procured the Opacity Meters and it is in process of installation which will be completed in one months time.

Thanking You,
For Galant Metal Limited,

Authorized Signatory

Cc to The Regional Officer,
Gujarat Pollution Control Board,
Katira Commercial Complex-1
1st Floor, Near Income Tax Office,
Manglam Char Rasta,
Sapskar Nagar Bhuj-370001
Phone No 02832-250620

DD
7/12/14
Gujarat Pollution Control Board
Sector No. 10 A,
Gandhinagar - 382 010.





ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ

કતીરા કોમ્પ્લેક્સ-૧, મંગલમ ચાર રસ્તા, ઇન્ડમ ટેક્સ ઓફીસની બાજુમાં, સંસ્કાનગર, લુજ-૬૨૭. પીન : ૩૭૦ ૦૦૧
ફોન : ૦૨૮૩૨-૨૫૦૬૨૦ ફેક્સ : ૦૨૮૩૨-૨૫૦૬૨૧. xgm site : gpcb.xgm.gujarat.gov.in

પ્રતિ,

ગિનિટ કીચન લી.

સાગાપીપાણી

ના. ભાંગ

જિ. કચ્છ

તારીખ: ૨૭/૧૧/૨૦૧૫

આઈ.ડી.: ૧૩૪૫૬

ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડના અધિકારીઓ દ્વારા આપના એકમની આજ રોજ રાજ્યના ખુદા-ખુદા પર્યાવરણીય નિયમોને આદિન સ્થળ મુલાકાત લેવામાં આવેલ. આપના એકમની સ્થળ મુલાકાત દરમ્યાન ફેલ્ડ અવલોકનો, આપે આપેલ માહિતી / દસ્તાવેજો અને પર્યાવરણીય નિયમોની જોગવાઈઓને આદીન આપને નીચે મુજબની સુચનાઓ આપવામાં આવે છે. જેની પુર્વતા અંગેનો અહેવાલ આ આદેશ મળ્યાના તારીખથી દિવસ.....૧૦.....ની અંદર બોર્ડની વડી કચેરી "ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ, પર્યાવરણ ભવન, સેક્ટર-૧૦-એ, વાંદીનગરને" આ કચેરીની જાણ હેઠળ અચુક મોકલી આપવો.

- (૧) એસ એમ સેફ વાનર માં ઇન્ડુસ્ટ્રીયલ ફેન-૩ સાર્વિ ફુન્કે extraction system (suction hood, suction blower, Purifier damper, Spark arrester, Oil separator damper and Bag house - U.V.S.) લગાવવા છે તે સમગ્ર ઇન્ડુસ્ટ્રીયલ ફેન-૩ અને ૨ ના આપના સમગ્ર જાડા નોંધપાત્ર
- (૨) એસ એમ સેફ વાનર માં ઇન્ડુસ્ટ્રીયલ ફેન-૩ અને ૨ ના આપના સમગ્ર જાડા નોંધપાત્ર
- (૩) C PPM online monitoring system sample cooler ના સમાન માટે કાંઈ ને તાત્કાલ સમાન તરફ તુરંતજ
- (૪) સેફ-૩ આઈસ્ટોંગ મિશ્કાત માં ટાઈલ કાપવાં સુધારણુ
- (૫) સેફ-૩ સેફ વાનરની સમાન ને ૧ તથા ૨ માં સેફ વાનરની માટે ને ઇન્ડુસ્ટ્રીયલ ફેન-૩ની પ્રતિ માં છે જે સેફ માં જ સુધારવા તરીકે નોંધપાત્ર

એકમના પ્રતિનિધિનું નામ અને હોદ્દો :

(Signature)
ગિનિટ કીચન લી.
(કચ્છ)

(Signature)
સી. એ. રા. ડી.
(ચીફ)

GALANTI

o/c

GML/GPCB/2014-15/

June 26 2014

The Environmental Engineer-Kutch Div.,
Gujarat Pollution Control Board,
Sector 10 A, Gandhinagar,
Pin Code -382010
Phone 23222756, 2322209

Sub: Compliance to the Instructions given during the time of visit on dated 10.06.2014
Ref: Your Letter dated 10.06.14

Sir,

With reference to your above referred letter, we are submitting herewith point wise reply in compliance of the instructions given by your officers during their visit to our plant on 10.06.2014 as below:-

Online Monitoring System installed at CPP to be operated immediately

This has been implemented

To install opacity meter for SPM measurement in online monitoring System at Sponge Iron Plant.

We have placed the enquiry with regard to supply Opacity Meter to the Supplier. As and when we receive the quotation from Supplier, we will finalize and arrange to install the same. It will take two months time.

To improve housekeeping at Transfer House Area and Product separation Building.

We have procured Road Swiping Machine for the same purpose & It is in use continuously and further we assure you to improve the same.

To enclose the oversize area of Cooler Outlet to reduce the pollution from Fine Coal Powder

We assure you to implement the same

To Upgrade the APCM at Induction Furnace immediately

[Signature]
23/6/14

Gujarat Pollution Control Board
Sector-No. 10-A,
Gandhinagar-382010.





We have placed the Purchase Order to M/s Techflow Enterprises for purchase of the Fume Extraction System to be installed at Induction Furnace which will be delivered and commissioned by 15th August 2014 positively

Thanking You,
For Gallant Metal Limited,

Authorized Signatory



Cc to The Regional Officer,
Gujarat Pollution Control Board,
Katira Commercial Complex-1
1st Floor, Near Income Tax Office,
Manglam Char Rasta,
Sanskar Nagar
Bhuj-370001
Phone No 02832-250620





ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ

નાનીબા પાઠશાળાનું મકાન, પાટવાડી ગેટની પાસે, ભુજ-કચ્છ. પીન : ૩૭૦ ૦૦૧
ફોન : ૦૨૮૩૨-૨૫૦૬૨૦ ફેક્સ : ૦૨૮૩૨-૨૫૦૬૨૧ વેબ સાઈટ : www.gpcb.gov.in

પ્રતિ,

તારીખ : 10/06/2014

Gallant Metal Ltd.
Sarnathayali, Bhechar
Kulcha.

આઈ.ડી. : 17845

ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડના અધિકારીઓ દ્વારા આપના એકમની આજ રોજ રાજ્યના જુદા-જુદા પર્યાવરણીય નિયમોને આધિન સ્થળ મુલાકાત લેવામાં આવેલ. આપના એકમની સ્થળ મુલાકાત દરમ્યાન કરેલ અવલોકનો, આપે આપેલ માહિતી / દસ્તાવેજો અને પર્યાવરણીય નિયમોની જોગવાઈઓને આધીન આપને નીચે મુજબની સુચનાઓ આપવામાં આવે છે. જેની પુર્તતા અંગેનો અહેવાલ આ આદેશ મળ્યાના તારીખથી દિવસ...10.....ની અંદર બોર્ડની વડી કચેરી "ગુજરાત પ્રદુષણ નિયંત્રણ બોર્ડ, પર્યાવરણ ભવન, સેક્ટર-૧૦-એ, ગાંધીનગરને" આ કચેરીની જાણ હેઠળ અચુક મોકલી આપવો.

- CPP ના વ્યાખ્યાન નિયમ પ્રદુષકો નીચે વર્ગીકરણ થયેલા શ્રેણી સ્તરના સ્ત્રોતોને લેવામાં આવેલ છે તેને સંબંધે કાર્ય કરવા
- સ્પેશિયલ કોન્ટ્રોલ ડિપાર્ટમેન્ટ ની સમીક્ષા નીચે વર્ગીકરણ થયેલા સ્ત્રોતોને લેવામાં આવેલ છે તેને સંબંધે કાર્ય કરવા
- સંબંધિત અધિકારીઓ ની સમીક્ષા નીચે વર્ગીકરણ થયેલા સ્ત્રોતોને લેવામાં આવેલ છે તેને સંબંધે કાર્ય કરવા
- કોન્ટ્રોલ ડિપાર્ટમેન્ટ ની સમીક્ષા નીચે વર્ગીકરણ થયેલા સ્ત્રોતોને લેવામાં આવેલ છે તેને સંબંધે કાર્ય કરવા
- ઇન્ડસ્ટ્રી સ્ત્રોતોના APCM સંબંધે અસરો સંબંધે કાર્ય કરવા



GALANT

o/c

GML/GPCB/2013-2014/

January 8, 2014

✓ The Environmental Engineer-Kutch Div.,
Gujarat Pollution Control Board,
Sector 10 A, Gandhinagar,
Pin Code -382010
Phone 23222756, 2322209

Sub: Compliance to the Instructions given during the time of visit on dated 04.01.2014
Ref: Your Letter dated 04.01.14

Sir,

With reference to your above referred letter, we are submitting herewith point wise reply in compliance of the instructions given by your officers during their visit to our plant on 04.01.2014 as below:-

To transport the Raw Material covered with tal patri

This has been implemented

~~To make more water sprinkling on Internal Roads~~

This has been implemented

To comply the instructions given in previous visits.

All the instructions have been complied except some which are in progress

Thanking You,
For Gallant Metal Limited,

[Signature]
Authorized Signatory

Cc to The Regional Officer,
Gujarat Pollution Control Board,
Naniba Pathshala Building,
Nr. Patwadi Gate,
Bhuj-370001
Phone No 02832-250620

[Signature]
28/1/14
Gujarat Pollution Control Board
Sector No. 10 A,
Gandhinagar - 382 010.





ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ

નાનીબા પાઠશાળાનું મકાન, પાટવાડી ગેટની પાસે, ભુજ-૬૨૭. પીન : ૩૭૦ ૦૦૧
ફોન : ૦૨૮૩૨-૨૫૦૬૨૦ ફેક્સ : ૦૨૮૩૨-૨૫૦૬૨૧ વેબ સાઈટ : www.gpcb.gov.in

પ્રતિ,

તારીખ: ૦૪/૧૧/૨૦૧૪

ગોલ્ડ કોર્પોરેશન લી.,

આઈ.ડી.: ૧૪૬૫૬


સામસ્તીવાલી


૧૧, ભાગલાઈ

ભિન્ન ૨૭


ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડના અધિકારીઓ દ્વારા આપના એકમની આજ રોજ રાજ્યના જુદા-જુદા પર્યાવરણીય નિયમોને આધિન સ્થળ મુલાકાત લેવામાં આવેલ. આપના એકમની સ્થળ મુલાકાત દરમિયાન કરેલ અવલોકનો, આપે આપેલ માહિતી / દસ્તાવેજો અને પર્યાવરણીય નિયમોની જોગવાઈઓને આધીન આગળે નીચે મુજબની સુચનાઓ આપવામાં આવે છે. જેની પુર્તતા અંગેનો અહેવાલ આ આદેશ મળ્યાના તારીખથી દિવસ.....ની અંદર બોર્ડની વડી કચેરી "ગુજરાત પ્રદૂષણ નિયંત્રણ બોર્ડ, પર્યાવરણ ભવન, સેક્ટર-૧૦-એ, ગાંધીનગર" આ કચેરીની જાણ હેઠળ અચુક મોકલી આપવો.

- સી-ગરીરીયા | માન પરિચયના ભાગમાં જોડેલી બે ફ.રજી.
- સ્થાન પર સ્થાન પર પાણી સંસ્કાર સમજૂતી ફ.રજી.
- સ્થાન પર સુચના દરમિયાન સુચનાઓને આધારે સુચના પેમી બાકી રહે સુચનાઓ પુર્તિ ફ.રજી.



અનિલ કુમાર જાણવાઈ
(સિ.ડી.ઓ.)


અનિલ કુમાર જાણવાઈ
(સિ.ડી.ઓ.)

એકમના પ્રતિનિધિનું નામ અને હોદ્દો :







ANALYSIS REPORT FOR AIR
TYPE : Stack-Flue Gas

Gujarat Pollution Control Board
Gj Ins. Desert Ecology
Gj Ins. Desert Ecology
Mundra Road
BHUJ-370001
Tel: 9824687587

Sample No: 283, Analysis from Date: 03/01/2015

Iron And Steel (Involving Processing From Ore I Scrap I Integrated Steel)
/LAB Inward : 12198

- 1. Name & : Gallant Metal Limited - 17845
- 2. Address of the Unit : 175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/3, Samakhiyali, Bhachau, Kutch
- 3. Nature of Sample : REP-Representative, (Insp Type : COM-On Complaint)
- 4. Sample Collected By : C.A Shah, R.O Head
- 5. Date & Time of Collection & Receipt : 29/11/2014, (1300 to 1330)
- 6. Date of Start & Completion of Analysis : 03/12/2014 & 08/01/2015
- 7. Sampling Point : Stack attach to Boiler ~ stack attached to CPP
- 8. Fuel : Coal
- 9. A/FCM : ESP
- 10. Thimble & Weight (gm) : T.No:66(1.47254)
- 11. Temperature on Collection : 140 & Volume-Absord Media : 50 ml each
- 12. Volume-Gas Passed : For PM(480 lts.) & SO₂, NO_x(60 lts.) each
- 13. Parameters : 3 & Oper Time(Min) : 30

Parameter	Unit	Test Method	Range of Testing	Result
PM-Stack	MG/NM3	IS:11255(Part-1),1985	10-500mg/NM3	23.48
SO ₂ -Stack (PPM)	PPM	IS:11255(Part-2),1985	4-50mg/NM3	36
NO _x -Stack	PPM	ASTM D :1608-98	5-100 mg/NM3	69



Laboratory Remarks : with in norms By:283-r.o_283 Dt:- 12/01/2015

C.A Shah, R.O Head

Field Observation :

ANALYSIS REPORT FOR AIR
TYPE : Stack-Process

Gujarat Pollution Control Board
Gj Ins. Desert Ecology
Gj Ins. Desert Ecology
Mundra Road
BHUJ-370001
Tele: 9824687587

Sample ID: 98258 Analysis Completion: 03/01/2015

Iron And Steel (Involving Processing From Ore I Scrap I Integrated Steel
/ LAB Inward : 12197

- 1. Name & : Gallant Metal Limited - 17845
- 2. Address of the Unit : 175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184,, 185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/3, Samakhiyali, Bhachau, Kutch
- 3. Nature of Sample : REP-Representative, (Insp Type : COM-On Complaint)
- 4. Sample Collected By : C.A Shah, R.O Head
- 5. Date & Time of Collection & Receipt : 29/11/2014, (1215 to 1245)
- 6. Date of Start & Completion of Analysis : 03/12/2014 & 03/01/2015
- 7. Sampling Point : Stack attach to Kilns ~ common stack of Si kiln no 3&4 through ESP
- 8. Fuel : Coal
- 9. APCM : ESP
- 10. Thimble & Weight (gm) : T.No:65(In.wt:1.39412)
- 11. Temperature on Collection : 130 & Volume-Absord Media : 50 ml each
- 12. Volume-Gas Passed : For PM(450 Lts.) & SO₂, NO_x(60 lts.) each
- 13. Parameters : 3 & Oper Time(Min) : 30 min

Parameter	Unit	Test Method	Range of Testing	Result
1. PM-Stack	MG/NM3	IS:11255(Part-1),1985	10-500mg/NM3	46.02
2. SO ₂ -Stack (PPM)	PPM	IS:11255(Part-2),1985	4-50mg/NM3	0.84
3. NO _x -Stack	PPM	ASTM D:1608-98	5-100 mg/NM3	0.05



Laboratory Remarks : with in norms By:283-r.o_283 Dt: 12/01/2015

C.A. Shah
C.A. Shah, R.O Head

Field Observation :



ANALYSIS REPORT FOR AIR
TYPE : Stack-Flue Gas

Gujarat Pollution Control Board
 GJ Ins. Desert Ecology
 GJ Ins. Desert Ecology
 Mundra Road
 BHUJ-379001
 Tele: 9824687587

Sample ID: 142187 Analysis Completion: 29/08/2014

Iron And Steel (Involving Processing From Ore / Scrap / Integrated Steel)
 / LAB Inward : 11900

- 1. Name & : Gallant Metal Limited - 17845
- 2. Address of the Unit : 175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184,, 185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/3, Samakhiali, Bhachau, Kutch
- 3. Nature of Sample : REP-Representative, (Insp Type : ROU-Routine Visit)
- 4. Sample Collected By : Y.D. Sufnar, DEE
- 5. Date & Time of Collection & Receipt : 10/06/2014, (1800 to 1830)
- 6. Date of Start & Completion of Analysis : 21/06/2014 & 29/08/2014
- 7. Sampling Point : Stack attach to Boiler ~ Stack attached to CPP
- 8. Fuel : Imp.CoAl
- 9. APCM : ESP
- 10. Thimble Weight (gm) : T.No:22 (In. Wt: 1.4745)
- 11. Temperature on Collection : 148 & Volume-Absord Media : 50 ml eAch
- 12. Volume-Gas Passed : PM(420 lts.) & SO₂, NO_x (60 lts.) e Ach
- 13. Parameters : 3 & Oper Time (Min) : 30

Parameter	Unit	Test Method	Range of Testing	Result
1 PM-Stack	MG/NM3	IS:11255(Part-1), 1985	10-500mg/NM3	71.4
2 SO ₂ -Stack (PPM)	PPM	IS:11255(Part-2), 1985	4-50mg/NM3	0.83
3 NO _x -Stack	PPM	ASTM.D:1608-98	5-100 mg/NM3	BOL



Laboratory Remarks : with in norms By: 283-r.o_283 Dt.: 09/09/2014

C.A Shah
C.A Shah, R.O Head

Field Observation :

ANALYSIS REPORT FOR AIR
TYPE : Stack-Flue Gas

Gujarat Pollution Control Board
 GJ Ins. Desert Ecology
 GJ Ins. Desert Ecology
 Mundra Road
 BHUJ-370001
 Tele: 9824697537

Sample ID: 142185 - Analysis Completion: 29/08/2014

Iron And Steel (Involving Processing From Ore I Scrap I Integrated Steel
 / LAB Inward : 11899

- 1. Name & : Gallant Metal Limited - 17845
- 2. Address of the Unit : 175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184,, 185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/3, Samakhityal, Bhachau, Kutch
- 3. Nature of Sample : REP-Representative , (Insp Type : ROU-Routine Visit)
- 4. Sample Collected By : Y.D. Suthar, DEE
- 5. Date & Time of Collection & Receipt : 10/06/2014, (1715 to 1745)
- 6. Date of Start & Completion of Analysis : 21/06/2014 & 29/08/2014
- 7. Sampling Point : Common stack attached to SI-Kilns(Kiln no:03&Kiln no:04) ~
- 8. Fuel : Imp. Coal
- 9. APCM : ESP on each
- 10. Thimble Weight (g) : T.No:21(In. Wt:1.4470)
- 11. Temperature on Collection : 140 & Volume-Absord Media : 50 ml each
- 12. Volume-Gas Passed : PM(480 lts.)& SO2,NO...(60lts.)each
- 13. Parameters : 3 & Oper Time(Min) : 30

Parameter	Unit	Test Method	Range of Testing	Result
1 PM-Stack	MG/NM3	IS:11255(Part-1),1985	10-500mg/NM3	60.21
2 SO2-Stack (PPM)	PPM	IS:11255(Part-2),1985	4-50mg/NM3	6.22
3 NOX-Stack	PPM	ASTM, D :1608-98	5-100 mg/NM3	0.074



Laboratory Remarks : with in-norms By:263-r.o_283 DL: 09/09/2014

C.A Shah
 C.A Shah, R.O Head

Field Observation :

GML/GPCB/2013-2014/
August 8, 2013

The Unit Head-Kutch Division,
Gujarat Pollution Control Board,
Sector 10 A, Gandhinagar,
Pin Code -382010
Phone 23222756, 2322209

d/c

Kind Attn: Mr. V.R. Ghadge

Sub: Reply to Show Cause Notice under dated 02.08.13 u/s 31-A of the Air(Prevention and Control of Pollution) Act-1981

Ref: Your Letter No: SCN-155581 dated 02.08.2013

Sir,

With reference to the above letter please find the point wise clarifications as below:-

Fugitive Emissions observed

Sir, right from the beginning we have taken adequate measures to keep fugitive emission under control with in the plant area. Also we have developed the thick green belt area in and around the plant. Since all the pollution measures are in operation, hence there is no fugitive emission in the ambient atmosphere now.

House keeping was found poor.

The observation was due to the weather is inclinating as fast winds are experienced now a days. We are committed to keep the plant neat and clean by observing high class Housekeeping.

This indicates that you have failed to fulfill the conditions mentioned in the consent order. Consequently you have rendered yourself liable to be prosecuted under the provisions of the above mentioned Sections -Acts.

We once again assure that we will meet all the needed measures to upkeep the plant according to the directions from your headquarter and there won't be any let up in it.

Thanking You,
For Gallant Metal Limited,


Authorized Signatory
Cc to The Regional Officer,
Gujarat Pollution Control Board,
Naniba Pathshala Building,
Nr. Patwadi Gate,
Bhuj-370001
Phone No 02832-250620

18/8/13
Gujarat Pollution Control Board
Sector No. 10 A,
Gandhinagar - 382 010.





SHOW CAUSE NOTICE

Gujarat Pollution Control Board
Paryavaran Bhavan, Sector-10/A,
Gandhinagar - 382010
23222756

PCB ID : 745

Legal ID : 886

ACT : Air

Show Cause Notice DATE : 02/08/2013

WHEREAS, the Officials of the Gujarat Pollution Control Board (hereinafter referred to as the Board, in short), conducted inspection on 06/07/2013 in order to verify the statements made by you in your application for Consent to Operate under the Air Act.

WHEREAS during the inspection it was observed that:-

Reason :

1. During visit emission observed at induction furnace. 2. House keeping found poor during visit :

1	Fugitive emission is observed.
2	House keeping was found poor.
3	This indicates that you have failed to fulfill the conditions mentioned in the Consent Order. Consequently, you have rendered yourself liable to be prosecuted under the provisions of the above mentioned Sections-Acts.

THEREFORE, in exercise of the powers vested with this Board under section 31(A) read with section 21 of the Air (Prevention and Control of Pollution) Act, 1981 notice is hereby served on you, to show cause within 15 days from the date of receipt of this show cause notice in view of the non compliance observed above.

Gujarat Pollution Control Board

V.R. Ghadge, Unit Head

Ref : SCN-155581, 02/08/2013

Shant Metal Limited,
185/1, 179/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184,
185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/2, 179/3,
Sankhiyali, Bhachau, Kutch,
SANKHIYALI,
Kutch, Tal : Bhachau, SIDC : Not In Gidc
Phone :-



COPY TO :-

1. RO Head(P.C.B.), Kutch

With a request to carryout monitoring and send the detailed I.R. & A.R. for the sample collected to this office immediately.

GALANT

014

GML/GPCB/2014-15/

February 3, 2015

The Environmental Engineer-Kutch Div.,
Gujarat Pollution Control Board,
Sector 10 A, Gandhinagar,
Pin Code -382010
Phone 23222756, 2322209

Sub: Compliance to the Instructions given during the time of visit on dated 29.11.2014
Ref: Your Letter No PC/CCA-KUTCH-341(3)/GPCB ID: 17845/302174 dated 23.01.15

Sir,

With reference to your above referred letter, we are hereby giving point wise reply as under

1 You have not provided pucca flooring to avoid dusting

We have already provided the PCC Flooring in all the areas wherever vehicular and men movements are there. Further all the Production units and their respective raw material storage are also covered with RCC Flooring and high Walls up to 6 meters to arrest the dust. In addition to above 26 Jet Sprinklers and 139 Sprinklers are also in use for the purpose.

2 Housekeeping needs improvement in slag grinding area.

Housekeeping in Slag Grinding Area is enhanced as per the suggestion. We assure that all the efforts are put to arrest the dust and efficient house keeping to the satisfaction of the Inspecting Officers of your departments.

Thanking You,
Yours Faithfully
For Gallant Metal Limited,


Authorized Signatory
The Regional Officer,
Gujarat Pollution Control Board,
Katira Commercial Complex-1
1st Floor, Near Income Tax Office,
Manglam Char Rasta,
Sanskar Nagar Bhuj-370001
Phone No 02832-250620

well stated
Gujarat Pollution Control Board
Sector 10-A,
Gandhinagar-382010





GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN
Sector-10-A, Gandhinagar-382 021.
Website : www.gpcb.gov.in

By RPAD

IMPROVEMENT NOTICE

WHEREAS you are having industrial plant located at SURVEY NO: 175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/2, 179/3, VILLAGE: SAMAKHIYALI, TALUKA: BHACHAU, DIST: KUTCH - 370 150.

AND WHEREAS during the inspection of your industrial plant on 29/11/2015 with respect to complaint, it was observed that

- (1) You have not provided pucca flooring to avoid dusting.
- (2) Housekeeping needs improvement in slag grinding area.

You are hereby informed to submit compliance status of the above instructions and submit improvement plan within 07 days from date of issue of this notice.

For and on behalf of
GUJARAT POLLUTION CONTROL BOARD

T. B. Shah
(T B SHAH)

ENVIRONMENTAL ENGINEER

No. PC/CCA-KUTCH-341(3)/GPCB ID: 17875/302172

DATE: 29/11/2015

M/S. GALLANT METAL LIMITED,
SURVEY NO: 175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1,
183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/2, 179/3,
VILLAGE: SAMAKHIYALI
TALUKA: BHACHAU, DIST: KUTCH - 370 150





alc

GML/GPCB/2014-2015/02

April 23, 2014

The Environmental Engineer-Kutch Div.,
Gujarat Pollution Control Board,
Sector 10 A, Gandhinagar,
Pin Code -382010
Phone 23222756, 2322209

Attn: Mr. V. Ghadge -Senior Environmental Engineer

Sub: Compliance of your Improvement Notice No GPCB/CCA-KUTCH-341(3)/GPCB ID 17845/210041 dated 15.04.2014

Sir,

With reference to your above subjected Improvement Notice, we would like to submit that we had complied the instructions given by the officers on their complaint visit on dated 01.04.2014 as below

- we had immediately removed the Sludge dumped nearby Railway Track's Loading-Unloading point.
- We are transporting the Fly Ash and Coal with protected covered Vehicles.

Further we assure you to comply all the GPCB Norms to improve the performance of Air Pollution Control Measures.

Thanking You,
For Gallant Metal Limited,

[Signature]
Authorized Signatory



Gujarat Pollution Control Board
G. W. Sector No. 10 A,
Gandhinagar - 382 010.
3rd Floor,
GWSSB,
GANDHINAGAR-382010

[Signature]
Gujarat Pollution Control Board
Sector No. 10 A
Gandhinagar - 382 010.



GUJARAT POLLUTION CONTROL BOARD
PARYAVARAN BHAVAN
Sector 10-A, Gandhinagar 382010

Phone : (079) 23226295
Fax : (079) 23232156
website : www.gpcb.gov.in

By RPAD

IMPROVEMENT NOTICE

WHEREAS you are having industrial plant located at SURVEY NO.175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5, 179/1, 179/2, 179/3, VILLAGE: SAMKHAYALI, TALUKA: BHACHAU, DIST: KUTCH- 370 150.

AND WHEREAS DURING THE Boards' officials Complaint visits to your plant on 04/012014, the following observation was made:

- You had dumped Iron-sludge nearby Railway track's loading-unloading point i.e. to other place.
- There are chances of dusting during Fly-ash handling /coal handling and generated dust may cause air pollution leading to nearby area/village.

In view of the above, you are directed to comply above instruction issued during inspection and to improve the performance of Air Pollution Control Measures, so as to avoid dusting in surrounding area.

For and on behalf of
GUJARAT POLLUTION CONTROL BOARD

(V.R.GHADGE)
(V.R.GHADGE)

SENIOR ENVIRONMENTAL ENGINEER

NO: GPCB/JCCA-KUTCH-341(3)/GPCB ID: 17845/ 21006/ Date: - 15/4/2014

ISSUED To:

M/S. GALLANT METAL LIMITED,

SURVEY NO: 175/1, 175/2, 176, 177, 178, 182/1, 182/2, 183/1, 183/2, 184, 185/1, 185/2, 185/3, 185/4, 185/5,
179/1, 179/2, 179/3,
VILLAGE: SAMKHAYALI,
TALUKA: BHACHAU,
DIST: KUTCH- 370 150.



GALANT

JK

GML/GPCB/2014-2015/02

April 23, 2014

The Environmental Engineer-Kutch Div.,
Gujarat Pollution Control Board,
Sector 10 A, Gandhinagar,
Pin Code -382010
Phone 23222756, 2322209

Attn: Mr. V. Ghadge -Senior Environmental Engineer

Sub: Compliance of your Improvement Notice No GPCB/CCA-KUTCH-341(3)/GPCB ID 17845/210041 dated 15.04.2014

Sir,

With reference to your above subjected Improvement Notice, we would like to submit that we had complied the instructions given by the officers on their complaint visit on dated 01.04.2014 as below

- we had immediately removed the Sludge dumped nearby Railway Track's Loading-Unloading point.
- We are transporting the Fly Ash and Coal with protected covered Vehicles.

Further we assure you to comply all the GPCB Norms to improve the performance of Air Pollution Control Measures.

Thanking You,
For Gallant Metal Limited,

[Signature]
Authorized Signatory

Gujarat Pollution Control Board
G. W. Sector No. 10 A,
Gandhinagar - 382 010.
3rd Floor,
GWSSB,
GANDHINAGAR-382010



[Signature]
Gujarat Pollution Control Board
Sector No. 10 A,
Gandhinagar - 382 010.



Ammon 3
O/C

Ref. No.: GML/GPCB/2014-15/

Date: 29.01.15

To,

Member Secretary,
Gujarat Pollution Control Board,
Paryavaran Bhavan, Sector 10 A,
Gandhinagar.

Sub: Submission of Environmental Audit Report.

Dear Sir,

We are enclosing here with our Environmental Audit Report for the period January 2014 to December 2014 in triplicate along with D/D No 206533 of Rs.20,000/- (Rupees Twenty Thousand Only) drawn on HDFC towards the scrutiny fee for the same.

You are requested to please acknowledge the receipt of the same and do the needful.

Thanking You.

Yours Faithfully,

For GALLANT METAL LIMITED.

Authorized Signatory

Encl.:

- D/D of Rs.20,000/- - HDFC Bank DD No. - 206533
- Audit Report in Triplicate

31/1/15
Gujarat Pollution Control Board
Sector No. 10 A,
Gandhinagar - 382 010.



Annexure: 4
Ambient Air Monitoring

Project site	Samakhiali	Lilyana	Vijparar	Chhadwada	Ambaliyara	Rampar	Lakhpur	Gharana
4/3/2013	4/3/2013	5/3/2013	6/3/2013	5/3/2013	5/3/2013	6/3/2013	6/3/2013	4/3/2013
7/3/2013	7/3/2013	8/3/2013	9/3/2013	8/3/2013	8/3/2013	9/3/2013	9/3/2013	7/3/2013
11/3/2013	11/3/2013	12/3/2013	13/3/2013	12/3/2013	12/3/2013	13/3/2013	13/3/2013	11/3/2013
15/3/2013	15/3/2013	14/3/2013	16/3/2013	14/3/2013	14/3/2013	16/3/2013	16/3/2013	15/3/2013
19/3/2013	19/3/2013	18/3/2013	20/3/2013	18/3/2013	18/3/2013	20/3/2013	20/3/2013	19/3/2013
22/3/2013	22/3/2013	21/3/2013	23/3/2013	21/3/2013	21/3/2013	23/3/2013	23/3/2013	22/3/2013
25/3/2013	25/3/2013	26/3/2013	27/3/2013	26/3/2013	26/3/2013	27/3/2013	27/3/2013	25/3/2013
28/3/2013	28/3/2013	29/3/2013	30/3/2013	29/3/2013	29/3/2013	30/3/2013	30/3/2013	28/3/2013
1/4/2013	1/4/2013	2/4/2013	3/4/2013	2/4/2013	2/4/2013	3/4/2013	3/4/2013	1/4/2013
4/4/2013	4/4/2013	5/4/2013	6/4/2013	5/4/2013	5/4/2013	6/4/2013	6/4/2013	4/4/2013
8/4/2013	8/4/2013	9/4/2013	10/4/2013	9/4/2013	9/4/2013	10/4/2013	10/4/2013	8/4/2013
12/4/2013	12/4/2013	11/4/2013	13/4/2013	11/4/2013	11/4/2013	13/4/2013	13/4/2013	12/4/2013
16/4/2013	16/4/2013	15/4/2013	17/4/2013	15/4/2013	15/4/2013	17/4/2013	17/4/2013	16/4/2013
19/4/2013	19/4/2013	18/4/2013	20/4/2013	18/4/2013	18/4/2013	20/4/2013	20/4/2013	19/4/2013
23/4/2013	23/4/2013	22/4/2013	24/4/2013	22/4/2013	22/4/2013	24/4/2013	24/4/2013	23/4/2013
27/4/2013	27/4/2013	25/4/2013	26/4/2013	25/4/2013	25/4/2013	26/4/2013	26/4/2013	27/4/2013
1/5/2013	1/5/2013	29/4/2013	30/4/2013	29/4/2013	29/4/2013	30/4/2013	30/4/2013	1/5/2013
4/5/2013	4/5/2013	2/5/2013	3/5/2013	2/5/2013	2/5/2013	3/5/2013	3/5/2013	4/5/2013
7/5/2013	7/5/2013	6/5/2013	8/5/2013	6/5/2013	6/5/2013	8/5/2013	8/5/2013	7/5/2013
11/5/2013	11/5/2013	9/5/2013	10/5/2013	9/5/2013	9/5/2013	10/5/2013	10/5/2013	11/5/2013
13/5/2013	13/5/2013	14/5/2013	15/5/2013	14/5/2013	14/5/2013	15/5/2013	15/5/2013	13/5/2013
17/5/2013	17/5/2013	16/5/2013	18/5/2013	16/5/2013	16/5/2013	18/5/2013	18/5/2013	17/5/2013
21/5/2013	21/5/2013	23/5/2013	22/5/2013	23/5/2013	23/5/2013	22/5/2013	22/5/2013	21/5/2013
25/5/2013	25/5/2013	27/5/2013	28/5/2013	27/5/2013	27/5/2013	28/5/2013	28/5/2013	25/5/2013

Annexure 4



Ground water monitoring

GW1: Chhadwada	GW2: Vijpasar	GW3: Rampar	GW4: Lakhpat	GW5: Gharana	GW6: Rajansar	GW7: Lakadia
27/5/2013	28/5/2013	28/5/2013	28/5/2013	29/5/2013	29/5/2013	27/5/2013

Surface water monitoring

SW 1 Samakhiali - 1	SW 2 Chhadwada	SW 3 Rampar	SW 4 Gharana	SW 5 Lakadia	SW 6 Rajansar	SW 7 Piprapati	SW 8 Samakhiali - 2
27/5/2013	27/5/2013	28/5/2013	29/5/2013	27/5/2013	29/5/2013	28/5/2013	27/5/2013

Soil sampling

SQ1: Project site	SQ2: Liliana	SQ3: Vijpasar	SQ4: Lakhpat	SQ5: Gharana	SQ6: Rampar
27/5/2013	27/5/2013	28/5/2013	28/5/2013	29/5/2013	28/5/2013

Noise Monitoring

NQ1: Project site	NQ2: Samakhiali	NQ3: Ambaliyara	NQ4: Rampar
27/5/2013	27/5/2013	29/5/2013	28/5/2013



ANNEXURE I

REPORT OF TREATED

EFFULENT

MOEF letter No:- F-11011/52/2013-IA II(I) Dated 19th May 2016



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph.: +91 281 2360695 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Date : 01/11/2017

Ref. No. : 766/10/2017-18

AMBIENT NOISE LEVEL MEASUREMENT

Name of company : **Gallantt Metal Limited**

Survey No. 175/1,

Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.

Sr. No.	Location of Sampling	Noise Level Avg. in dB (A)	
		12-10-2017	12-10-2017
	Date of sampling	12-10-2017	12-10-2017
	Time of sampling	Day Time 6.00 AM - 10.00 PM	Night Time 10.00 PM - 6.00 AM
	Permissible Limits	75.0	70.0
01.	Near Main Gate	57.2	54.3
02.	Rolling Mill Area	64.7	61.2
03.	Induction Furnace	68.1	64.8
04.	Reheating Furnace	68.2	62.8
05.	Rotary Kiln	64.7	62.1
06.	Power Plant	62.1	57.8

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)


Range : A - 30 to 80 dB, B-50 to 100 dB, C-80 to 130 dB.

Recalibration is Due On : 16/09/2018

Royal Environment Auditing & Consultancy Service



P. Patel
Analyst





Royal

Environment Auditing & Consultancy Service

303-304, Shivallik-7, B/s. Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph.: +91 281 2360895 ■ E-mail : royaleenvironment@live.com ■ admin@royalconsultancy.com

Ref. No. : 787/01/2017-18

Date : 01/02/2018

AMBIENT NOISE LEVEL MEASUREMENT

Name of company : **Gallantt Metal Limited**
Survey No. 175/1,
Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sr. No.	Location of Sampling	Noise Level Avg. in dB (A)	
		22-01-2018	22-01-2018
	Date of sampling	Day Time	Night Time
	Time of sampling	6.00 AM - 10.00 PM	10.00 PM - 6.00 AM
	Permissible Limits	75.0	70.0
01.	Near Main Gate	58.3	53.7
02.	Rolling Mill Area	62.8	60.2
03.	Induction Furnace	69.4	62.4
04.	Reheating Furnace	67.9	61.2
05.	Rotary Kiln	69.7	63.7
06.	Power Plant	64.2	59.8

Instruments used : Sound level meter, Model : SL - 4030 (Lutron Make)

Range : A - 30 to 80 dB, B-50 to 100 dB, C-80 to 130 dB.

Recalibration is Due On : 16/09/2018

Royal Environment Auditing & Consultancy Service



Peccey
Analyst

