



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s Bal Adalat, Gondal Road, RAJKOT - 360 002.
Ph. +91 281 2360695 Email : royaleenvironment@live.com admin@royalconsultancy.com

Ref. No. : 626/09/2019-20

Date : 03/10/2019

REPORT OF STACK EMISSION ANALYSIS

Name of company : Gallantt Metal Limited
Survey No. 175/1, Near toll gate,
Village : Samakhyali,
Taluka : Bhachau,
Kutch, Gujarat.

Sr. No.	Particulars	Unit	Stack - 1
01.	Date of sampling	---	12-09-2019
02.	Time of sampling	Hr	10.15
03.	Stack Attached to	---	AFBC Boiler of Power Plant
04.	Air Pollution Control Measures	---	ESP
05.	Stack Height	Meter	90
06.	Stack Diameter	Meter	3.8
07.	Ambient Temperature	Degree Centi.	34
08.	Stack Temperature	Degree Centi.	122
09.	Average Velocity of Flue Gases	M/Sec.	6.2
10.	Isokinetic flow rate for P.M. Sampling	LPM	22
11.	Gaseous Sampling Flow Rate	LPM	2.0
12.	Permissible Limit for P.M.	mg/Nm ³	50
13.	Measured Concentration of P.M.	mg/Nm ³	42.1
14.	Permissible Limit for SO ₂	mg/Nm ³	600
15.	Measured Concentration of SO ₂	mg/Nm ³	88.5
16.	Permissible Limit for NO _x	mg/Nm ³	300
17.	Measured Concentration of NO _x	mg/Nm ³	81.6

*Permissible limit are as per MoEF&CC Notification S.O.3305(E),dated 07/12/2015.

Instruments used : Ecotech Stack Sampler, Model No. ESS 100

Calibration Done On. : 13/09/2018



Jyoti Bha
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph. +91 281 2360695 Email : royaleenvironment@live.com admin@royalconsultancy.com

Ref. No. : 629/09/2019-20

Date : 03/10/2019

REPORT OF STACK EMISSION ANALYSIS

Name of company : **Gallantt Metal Limited**

Survey No. 175/1, Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.

Test Method : As per IS Standards - 11255 1/2/3/7

Sr. No.	Particulars	Unit	Stack - 5	Stack - 6
1	Date of sampling	---	12-09-2019	12-09-2019
2	Time of sampling	Hr	13.30	15.15
3	Stack Attached to	---	Induction Furnace - 1 & 4	Induction Furnace - 2 & 3
4	Air Pollution Control Measures	---	Cyclone Separator & Wet Scrubber	Cyclone Separator & Wet Scrubber
5	Stack Diameter	Meter	1.5	1.5
6	Stack Height	Meter	48	30
7	Stack Temperature	Degree Centi.	124	122
8	Ambient Temperature	Degree Centi.	35	36
9	Average Velocity of Flue Gases	M/Sec.	6.2	8.3
10	Isokinetic flow rate for P.M. Sampling	LPM	22	23
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0
12	Permissible Limit for P.M.	mg/Nm³	50	50
13	Measured Concentration of P.M.	mg/Nm ³	23.4	25.8
14	Permissible Limit for SO₂	ppm	100	100
15	Measured Concentration of SO ₂	ppm	16.8	18.9
16	Permissible Limit for Nox	ppm	50	50
17	Measured Concentration of Nox	ppm	15.2	21.6

*Permissible limit not specified in EC copy as well as in GPCB CC&A

Instruments used : Ecotech Stack Sampler, Model No. ESS 100

Calibration Due On. : 13/09/2018



Royal
Analyst



Royal

Environment Auditing & Consultancy Service

303-304, Shivalik-7, B/s Bal Adalat, Gondal Road, RAJKOT - 360 002.

Ph. +91 281 2360695 Email : royaleenvironment@live.com admin@royalconsultancy.com

Ref. No. : 628/09/2019-20

Date : 03/10/2019

REPORT OF STACK EMISSION ANALYSIS

Name of company : **Gallantt Metal Limited**

Survey No. 175/1, Near toll gate,

Village : Samakhyali,

Taluka : Bhachau,

Kutch, Gujarat.

Test Method : As per IS Standards - 11255_1/2/3/7

Sr. No.	Particulars	Unit	Stack - 3	Stack - 4
1	Date of sampling	---	12-09-2019	12-09-2019
2	Time of sampling	Hr	11.10	12.05
3	Stack Attached to	---	Rotary Kiln - 1, 2	Rotary Kiln - 3
4	Air Pollution Control Measures	---	Recouperetur & ESP	Recouperetur & ESP
5	Stack Diameter	Meter	1.5	1.5
6	Stack Height	Meter	35	35
7	Stack Temperature	Degree Centi.	121	118
8	Ambient Temperature	Degree Centi.	34	35
9	Average Velocity of Flue Gases	M/Sec.	7.4	7.2
10	Isokinetic flow rate for P.M. Sampling	LPM	21	22
11	Gaseous Sampling Flow Rate	LPM	2.0	2.0
12	Permissible Limit for P.M.	mg/Nm ³	100	100
13	Measured Concentration of P.M.	mg/Nm ³	51.6	62.7
14	Permissible Limit for SO ₂	ppm	100	100
15	Measured Concentration of SO ₂	ppm	75.6	78.6
16	Permissible Limit for Nox	ppm	50	50
17	Measured Concentration of Nox	ppm	21.5	22.7
18.	Permissible Limit for CO*	% (V/V)	1.0%	1.0%
19.	Measured Concentration of CO*	% (V/V)	0.3	0.4

*Permissible limit are as per MoEF&CC Notification G.S.R.414(E),dated 30/05/2008.

Instruments used : Ecotech Stack Sampler, Model No. ESS 100

Calibration Done On. : 13/09/2018

Royal Environment Auditing & Consultancy Service



Jegadish
Analyst